





























See Complete Index on Page 118

This page illustrates a few of the many articles you can order from this catalogue . . . for complete index of items see page 118. When ordering use order form on pages 119 and 120.













ORDER FROM WINNIPEG

A shows the items we also ship from Saskatoon, and in some cases from Calgary, Edmonton and Regina.

See page 85 for list of Stores and Locations.



BIG BEN SUPER CONSTRUCTION

Assures Longer Life MORE B'BATTERY HOURS PER DOLLAR

Giant Super Powered 45-Volt "B" Battery

*Big Ben" is a super extra heavy duty 45-volt "B" Battery. It is made bigger and heavier, with more life and more power. and heavier, with more life and more power . . . measures 8x4%x7%-inches. Each "Big Ben" is factory tested and factory sealed—this "Sealed-in-Power" assures against loss of life or power before the battery is put into use.

We believe "Big Ben" to be the finest battery made in Canada-made massive, compact, with one-piece zinc cells of extra heavy gauge and size that gives this battery 20 to 25 per cent more electrolytic mix...it is this greater amount of active material that makes "Big Ben" greater in power, longer lasting and assures clearest reception from any radio.

"Big Ben" Super Giant 45-Voit "B" Battery. Shipping weight 13-ibs. Order from Winnipeg, Regina, Saskatoon, Calgary, Edmonton.

4.90





ARCADIA SEALED IN BATTERIES

Arcadia Guaranteed Quality is Assurance of Longer Life - NOTE LOW DELIVERED PRICE

★If you demand the most in battery economy choose the "Arcadia" Heavy Duty "B" Battery —a battery built to give power in abundance. Every

"Arcadia" is the finest battery of its size that can be built and is guaranteed to give the utmost in hours of service and satisfaction. Arcadia batteries are full test, full power. "Arcadia" batteries have satisfied battery users for more than 36 years and continue to lead the field in quality, hours of service and value.

Cat. No.	Kind of Battery	Volts	Size	Weight About	PRICE
B43-281F	"B" Battery (Round Cell)	Heavy Duty 45 Volts	8x4 ½ x7 ½ -ins.	12-lhs.	4.30
B43-280F	"B" Battery (Round Cell)	Standard Size 45 Volts	8x3x7 1/4 -ins.	8 ½ -lbs.	3.65
B43-305F	"C" Baffery Tapped -3, -4 1/2 volt	4½ Volts (plng-in type)	4x2 % -x1 % -ins.	5-oz.	.85
B43-307F	"C" Battery Tapped -1 1/2, -3, -4 1/2	4½ Volts (screw terminals)	2 ¾ x2 ½ x¾ -ins	4-oz.	1.00



"Spitfire" 6-Volt General Purpose Battery

The ideal battery for electric fencers, radios, engines or wherever 6-volt power is required. The "Spitfire" 6-volt multiple battery bas twelve special cells which give 30 per cent longer life than those made up of four No. 6 dry cells. Sturdy, compact

Our Radio Batteries **Guaranteed Fresh Stock**

It pays to purchase radio batteries from MACLEOD'S batteries from MACLEGOD's because our tremendous sale of batteries is assurance of fresh stock—as a further protection Macleod's check each battery before shipping to insure full test and full



11/2-Voit "Spitfire" No. 6 Dry Cell "A" Battery

The guaranteed "Spitfire" 1 1/2-volt dry battery is equally efficient for radio, ignition, fencer, telephone, bell,



ARCADIA FLASHLIGHT BATTERIES

Dependable quality, more power and longer life are assured because of the new "safety seal" and more active materials used in "Arcada" long life flashlight batterfes.

Standard large size unit cell. 1% -inch diameter. Use two for 2-cell and three for 3-cell flashlights.

15

Standard medium size unit cell, 1-inch diameter. Use two for 2-cell and three for 3-cell flashlights.

R17-426—Price each, DELIVERED 2 for 3-58

R17-426—Price each, DELIVERED 2 for 3-59

16 or 1-sell-glashlights and Eleshlight Rulps, etc.)

(See page 91 for Flashlights and Flashlight Bulbs, etc.)

6-Volt Radio "A" Battery

Any Macleod "Varcon" Auto Battery can be used as a 6volt Radio "A" Battery. Refer to Automobile Batteries on pages 56 and 57.



2-Volt 13-Plate Wet "A" **Battery**

with all 2 - volt battery radios. Heavy duty plates. 120-ampere hour

capacity. The quality construction of this battery assures long life and perfect satisfaction. Screw top radio terminal.

Order from Winnipeg, Regina, Saskatoon, Calgary. Edmonton. B43-352—Price each, 7.65

'B' BATTERY GUARANTEE

Macleod's guarantee Arcadia and Big Ben radio batteries and power packs to be finest materials and workmanship. Macleod's guarantee these batteries will give equal or greater hours of service and satisfaction than any make o' battery of the same type and size-regardless of price. Each battery is factory tested to full strength and factory sealed. Macleod's check and test and reseal before shipment to ensure full test and full power. Every Macleod radio battery is the finest of its size.



SEALED IN' POWER

Sealed-in Power! Nothing less than Nothing less than a guarantee that e a c h battery is fully charged, full powered. It means that every battery is tested and sealed at the factory and re-betted and and re-checked and tested by Macleod's before shipment.



1½ Volt Dry 'A' Battery

For 1.4-Volt Radios—Use With Two "B" Batterles

"Arcadia" Batteries are of the finest materials and workmanship—guaranteed to give dependable service. The name "Arcadia" is your assurance of quality and value.

"Arcadia" Heavy Duty Plug-In Type
"A" Battery. Recommended for use
with "Arcadia" Heavy Duty "B"
Batteries.
B43-263F—DELIVERED.... 3.65

"Arcadla" Glant Plug-In Type "A"

**Battery, Recommended for use with
"Big Ben" "R" Batteries.

**B43-265F—DELIVERED.... 4.45



Rich Natural Tone . . . Tru-Sonic 5-inch speaker, dual output tubes, plus occonstically correct wooden cabinet assure high fidelity in tone.

Precision Engineered . . . Ultra-sensitive and highly aelective superheterodyne circuit; you can tune in more distant stations and separate usual "hard-to-get" in-between stations. Automatic volume control prevents "blasting" and reduces "fading." volume control

Vernier Tuning . . , full vision, easy to read dial.

Standard Wave Band . . . 540 to 1650 kilocycles, tunes all standard wave stations.

Modern Design Wood Cabinets . . . accoustically designed wood cabinets — particularly well designed of selected wood veuecrs, hand rubbed ond poished to a lustrous finish. Matching grill adds to deluxe

Features you would expect in higher priced sets are right at home in the handsome big performing battery-operated 5-tube "Arcadia." Consider, too, that "Arcadia" for almost 20 years has been a popular radio in Western Canada. The amazing popularity of the "Arcadia" has been achieved by giving honest satisfaction. When Mr. J. Engberg, Pass Lake, Ontario, writes: "We still use the same radio we bought from you ten years ago—never one repair," he is expressing the satisfaction that is common among "Arcadia" radio owners. You, too, will be proud to have an "Arcadia" in your home.

Check the features: one glance will tell you that "Arcadia" is the radio you want. Choose either model—the smaller cabinet model is a compact design that is favored in many homes... the larger cabinet model holds all batteries out of sight within the cabinet and has a tonal quality of even greater fidelity.

(A) Size of cahinet approximately 12-inches long, 6%-inches high and 6%-inches deep. Your choice of two finishes, as below:

B43-6319F—Limed Oak Finish Wood Cabinet B43-6320F—Walnut Finish Wood Cabinet Price DELIVERED (without batteries)

MONTHLY PAYMENT PRICE: \$5.85 Down, \$4.00 per Moeih for 8 Mooths.

(B) Size of cabinet approximately 17½-inches long, 9%-inches high and 9%-inches deep. Holds the batteries out of aight within the cabinet. Walnut finish only, as below: 843-6324F—Walnut Finish Wood Cabinet. Order radios from Winnipeg. Regina. Saskatoon, Calgary, Edunanton. Edmonton.
Price DELIVERED (without batteries) 44.75

MONTHLY PAYMENT RICE: \$6.60 Pown, \$5,25 Per Mooth for 8 Mooths.

Heavy Duty "Arcadia" A and B Battery Pack, for use with above radin.

843-326F—Price DELIVERED

MONTHLY PAYMENT PRICE For Radio With Battery:
\$9.00 Down and \$5.00 por Month for 10 Months.

Wavanesa, Man., MacLeOD'S Limited Dear Sirs:

My sincere thanks to you on the merits of the Coronado electric radio. It is a wonderful radio, Thank you for stocking Coronado radios. MACLEDD'S LIMITED
Dear Sirs:

I nm very setisfied with the
Coronado electric radio. It has
clear reception and brings in distant stationg very clear.



CORONADO

FOR HOMES WITH 110-YOLT A.C. OR D.C. ELECTRIC POWER It's The "Coronado" For Powerful Reception - An Outstanding Example of Radio Value

FREE HOME TEST Every ect we cell is sold on the under-etanding that you may try it for a week. If not catisfied your money will be cheerfully refunded. You will be agreeably surprised with the perform-

SET GUARANTEE "Arcadia" and "Coronado" radios carry Maeleod's well known guarantee of satisfaction. They are designed and engineered by the best in the radio industry and are manufactured by a leading Canadian firm. Mode of the finest materials, guaranteed against both defeets in material and workmanship. Tubes are unconditionally guaranteed for 3 months against failure. Every radio is thoroughly tested and in proper working order before shipment.

Enjoy radio reception at its best. The guaranteed 5-tube standard wave "Coronado" embodies a precision engineered superheterodyne circuit with greater reaching power that will bring you hours of extra entertainment. If you desire superb performance all over the dial then you will thrill to the new "Coronado"—so highly selective and sensitive, with needle-sharp tuning that separates distant "in-between" stations with ease.

Modern design accoustically correct wood cabinet of hand rubbed and polished wood veneers. Tru-Sonic 5-inch speaker . . . built-in resistor corrects line voltage, tubes last longer . . automatic volume control . . . tubes guaranteed 3 months . . . built-in aerial with outside connection. Standard wave band, 540 to 1650 kilocycles. Your choice of compact similer cabinet model, easily moved from room to room — or the larger cabinet model that is particularly attractive in bigger rooms.

(A) Size of cabinet approximately 12-inches long, 6%-inches high and 6%-inches deep. Your choice of two finishes, as below:

843-8227F—Limed Oak Finish Wood Cabinet
843-8228F—Walnut Finish Wood Cabinet
Price DELIVERED

MANTHY REVERED

4475

Delivered

MONTHLY PAYMENT PRICE: \$5.85 Dowo, \$4.00 Per Mooth for 8 Months.

(B) Size of cabinet opproximately 17 ½ inches long, 9 ½, inches long, 9 ½, inches long, 19 ½, inches long, 1

MONTHLY PAYMENT PRICE: \$6.60 Down, \$5.25 Per Mooih for 8 Months.

"Coronado" 5-Tube Electric Radio

Two-Tone Plastic Cabinet In Rich Walnut And Ivory

Superb performance all over the dial—it's a guaranteed "Coronado" and truly a leader in its price field. The superheterodyne circuit embodied in this radio assures razor-edge tuning and a sharply defined separation of stations. You will be delighted with its powerful performance, extreme sensitivity and tonal quality—it has the features that really add up to full radio enjoyment and listening pleasure.

The modern two-tone plastic cabinet — walnut colored body with ivory colored front — features an attractive blue diai knob with gold colored insert and numerals. Other features include: Built-in "Power-Rod" antenna, adds to sensitivity, hrings in even the weakest stations . . powerful 4-inch speaker, assures new realism in sound reproduction . . . finger tip dialing for easy, accurate tuning . . . automatic volume control . . . tubes guaranteed 3 months.


The cabinet measures $9\frac{1}{2}$ -inches wide, $5\frac{1}{4}$ -inches high, 4-inches deep—easlly carreid from room to room.

"Coronado" 5-tube Radio (110-volt A.C. or D.C. electric). Order from Winning, Regina, Saskatoon, Calgary, Edmonton.

27.45

MONTHLY PAYMENT PRICE: \$4.25 Down and \$4.25 Per Month for 6 Months





"General Electric" (Model C507)



Let Music Lull You To Sleep ... Awaken You In The Morning

Truly an electronic scrvant—this handsome clock-radio combines an accurate Telechron electric alarm clock and a powerful 5-tube radio . . . and in addition has an electrical outlet socket that turns on toaster, coffee percolator or bed lamp at any pre-set time.

Fall asleep to inusic, the clock mechanism turns the radio off for you; in the morning the radio turns on at the time you set the night before and a buzzer alarm awakens you. Your choice of fvory or Walnut tinish plastic cabinet... full vision dial ... built-in antenna ... standard wave brodeast, 540 to 1600 kilocycles. Attractively designed cabinet styling wins instant favor and gives extra appeal to the radio.

MONTHLY PAYMENT PLAN: \$7.65 Down and \$5.75 Per Month for 10 Months.

MACLEOD'S Limited,
Dear Sirs:

I have been a customer of Mecleod's for
20 years and in that time I've ordered over \$2,000.00
worth of your goods, having complete setisfection
with every article.

Yours truly,
(Name on request)

★ "General Electric" 5-Tube Electric Radio

Compact Design Plastic Cabinet ... In Walnut or Ivory Finish

- 5-tube superheterodyne circuit.
- Built-in "Beam-A-Scope" antenna with outside aerial connection.
- 4-inch permanent magnet speaker
 ... ample room volume and pleasing tonal quality.
- Direct drive circular tuning dial.
- Cabinet is heavy plastic, cannot chip or scratch.
- Standard wave broadcast, 540 to 1700 kilocycles.



"General Electric" Model C405 5-tube Radio (110-volt A.C. or D.C. electric). Ivory or Wainut plastic cabinet — state which wanted. Order from Winnipeg, Saskatoon, Edmonton 29.95

MONTHLY PAYMENT PRICE: \$5.40 Down and \$4.50 Per Month for 6 Months


* R.C.A. Victor "Nipper" Electric Radio

Classic Styled Plastic Cabinet ... In Walnut, Ivory or Green

- Selective 5-tube superheterodyne circuit.
- Built-in "Magic Loop" antenna with external connection . . increases reception in weak signal areas.
- Famous R.C.A. Victor "Golden Throat" tone system assures clear, vivid sound reproduction.
- · Automatic volume control.
- Circular dial with contrasting numerals . . . easy to read, easy to tune.
- Standard wave broadcast, 540 to 1600 kilocycles.

The modern design of the R.C.A. Victor "Nipper"—in a choice of three room-matching colors—is certain to please you. Compact in size, but with power and volume and fine selectivity. This set embodies the famous "Golden Throat" permanent magnet speaker and a superheterodyne circuit that assures good reception on standard wave 540 to 1690 kilocycles. The cabinet is 5%-inches high, 10¼-inches wide and 4¼-inches deep, of colored plastic in Walnut, Ivory or Green.

MONTHLY PAYMENT PRICE: \$5.40 Down and \$4.50 Per Month for 6 Months





R.C.A. VICTOR 5-TUBE AUTO RADIO (MODEL A560)

Super powered 5-tube superheterodyne circuit with separate 5-inch speaker for full, clear tone, Shockproof miniature tubes for stubility and dependability under the roughester road conditions. Automatic volume control reduces "hlasting" and "fading." Low battery drain only 4.6 amps. Tuning range: 540 to 1600 kilocyclea standard broadcast band. Basic unit size 9 ½ x3 ½ x4 ½-inches (dla) assembly protrudes 2-ins.). Shipping weight about 10-lbs. Includes basic radio unit and separate speaker. Less mounting kit. (Note: Mountlug Kit includes dual plates, knobs, and mounting brackets and minst be ordered with radio—see listing below).

59.95

MONTHLY PAYMENT PRICE: \$14.95 Down, \$8.25 Per Month for 6 Months

R.C.A. VICTOR 6-TUBE AUTO RADIO (MODEL A620)

R.C.A. VICTOR 6-TUBE AUTO RADIO (MODEL A620)

**Aligh powered 6-tube superheterdoyue circuit for greater range and sensitivity. Separate 6-½-inch speaker gives perfect reproduction in clear ringing tones. New case and simplicity of operation, tuned radio frequency stage of amplification permits greater case in separating stations on the dial—tunes in and holds the distant weaker stations. Autometic volume control, sheekproof mulniture tubes, contonical battery drain only 5.1 smps. Basic unit radio size 9-½-x3-%-x4-½-inches (dial assembly protrides 2-ins. 1. Shipping weight about 12-lins. Includes basic radio unit and separate 6-½-in. speaker. Less nounting kit, (Note: Mounting Kit thebides dial pistea, knoba, and mounting brackets and must be ordered with radio—see listing below).

B43-5039—l'rice DELIVERED

**TONE PROMENT OF THE PROCES ASSESSED RESEARCH OF THE PROCESSED RESEARCH OF TH

MONTHLY PAYMENT PRICE: \$19.95 Down and \$13.00 Per Mooth for 6 Mooths



MOUNTING KITS

MOUNTING KITS

Include dial knobs nod dlal plate, also mounting brackets—as these parts are not supplied with either of above radios, it is essential that a mounting kit he ordered with radio. Two types are avoilable; Universal Mounting kit for muderthe-dash unounting on any ear or truck; Custom Installation Kits are designed to fit specific cur as listed.

Description (To Fit)	Catalog No.	Dailvared
UNIVERSAL MOUNTING KIT For under-the-desh- mounting; fits all cars and tracks	B43-5039	6.65
CUSTOM INSTALLATION KITS Ford—1952-53, Custom line and Mainline; Meteor—1952-53, Mainline Dodge and Plymouth—1951-52 Citerrolet—1951-52 Studebaker—1950-72 Pontlac 1949-52	B43-5044 B43-5042 B43-5040 B43-5049 B43-5040	6.45 8.95 7.45 8.95 8.65

Auto Aerial 6lda Cawi Maunting Triple chrome plated on he avy duty brass tubbig, will not rust. Rubbier mounted and well insulated; chrome capped Bakelite insulators, Fit practically all cars, castly installed. Complete with 36-inches shielded acrial lead-in wire and installation instructions.

Three Section Aerial; 29-ius, high when sed and extends to 68-lus. Weight about

1-%-108.
B43-102—Price, DELIVERED... 4.65
Four Sectian Aerial; 36-ins. high when closed and extends to 100-ins. Weight about 1 %-10s.

B43-103 -Price, DELIVERED ... 5.75 Order Auto Acrula from Winnipeg, Regina, Saskatoon, Calgary, Edmonton.



Crest Tiras give peak parformance --they're Canada's value 58 and 59





Every tube is stemped with date at time of ahipment—this is done because every tube is tested and checked before ahipping. Our radio tubes are guaranteed for a period of 3 months from date of purchase. This does not apply to burnt-out filaments or to tubes broken or subjected to excess voltage. We carry a complete line of radio tubes.

Tube	Cat, No.	Prica Daiivared	Tube	Cet. No.	Price Delivared
1A7GT 1C5GT 1115GT 1115GT 1185 1T4 1T5GT 1U5 3Q5GT	B43-4417 B43-4422 B43-44401 B43-4490 B43-4474 B43-4475 B43-4477 B43-4477	2.15 2.25 1.70 2.05 2.05 2.05 2.60 1.85 2.50	12AT6 12BA6 12BA6 12BA6 128A7 128K7 128Q7 35ZSGT 35ZSGT 35W4 50L6GT	B43-4728 B43-4730 B43-4731 B43-4746 B43-4756 B43-4760 B43-4828 B43-4828 B43-4850	1.55 1.85 1.85 1.70 1.70 1.45 1.20 1.25

Other radio tubes an request. When ordering tubes not listed above state number as above out the old tube. Order radio tubes from Winnipeg, Regine, Saskatoon, Calgary, Edmonton, We ney delivery charges.

EXPERT RADIO SERVICING

EXPERT RADIO SERVICING

We have Radio Service Departments located at Winnipeg,
Saskatoon and Edmonton. They are modern and fully
equipped to service all makes and models of radios. Each
joh receives the expert attention of highly skilled radio
technicians. All new tuhes used as repiscements are guaranteed te give satisfaction and the service you have a right
to expect. Only new parts of the higheat quality are used
on your radio and all worn parts that we replaced are returned to you.

Our prices are as low as possible and consistent
always with Macleod's policy of giving highest quality at the lowest price. Full satisfaction guaranteed.
If your radio is not operating satisfactory or requires an overhand, pack carefully and send expresscellect to Macleod's Limited, attention Radio Service
Department at either Winnipeg, Saskatoon or Edmouton. It will receive our prompt attention and
be returned to you C.O.D., express collect. We pay
shipping chargas ana way.

If your radio is a really old model, or if it requires
extensive servicing, you will be advised of the cost
of repairing before the work is done.

Note: When writing abaut this service be sure ta
state make and madel of the radio, end give full
particulers as to the netura of the traubla.



RADIO TUBES **GUARANTEED** 3 MONTHS

AUTOMATIC TRACTOR



Complete With Aerial

Complete With Aerial

This fully shockproof Automatic superheterodyne radde can take the roughest use without missing a note of music or a spaken word, Eight tubes including rectifier. Three gang condenser. Tuned R.F. Stage for extreme sensitivity and selectivity. Push-pull hearn power output. Automatic volume control with ample volume to be ensily heard over tractor noise. Large 6 x 9-ineh P.M. speaker with powerful magnet for exceptional lone quality. Shockproof mounting with universal mounting hracket to fit all tractors having 6-volt lattery. Low battery drain, only 7-amis. Bensilfully finished case bondarized to prevent rust and corrosion. Weatherproof construction to stand any type of weather conditions. Complete with 72-inch heavy duty chrome plated aerial that telescopes to only 10-inches when not in use.

Automatic Tractar Radia. Order from Winnipeg

Whip Style Home Aerial Kit

Whip Style Home Aerial Kif

Just fuster the metal angle bracket to window
sill or wall with 3 seroses, counce t lead-in wiro
to radio and this aerial is completely installed.
Needs no dangerous gay wires or braces, efficient in
any locality. The three sections of heavy chroneplated tubing extends to 06-inches. Adjuatable base
bracket permits aerial to be set in saveral positions.
12-inch lead-in wire and
ununiting bracket.

B43-166

DELIVERED.... 4.65

For anality, at the lowest

(F) PORCELAIN INSULATORS

For quality, at the lowest possible price, it pays to order from Macleod's — Satisfaction guaranteeed.



(E) GROUND CLAMP Adjustable % to 1-in., fits around ground post.
B43-376—Each Dallvarad..... .06

Standard Aerial Kit 100-feet of 7 strand,

26-gauge serial wira,
ground claup, lead in strip.
30t-foot lead-in whre, lightning arrester, two porcelain
insulators.

843-109-169 DELIVERED

B43-381 Ma DELIVERED. .15



& A Do

(C) LIGHTNING ARRESTOR B43-216—Use with any radio: of 16—Use with any radio; com-with instructions, Dailvared .27

-U-8-01

(D) STAND-OFF INSULATORS

Items Not Marked & to be Ordered From Winnipeg Only
Dalivery Charges Extre Except Whera Pricas State "Delivared"

G

FALL and WINTER Catalogue—1953-54



(A) Sanforized Cotton Drill Parka

The tough sanforized cotton drill shell of this parka is interlined with insulating wool paca quilted to heavy weight red doeskin. Fly-front quitted to heavy weight red doeskin. Fly-Iront zipper closure with tab and button top and botton. Two pleated button dap breast pockets, two slash side pockets. Shirred elastic waist, Knitted storm cuffs. Quitted-lined, fur-trimmed detachable hood. Colors: Brown, Fawn, Navy. Sizes 38 to 46 chest.

Men's Sanforized Drill Parka. State color and size wanted. B95-5802—1'rice, DELIVERED 12.45

(C) Boys' Sanforized Drill Parka

Hard wearing, wind resistant sanforized cotton drill, interlined with heavy weight wool paca quilted to red doeskin lining. Fly-front zipper with tab and dome top and bottom. Two pleated button-flap breast pockets. Two slash side pockets. Kuitted storm enfrs; shirred elastic waist; quilted-lined, detachable fur-trinmed hood. Colors: Brown, Fawn, Navy. Sizes 8 to 16 years.

Boys' Sanforized Drill Parka. Stato size and color wanted.

color wanted. B99-5905—Price, DELIVERED 8.95


Men's Jacket-Style Sweater



Men's smart lookall wool sweater with zipper front and trim Cadet collar. This popular style can bo ular style can bo worn in der a windbreaker or sultcoat. Wurm rib stitch body, sing cuffs and walstband. Two pockets. Colors: Wine, Navy, Sizes 36 to 44 chest. chest.

Men's Zipper Frent Sweater, State size and color warded, B100-8212—

Price. Delivered... 6.25



B

14.95

(B) Men's Lined Parka Jacket

Has all the sing warmth of a parka plus a
look of casual smartness. Made of closelywoven combed cotton gabardhe to stop the
coldest whids. Interlined with thick wool paca
quiltod to rayon satth lining throughout body
and sicevos; features a thick pile collar for
extra protection. Full-length fly-front zippor
with top and bottom buttoned tabs. Two
pleated button-flap breast pockets, two slash
body pockets. Defachable belt, knitted storm
cuffs. Color: Olive Green. Sizes 38 to 46 chest.

Men's Olive Green Parka Jacket. State size
wanted.

14.95 14.95 B95-5807-Price, DELIVERED

(D) Men's Mackinaw Windbreaker 26-0Z. "NYLOWOOL"

26-OZ. "NYLOWOOL"
Here's style, quality and comfortable outdoor "shoulder-to-thigh" protection. Heavy weight 26-OZ. "Nylowool" mackinaw cloth is fine wool with Nylon threads added to give oxtra wear. Extra big pattern for full, easy fit and free movement. Softly mapped cotton lining. Zipper front, turn down collar, adjustable side straps, three pockets. Colors: attractive checks of Ited, Blue or Green. Sizes 38 to 46 chest.

Men's Check Mackinaw Windbreaker. State

Men's Check Mackinaw Windbreaker. State color and size wanted. B95-3726-Price, DELIVERED


Men's All-Wool Jumbo-Knit Coat Sweater



Coat Sweater
Warm, well-fitting favorito of
Westerners!
High quality
yarns. Big
"hand fashloned" collar, two
pockets, snug
cuffs. Colorful
trin on collar,
pockets, bntion
on d. Colors:
Black with red
trim, Myrtic
Green with yellow trim, Maroon with white
trim. Slzes 38 trim. Sizes 38 to 46 chest. Man's Jumbo-Knit Cent Sweater. State size and color want-

B100-8223-

Delivered 8.95





Get real protection from biting winter winds, Heavy weight Sanforized Olive drill, has thick toasty-warm wool paca interlining quilited to

hard-wearing cotton lin-ing, Zipper front, two slash body pockets and buttoned flap breast pocket. Buttoned cuffs, pull - tight waistband adjus-ters, Sizes 38 to 46 chest.

C

BOVS'

8.95

Delivered

D 11.45 Dallygrad

Men's Quilted Lined Zipper Jacket. State size wanted. B95-3715---

DELIVERED 8.75

Order Footwear and Clothing from Winnipeg Only Remember: We satisfy you or return your mency

HIGH QUALITY UNDERWEAR - LOW PRICE! TOP



Fleece Lined Combinations

Preferred by men who work outdoors. Fleeced combinations of sturdy cotton yarns in a closely woven Jersey cloth. Warm, downy fleece on the inside. Long sleeves down licece on the maide. Long sleeves and legs with snug fitting elastic knit enffs and ankles. Buttoned front. Extra well finished and made to full roomy proportions. Chest sizes 36, 38, 40, 42, 44 and 46.

Men's Fieece Lined Combinations. State B100-9027—Price, Delivered..... 3.69

"Beaver" Fleece Combinations

"Beaver" Brand heavy fleece combinations, knit from fine quality cotton yarns in a special heavy weight for outdoor men. Nap-ped on the inside with thick, soft fleece for ped of the inside with thick, soft neede for extra warmtb and comfort. Flat-lock seams throughout, buttoned front. Long sleeves and legs, double ply ribbed euffs at wrists and ankles. Golden random sbade. Chest sizes 36 to 46.

Men's "Beaver" Fieece Lined Combinations. State size wanted. B95-9033—Price, Delivered 4.39

Boys' Fleece Lined Combinations

For extra warmth and snug comfort these full cut fleece lined combinations are first the cut lieece fined combinations are first eholee for winter wear. Made from ahrdy Jersey clotb, long sleeves and legs with elastic knit cuffs and ankles, hutton front and button flap seat. Chest sizes 24, 26, 28, 30, 32 and 34-inches.

Boys' Fleece Lined Combinations B99-8027—Price. Delivered....... 2.39

Men's Brushed Cotton Combinations

Warm combinations made in a close even elastic rib stitch, softly napped on the inside for greater comfort. Made in a comfortable medium weight, that many men prefer to wear sil winter through. Button front, long sleeves, ankle length. Mottled ahade. Flat seams throughout.

Cotton combinations should be ordered one size larger than chest measurement. Chest sizes 36, 38, 40, 42 and 44-inches.

Men's Brushed Cotton Combinations. State B100-9019—Price, Delivered 2.98

Men's Heavy Rib-knit Combinations

Men's heavy weight rib-knit combinations. Fine quality wool and cotton yarns in a atretchy rib that ensures good fit, freedom of movement and real warmth. Strongly made with flat-lock seams, long sleeves and legs with snug-fitted cuffs at wrist and ankles. Chest sizes 36 to 46.

Men's Heavy Rib-knit Combinations. State size wanted.
B100-9035—Price, Delivered 5.45

Men's Cotton Rib Combinations

The ideal combination for the man who re-The ideal combination for the man who requires a lighter weight underwear. Men's short sleeve, ankle length combinations in a medium weight eotton rib. Made from high quality cotton yarn in a stretchy flat knit. Button front, non-sag shoulder inserts. Chest size 36 to 46.

Men's Cotton Rib Combinations. State size manted. B95.9015—Price, Dellvered 2.49

Men's Cotton-Wool-Blend Shirts and Drawers

Made from fine long-staple cotton yarns with a $25\,\%$ wool blend for softer, warmer more comfortable finish. Fine for indoor or outdoor wear.

SHIRTS—Pull-over style with short sleeves ribbed cuffs, crew neck. Chest size: Small (34-36-ins.) Medium (38-40-ins.) Large (42-44-ins.) State size wanted. Men's Cotton and Wool Undershirt.

Delivered 1.49

DRAWERS—Elastic waistband, fly front, ankle length, ribbed cuffs. Waist size: Small (30-32-ins.), Medium (34-36-ins.), Large (38-40-ins.). State size wanted. Man's Cotton and Woot Drawers.
B100-9085—Price, Delivered 2.19

(B) Men's Olive Drill Work Pants

"Sanforized" 8-oz. Olive drill work pants, a favorite for their hard wearing qualities and so easy to wash. Full cut roomy scat and legs. Strongly stitched, finished with five drill pockets, belt loops, suspender buttons and cuffed legs. Size 30 to 44 waist, 30, 32 and 33-inch (inside) leg

(B) "Sanforized" Cotton Worsted Work Pants

Good looking pants suitable for work or dress wear in a Sanforized striped cotton worsted material. Well cut and nicely finished with belt loops, suspender huttons and cuffed legs. Five drill pockets, Blue, Grey, or Brown, Sizes: 30 to 44-inch waist; 30, 32 and 33-inch inside leg length.

Men's "Sanforized" Cotton Worsted Work Pants. B95-5797—State size, color. Price, Delivered.... 4.50

MEN! Sturdy "Sanforized" 8-oz. BLUE DENIM

· Zipper Fly strain

Triple Stitched,, Rip-Proof Seams Copper Riveted at points of

· Roomily Cut for freedom

of movement Fitted Waistband

Riser Back
 Two front pockets, watch pocket, and two big hip pockets.

The work pant that bas every-thing for long wear and good fit.

Men's 8-oz. Sanforlzed Blue Denlm Pants. "Made-Rite" Brand. Sizes 30 to 42 waist; leg (inside) 30, 32 and 34. B95-5766-DELIVERED 3.59

Boys' Rider Style "Sanforized" Zipper Fly Blue Denims

"Blue Jeans" - the popular pant for the outdoor boy.
"Sanforized" 7 %-oz. sturdy
blue denim, triple stitched
seams, reinforced with metal
rivets. Two front pockets and
two him pockets. two hip pockets.



Smart Looking, Long Wearing . . . Matched

JACKET and **PANTS**

Smart Looking Jacket—Tallored in attractive waist band style for neat fit and freedom of movement. Yoke back and full cut arm-holes give lots of room across shoulders and prevents binding. Zipper front, turn down collar. Zipper breast pocket for cigarettes, etc., and two leather bound, slash side pockets. Olive shade. Sizes 38 to 46. Olive Whipcord Jacket. State size.

size. B95-3730—Price,

DELIVERED 5.69 Matching Trousers Matching Trousers — Full cut and strongly stitched "Thoroshrunk" olive whipcord. Zipper fly. Five pockets, belt loops, suspender buttons, cuffed legs. These trousers also available in Grey whipcord. Sizes 20 to 44-inch waist. 30, 32 and 33-inch instide lett. means a support of the state of inside leg measurements. State size and color wanted.

B95-5791—Price,

4 49

4.49 DELIVERED

SERVING THE WEST: In the important consideration of Quality Value . Service . Macleod's Limited, today, as always in the past, is building for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the successful growth and continued expansion of this company can be built.



(A) "Thoroshrunk" Cavalry Cord Work Pants

(A) Men's "American Army Cloth" Work Pants

Men! Macleod's

" Rig-Fit " and

" Made - Rite "

brand overalls

are made to

work-tested,

work - eomfort

fit. value --the best buy for

your money. See

page 13.

wear,

specificationsfcature



with chopper's thumb. Velvety soft finish, yet tough and hard wearing, shirred elastic wrists, full welt and bound edges. Sizes medium and edges. Sizes medium and large—state size when order-

B95-4823-



Heavy Cream Tanned Cowhide face and back. A splendid wearing mitt that will give real satisfaction. This pullover mitt has Chopper's thumb, full welted seams, deep elastic shirred wrist, bound top. Sizes: Medium and large. R95-4816-1.75 B95-4818—Price, Pair, DELIVERED 1.59



Extra Heavy Pearl Split Cowhide Pull-overs for rough work and hard wear. Chop-per's thum b, welted seams, shirred elastic wrist, bound top. Med-lum and large sizes. B95-4819—

HORSEHIDE

"Kangaroo" Tan Horseovers for rough work and hard wear. Chopper's thum, shirred elastic wrist, bound top. Medlum and large sizes.

895-4819—
Pair DELIVERED 1.23

Pair DELIVERED 1.24

Pair DELIVERED 1.26

Povers for rough work hide. Soft, pliable, hard wearing. Full welted seams, chopper's thumb, elastic wrist, bound top. Medlum and large sizes—state which.

895-4827—Price, Pair, DELIVERED 1.98

CREAM COWHIDE COMFORT MITT

Men's Lined Mitt. Tough full grain cream cowhide with fully welted seams. Wide elastic cuff with lea-ther pull tab. Knitted cotton and wool lining. Medium and large



Lined and Unlined ROPER'S GLOVES

Reinforced Thumbs — Tab and Dome Fastener

You can't beat these for good honest value in an all round work or driving glove! Our Ropers' gloves are favored by Western men for their good fit and comfort. Tab and dome fastener on back. Reinforced thumbs extra months of wear. Buy with confidence.

LINED ROPERS' GLOVES -Pearl Split Deerskin, soft but tough. Warmly lined with fleectough. Warmly lined with fleeced cotton, tab and dome pull-tite, reinforced thumb, Sizes: medium and large. State size. B95-2778—Pair, DELIVERED 1.98

Unlined "Kangaroo" Tan Grain Leather Cowhide Ropers' Gloves. Tab and dome pull-tite, reinforced thumb. Sizes 9, 9½, 10, 10½, 11, State size wanted. B95-2761—Pair, DELIVERED 1.85



Men's Cotton and Wool Work Socks in the popular Merino sbade. Scamless, plain knit with wbite heels and toes reinforced for extra wear. One full-

fitting size.
Wen's Cotton and Wool Work Socks.
B95-3251— Pair, DELIVERED49



Suede Split Horsehide

Warm Fleeced Lining

Warm, easy-fitting comfort gloves of tough, brown split Horsehide — a strong, hard-wearing leather. Warmly fleeced-cotton lined, elastic knitted cuffs. Sizes: medium and large.

B95-2785 — Men's Spit Horsehide Lined Gloves. State size wanted. 1.55

Cotton Gloves WRISTS

Sturdy work gloves in a choice of strong knited jersey with napped finish inside; canvas, plastic coated canvas, or leather palm with canvas back. Every pair with knitted wrist bands. Men's

Wool Floeced Jersey.



Capeskin Gloves

Slip-on style of select quality capeskin; dressy outside seams. Warm fleeced cotton lining. Ideal for dress or driving. Choice of black or tan. Sizes 8½ to 1:—state

B100-2147—Tan Capeskin. 2.69 2.69 Pair, Delivered



B95-2716-8-oz. White Canvas. Pair, Dellvered B95-2717-12-oz. White Canvas. .48 Delivered B95-2733—Plastic Coated Cotton, waterproof. Resists acid, oil and grease. Pair, Delivered 98

WOOL LINER MITTS



Men's Medium Weight All Wool Mitts knit from strong 2-ply twisted yarns. Plain knit with ribbed cuffs. One full fitting size. Choice of color mixtures of Green and Black, Blue and Black, Red and Black, State color wanted.

B95-4835—Men's Wool Liner Mitts.

Pair, DELIVERED85

Flat Knit Liner Mitt

Economically priced grey wool-and-rayon liner mitt

Men's Heavy Weight Wool Liner Mitt

RETAIL STORES: Our retail stores have hundreds of items that are never shown in our mail-order catalogue.

MEN'S COLORFUL, COSY DRESS SOCKS



Midway Style Dress Socks In Wool and Nylon blend. Smart patterns in assorted shades of Wine, Grey, Blue. Elasticized top. Sizes 10 ½,

Men's **Police Braces**

Heavy quality, wide elastic weh, 40-inch length — double back piece and snap leather ends; hold fast metal slides give length adjust-ment as required. Order from Winni-

B95-7375— .89

MEN'S WINTER WEIGHT WORK SOCKS

Firmly twisted yarns for longer wear.

Seamless knit for comfort.

Nylon reinforced heels and toes.

Stretchy rib-knit leg, plain knit soles.

White heels, toes and tops.

White heels, toes and tops.

Medium Weight Grey Wool end Rayon Mixture; weight about 3-lbs. to dozen pair. One full-fitting size. 93

B95-3285—Pair, DELIVERED

Medium Weight Grey All Wool; weight about 3-lbs. to dozen pair. One full-fitting size.

B95-3297—Pair, DELIVERED

Lozen pair. One full-fitting size.

B95-3298—Pair, DELIVERED

Extra Heavy Weight Grey All Wool; weight about 5-hs. to dozen pair. One full-fitting size.

B95-3299—Pair, DELIVERED

Lozen B95-3299—Pair, DELIVERED

Medium Weight about 5-hs. to dozen pair. One full-fitting size.

B95-3299—Pair, DELIVERED

Medium Weight about 5-hs.



GREY WOOL AND NYLON RIB KNIT WORK SOCKS



Wool and Cotton These socks are popular with men for both work and dress wear because they're finely knit in a stretchy 5-and-1 rib. Comfortable, saug fitting 1-and-1 rib tops and reinforced heels and toes. Colors: Blue-lieather. Brown-Heather, Wine, Navy. One standard full-fitting

Men's Worsted Wool and Cotton Socks. Pair, DELIVERED

Colorful Suede Doeskin Work Shirts Plain Shades or FANCY CHECKS



Here are hard wearing winter work shirts, tailored to withstand plenty of rough, rugged wear—and at a price that's outstandingly low for such top quality! Softly napped on both sides to ensure ample warmth during sub-zero temperatures; full cut and well tailored for greater working eomfort. Coat style, two button through poekets, eontinuous sleeve faeings, double yokes. Order either number with full assurance of honest-to-goodness shirt value and atisfaction

PLAIN SHADES

Mon's "Sanforlzed" Cotton Suede Doeskin Work Shirts. Colors: Plain shades of Maroon, Navy, Green. Sizes 15 to 18 neck, including half sizes—State color and size wanted. halt sizes— **B95-8948**—

Men's Medium Woight Cotton Suede Dooskin Work Shirts. Colors: Plain shades of Green, Brown, Navy. Sizes 15 to 18 neck. Including half sizes—State color and slze wanted B95-6946— DELIVERED 2.59

FANCY CHECKS

Men's Extra Heavy Weight Cotton Doeskin Work Shirts. Colorful fancy check patterns in Red, Blue or Green. Sizes 15 to 18 neck, including half sizes—state size and color wanted. B95-6977—DELIVERED 3.98

Men's "SANFORIZED" Check Doeskin Work Shirts

Plain Shades Sanforized Broadcloth—Fused Collars

Choice: White, Tan, Blue, or Grey. Here's good value - "Sanforized" for shrink resistance; fine quality shirts of closely woven broadeloth, Fused collars that launder well and do not require starehing. Roomily cut for comfort and flt. Double yoke, breast poeket and buttonband euffs. Sizes 14 % to 17-ln. neek; 33, 34-ln. sleeves.

B100-7039 - "Sanforized" Broadcloth Dress Shirts. State color, neck and sleeve size, Price, DELIVERED 3.59

Men's Dress Shirts Bus Drivers' Shirts

Khaki or Grey Broadcloth Sanforized Shrunk

Smartly styled shirts that wear well, fit well and do not show soil readily. Cut on full, roomy patterns from quality "Sanforlzed" Broadeloth. Finished with neat flttlng soft collars that can be worn with or without a tie. Epaulettes, double yoke, button band euffs, and two button flap pockets. Sizes 141/2 to

B95-6908 - Bus Drivers' Shirt. Khakl or Grey. State size and color wanted. Price, DELIVERED 3.49



Men's Cotton Fleece-Lined **Sweatshirts**

Always a favorite because of their loose easy fit and because they wash so well. Knit from strong cotton yarns and softly fleeced on the inside. Round erew neck style with long sleeves, knitted walstband and euffs. Small, medlum and

large sizes in white only.

Men's Cotton Sweatshirt. State size wanted.

B100-7601--Price, DELIVERED 2.19

RETAIL STORES: In addition to our catalog service we have retail stores "all over the West," These retail stores further emphasize our desire to give a complete and satisfactory service.



Washable Plain Shades Or Woven Plaids

The kind of sport shirts that every man ilkes to wear. The popular inner-outer style-made to exacting specifications as to fit, flnish and styling by a famous manufacturer. These shirts feature die eut collars, cuffs, pockets and flaps, faced sleeve vents. Neat two-way eollar may be worn with or without a neektie. Available in rich looking plain shades in stabilized washable rayon or washable woven rayon plalds. Size: Small, medium or large. State size and color wanted.

Plain Shade Sport Shirts. Maroon, Blue, Grey or Tan (state

Woven Plaid Sport Shirts in shades of Blue, Maroon, Rust. Sizes. Small, medium, large, B100-7341—Price, DELIVERED 4.95

Sanforized



lan style, made of form of the style of the

windproof, wator repeliant "Touch-down" rayon gabardine. Warm, quilted rayon satin lining. Snug fitting, knitted wool trim on Doeskin lined ear flaps gives added warmth. Colors: Grey or Fawn. Sizes 6¾, 6¾, 7, 7¼, 7¼.



ear bands. Snugly lined with rich quitted rayon

satin. The earlands are Doeskin lined with all-round knitted trim that holds close to the head. Colors: Red, Green, Blue. Sizes 6%, 6%, 7, 7%, 714. 734, 71/2.

B95-678-Men's Wool Ski Cap, state size and color wanted. 1,69 Price DELIVERED $_{-1.59}$

FALL and WINTER Catalogue—1953-54



Sheep's Wool Lined All Brown Rubber **OVERBOOTS**

Brown rubber aviation type overboots with first quality sheep's wool lining. Slide fastener front makes it easy to slip them over regular footwear. Corrugated brown rubber soles. Snow-excluding tongue. Sizes 6, 7, 8, 9, 10, 11—state which wanted.

B105-9634 — Brown Rubber Overboots. Pair, DELIVERED 10.95

Fleeced Pile Lined All Brown Rubber **OVERSHOES**

Snugly lined with "Zero" fleece fabric lining, a thick fluffy wool and rayon pile on a serviceable cotton backing. Slide front fastener with full bellows snow and slush excluding tongus. Corrugated soles and heels. Sizes 6, 7, 8, 9, 10, 11—state which wanted.

B105-9642 — Brown Rubber "Zaro" Fleeced Lined Overshoes. Pair, DELIVERED 7.95 Slide Fastener

SLIDE FASTENER

Slide Fastener
Rubber Overshoes
Black rubber high style overshoes with slide front fastener—easy to put on and easy to take off! There is warnth and protection in the snow excluding full bellows tongue and fleeced cotton lining. Corrugated rubber soles and beels. Sizes 6, 7, 8, 9, 10, 11—state which wanted.

B105-9638—High Style Slide Festener All Rubber Overshoes.

Pair, DELIVERED.... 5.75



POPP

Men! 4-Buckle All Rubber

Fleeced Cotton Lined-First Quality! Extra Heavy!

Men! Extra heavy, first quality black rubber overshoes. Fleeced cotton lined-four buckle closing and rubberized full bellows excluder tongues keep feet dry at all times. Sturdy corrugated soles and heels. Sizes 6, 7, 8, 9, 10, 11-state size when ordering. B105-9614—4-Buckle Black Over-5.98 shoes. Palr, DELIVERED..........

Order Footwear and Clothing From Winnipeg Only.



Wool Jersey Cloth! Slide Fastener Overshoes

Trim slide-fastener overshoes—always a favorite fer dress wear, and they're warm, too! Uppers of good qually wool jersey cloth, fleeced cotton lined, slide-fastener and dome top. Sturdy rubber soles and heels. Sizes 6 to 11, including half sizes.

B105-9630 — Slide-Fastener Overshoes. Bair, Delivered 6.29



Sole Bend Leather Strips

Oak Tanned Half Soles

SHOE TACKS



REPAIR KIT COBBLER'S

It's easy to repair your own shoes with this handy cobbler's outift. Set consists of 3 lasts and 1 stand, 1 cobbler hammer, 1 shoe knife, 1 stabbing and 1 pegging awl, 1 package of %-inch nails and instructions, Shipping weight about 7-lbs.

B13-1012 — Gobbler's Repair Kit. Price, F.O.B. Winnipeg 2.39

RETAIL STORES — In addition to our mail-order catalog service we have retail stores "all over the West" These retail stores further emphasize our desire to give a complete and satisfactory service.



These black rubber work boots are built over a roomy last ln five-eyelet style. Heavy corrugated flange edge rubber soles, solld rubber heels. Rubberlzed waterproof full bellows snowexcluder tongue. Men's sizes: 6, .7, 8, 9, 10, 11-no half sizes.

B105-9506-Pair, DELIVERED

RUBBERS TO KEEP YOUR FEET DRY

Plain Over Rubbers Bright finish, plain black over rubbers with corrugated soles and heels, wide last. Sizes 6 to 11, including half sizes. State size want-B105-9671 — Men's Plain Black Over Rubbers. DELIVERED 1.89 **High Front Rubbers** Bright finish high front storm rub-

Bright finish high front storm rubbers with rolled edge, corrugated soles and heels, wido last. Sizes 6 to 11, no half sizes. State size wanted.

B105-9660 — High Front Storm Rubbers.

Pair, Delivered 2.39

Moccasin Over Rubbers

For wearing over moccasins or felt boot socks. Heavy rolled edge, corrugated soles, corrugated toe tip Slzes 6 to 11-no half slzes. State size wanted!

B105-9665 - Moccasin Over Pair, Delivered ... 3.29





DURABLE WORK BOOTS

Tough, hard-wearing materials combined with light weight and flexibility to ensure real foot comfort. Rubber and cork composition sole is especially recommended for its non-skid characteristics that make for sure footedness around farm machinery or construction jobs. Brown retan grain leather uppers, plain vamps with box toes, leather insoles and heel fitting inside counters. FIE width.

B105-7493—Gro-Cork Boots. Size 6, 7, 8, 9, 10, 11. State size wanted.
Pair, DELIVERED 6.85



Note Rugged Sole Construction

Tough Panco "Red Label" tap soles and solid leather outsoles assure longer wear. The black retan grain leather uppers have lined vamps and extra roomy box toes for wear with heavy wool socks. Protective outside counters, grain leather insoles and rubber heels. This boot is really built for wear. EE Width.

B105-7523—Heavy Duty Boot. Sizes 6, 7, 8, 9, 10, 11. State size wanted. 7.65



LOW PRICE! RUGGED WEAR!

Low price and sturdy construction are combined in this boot with choice of flexible long wearing neolite or tough panco soles. Retan split leather uppers with roomy plain to e last. Leather Insoles and rubber heels. Snug fitting inside counters. EE width; sizes 6, 7, 8, 9, 10, 11. State size.

B105-7653—Neolite Soles. Nailed and sewn.

Price, DELIVERED

B105-7634—Panco Soles. Nailed and sewn.
State size wanted.
Pair. DELIVERED

4.19



GOODYEAR WELTED SOLES

This boot features Goodyear welt construction for greater flexibility. The black retan grain leather uppers have roomy plain tocs and protective outside counter pockets. Solid bend leather soles and grain leather insoles. Rubber heels. Wide EE width. Designed to take hard wear without excessive weight.

B105-7561—Goodyear Weited Work Boot. Sizes 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, 10½, 11. State size wanted.

Pair. DELIVERED



Smooth Burgundy Brown leather uppers crafted over a wide easy-fitting last. Comfortable moccasin style with a smart embossed pattern on the vamps. Characteristic lacing passes through brass-finish rings. Sturdy pliable composition soles for long-wearing performance.

Men's Laced Moccasin Vamp Oxford

As above except in regular laced blucher style and with plain moccasin style vamp. Burgundy Brown only. B97-7310—Sizes 6, 7, 8, 9, 10, 11 including half sizes. State size wanted. Pair, DELIVERED 6.95



OAK LEATHER SOLES

For maximum easy fitting foot comfort choose this sturdy boot with pliable black retan grain leather uppers and roomy plain toes. The oak-tan leather soles are nailed and sewn. Made on a wide fitting last that assures you real comfort. Grain lea-ther insoles and rubber heels. EE width. B105-7566—Oak Leather Sole Work Boot. Sizes 6, 7, 8, 9, 10, 11. State size 6.35 wanted. Pair, DELIVERED.......



10-Inch Hi-Tops-EE Width

Goodyear Welt, Gro-Cork Soles and Heels

Uppers are cut from selected Brown Oiltan Retan grain leather, smooth and supple. The lined vamps have roomy box toes and dirt excluding full bellows tongue. The heavy gauge Gro-Cork soles and heels give longer wear with extra flexibility. Goodyear welt construction assures you of better fit and comfort. Additional features are outside counter pockets, grain leather insoles, bound tops. EE Width.

B105-7695—10-Inch Hi-Tops. Sizes 6, 7, 8, 9, 10, 11. State size wanted. Price, DELIVERED 12.95

RETAIL STORES: In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and satisfactory service.



Two Full Length Soles

The full length double soles built into this boot is assurance of additional wear. Brown oiltan retan grain leather uppers are barnyard-acid proof. Comfortable lined vamp, roomy box toc. Outside counter pocket for added protection. Smooth grain leather in-soles, rubber heels, wide EE last.

B105-7506-Two Sole Work Boot. Sizes 6, 7, 8, 9, 10, 11. State size wanted.

DELIVERED 7.85

Order Footwear and Clothing from Winnipeg Only
When Ordering be Sure to State Size





MACLEDOS

"BIG FIT" And "MADE-RITE" Brand Overalls Feature Wear, Fit, Value!

Best quality wear-tested blue denim.

• Blg cut, full fitting sizes. • Triple sewn main seams.

Bar-tacked at all points of strain.

Extra large combination blb pocket.

Big, roomy hip pockets and side pockets, leg rule pocket and hammer loop,

Smocks have full cut, buttoned, double sleeve cuffs and double collar. Smocks

 Smock pockets are blg size, strongly sewn—two waist and two breast pockets.

Quality workmanship, made to work-tested, work-comfort specifications.

71/4-oz. Blue Denim High Back Style "MADE-RITE" BRAND

An economically priced overall with all the features that make Macleod Brands the best buy for your money. Sizes 36 to 46 waist, leg (inside) 32 and 34.

B95-5676—State size. Price, Delivered

8-oz. Sanforized Blue Denim High Back Style "BIG FIT" BRAND

The standard of excellence. Has every-

Smocks To Match

Brand. Cut on big full-fitting patterns. Four blg pockets, bar-tacked at corners; triple stitched maln seams; riveted metal buttons. A perfect match for overalls or pants. Sizes 38 to 46-inch chest. State size, B95-3705—Price, Delivered



Price, Delivered

Boys' "Sanforized" 71/4-oz. Blue Denim

Overalls

. "Big Fit" Brand. High Back Style.

• 7¼ - oz. Weight, sturdy "Sanforized" Blue Denim; Will Stand Repeated Washing.

Big Combination Bib Pocket.

Two Front Pockets and two Hip Pockets.


Non - Rip, Non - Tear Side Openings.

Roomy Pattern, Wide Legs.

Any man who wears MACLEOD Overalls can back our word: These roomy, husoveralls made just like the pair Dad wears check the features shown above! It is an overall for the boy who is hard on clothes; can washed repeatedly.

B95-5670-Sizes 4, 6 and 8 years. 2.19Price, Delivered B95-5671-Sizes 10 and 12 years. 2.79Price, Delivered B95-5672-Sizes 14 and 16 years. 3.19

POPULAR EXPRESS



Double Stitched Seams, Bar Tacked at all Points of Strain.

Big Cut and Strongly Made to Macleod's "Big-Fit" Brand Specifications.

Smart Clean Looking Material Cut on Full Fitting Patterns.

On the farm, in the dairy, in the garage, the clean looking 7% -oz. Express Stripe material is favored by many men because it looks fresh and cleau, can be washed as often as you like without shrinking.

Coveralls are big and roomy, have buttoned front, two breast pockets (one with buttoned down flap), two big hip pockets, two "swing" side pockets and rule pocket. Finished with navy blue trim on collar and waistband.

Overalls have two-way zipper front—opening from bottom of fly or top of bib, elastic web inserts in suspenders, high cut shield hack, one breast flap pocket, one combination breast pocket, two solash side pockets, two roomy hip pockets, side leg rule pocket and hammer loop.

Button Front Overalls

71/4 -oz. Sanforized Express Stripe Denim Coveralis "Blg Fit" Brand; buttoned front. Sizes 34 to 46 chest, leg (inside) 32 and 34. B95-5655—State size.

Price, Delivered Zipper Front Overalls

7¼-oz. Sanforized Express Stripe Denim Overalls.
"Big Fit" Brand; zipper front, Sizes 34 to 46 waist, leg (finside) 32 and 34.
B95-5663—State size.

5.25 Price, Delivered





Push Beam Adjustable Hitch and Universal Drive Shaft Assembly can be attached to most Farm Tractors.

Illustration above shows the push beam drive assembly. These plows are driven from tractor power take-off by a 35 H.P universal joint assembly, which drives a 1-inch roller chain and sprocket assembly. This assembly drives a 10-foot x 21/2-inch inside diameter tubular steel drive shaft which runs through push beam to a heavy bearing. Then there is another telescoping universal joint assembly which drives the front fan chain and sprocket' assembly.

Plow is hitched to tractor by means of a heavy channel steel push beam which fastens to tractor drawbar by means of an adjustable clevis. Front end is hinged and attached with two pins. Plow is held in alignment by two sets of heavy plates, one set fastened to push beam and the other set is bolted to front tractor axle. This permits free up and down movement of plow which runs on two replaceable runners which measure 18 inches long x 8 inches wide x 1/8 inches thick. Screw type bucking pole adjusts cutting depth of blades.

When ordering be sure to state make, model and size of tractor, and also power take-off size (1 1/4, 1 1/4 or 1 1/4-Inch) Six bladed 42-inch fan blows snow up to 45 feat off the road.

V-shapad construction diverts snow directly into fan.

Double bladed pulverizar breaks up lcy lumps of snow and forces tham directly into fan.

Right and left snow chutes are in use at the same time for maximum afficiency . . . or alther shute can be shut off to take advantage of wind direction.

Safaty shear pin coupling on top back sprockat proteets plow from damaga if fan gets blockad.

Smaller in Size for Smaller Tractors . . . the same rugged construction and features as the heavy duty plow above

The Junior Rotary Tractor Snow Plow has the same advanced design, rugged construction and dependable operation of our Senior model Push Type Rotary Tractor Snow Plow illustrated and described above. Specially designed for use on 3-4 plow as well as 4-5 plow standard four wheel tractors with power take-off. This means a more universal farm model at a moderate price for individual users and smaller snow plow clubs.

The Junior Model will cut a six-foot swath, clearing snow up to 42 inches deep when tractor is moving at 2 miles per hour.

. will travel faster in lighter depths of snow. It will hlow snow from 20 to 45 feet off the road, depending on condition of snow. Drifts over 3½-feet deep can be cleared by driving into the drift as far as possible, then back up to let the snow fall into the fan and be blown out.

fall into the fan and be blown out.

The push beam and drive assembly is the same construction as on Senior model plaw described above. The diagram at left clearly illustrates this assembly . . note how the adjustable hitch boilts to tractor drawbar . . note the heavy bracing. Specified construction features of the Junior model are scientifically developed . . note that this plow is V-shaped with curved wings to divert snow into the pulverizer and fan. Hard lumps are broken up hy the pulverizer hides. Bottom of plow is fitted with two self-sharpening and replaceable 8-in. x %-in. thick carbon steel cutting blades. Plow rides on two heavy steel replaceable runners.

Junior Model Push-Type Rotary Tractor Snow Plow, as illustrated and described, to fit 3.4 or 4.5 plow or larger standard four wheel tractor. Shipping weight about 1,250 lbs. When ordering state make, year and model of tractor. B40-5823F—Price Delivered to Any Station in:
Manitoba j Saskatchawan Paaca River Country (West of High Prairia) and British Columbia Alberta 989.00 1015.00 1035.00

SPECIFICATIONS: Made throughout of sheet steel electrically welded construction, reinforced by heavy angle iron. Fan drum is made of 12-gauge and wings 14-gauge sheet steel. Mouth of plow is 6-feet wide and 40-ins. high tapers to 45-ins. fan drum. The 6-bladed blower fan is 42-inches in diameter fitted with 3/16-inch steel plate vanes which are 9-inches wide, including 1 ½-inch curved front edge to pick up snow hetter. Fan is designed and geared to run at 200 R.P.M. for maximum efficiency.

Fan hub is a drum shaped housing which is mounted on a heavy steel shaft and Alemite lubricated Timken taper roller hearings. Pulverizer blade is mounted on front of the fan. Main drive shaft assembly and push beam are of same construction as the Senior model described above.

1015.00

"SNOW-BLOW" PULL TYPE ROTARY TRACTOR SNOW P

- 20 feet Powerful blower throws snow
- Powerful blower throws show 20 lest off the road, eliminating banks. Swing-over hood enables you to shoot snow to either side—allowing you to take full advantage of wind direction.
- Strong steel auger cuts up snow and feeds it into blower preventing snow from pling up on plow. Worm action of auger pulls plow forward—helps reduce tractor
- Attaches to any tractor that has power take-off. Power transmitted by telescoping drive shaft and two universal Joints. No belts, chains, sprockets or gears to freeze and go wrong,
- Plow scientifically designed after mouldboard principle - eliminates drag and breaks up snow-does not waste power.




Plow designed to pull tractor driving wheels down, glving positive traction.



Tractor goes through first, breaking up hard crusted snow. Cuts up snow into fine powder and throws it 20 to 50 feet off road.



Plow can be raised for easy transport or for backing into deep snow drifts.



There Isn't Another Rotary Snow Plow Selling Within Hundreds of Dollars of This Price!

The "Snow Blow" Is a revolutionary streamlined plow which attaches to the rear of any farm tractor. Tractors are engineered to PULL not PUSH for maximum power and traction, thus the "Snow Blow" was designed and developed on this principle. In forward motion the extra weight to of the plow and snow pulls down on the rear wheels giving the highest percentage of traction "S obtainable. Cutting width 5-feet 5-inches.

SPECIFICATIONS: Heavy welded steel construction. Wings designed like plow mouldboards are made of 3/16-inch sheet steel, braced with 2½ x 2½ x 4-inch angle iron. Bottom edges of wings are reinforced with hardweld to give longer wear. 6 blade fan is 21-inches in diameter and is made of 5/16-inch steel plate. Single blade auger is made of ½-inch steel plate, Fan and auger are built on to a 1½-inch superior steel shaft to make one complete assembly. (Note. Replacement will require a complete assembly). Auger and fan shaft assembly runs on two self-aligning pre-lubicated ball bearings which are locked in place with eccentric (or off-set) collars. Power is transmitted from tractor power take-off by a 1%-inch heavy duty telescoping universal drive shaft. Drive shaft is attached to fan shaft assembly by means of a universal joint fitted with heavy shear pin to protect the Auger and fan from ice, rocks, etc. Power take-off end of drive shaft is fitted with 1½ or 1½ or 1½-inch spline universal joint. Fitted with swing over hood . . . this permits snow to be blown either side, taking full advantage of the wind direction.

"Snow Blow" Pull Type Rotary Tractor Snow Plow, to fit Ford and Ferguson tractors or any tractor with 3-point hydraulic mounting. Cutting width 5-feet 5-inches. Shipping weight about 425-ibs. State make, year, size and power take-off size of tractor when ordering. B40-5807F—Takes first class freight 299.00

OPERATION

In forward motion when attached to a 3-4 plow or 4-5 plow tractor the "Snow Blow" will clear snow up to depth of 3 feet and will blow out to either side to distances up to 50 feet or more, leaving no built up ridges. When deep drifts up to 5 feet are encountered, they can be cleared by raising the plow, reversing the tractor to back in as far as possible, then lower the plow and drive ahead. By repeating this operation two or three times a path can be cut through the deepest banks.

NOTE: To get the most satisfactory use of your "Snow Blow" clear your roads with the first snow and repeat this operation after each snow fall and you will have goods roads all winter long.

V-TYPE SNOW PLOW

To Fit Standard 4-Wheel or Row Crop Tractors . . . Any Truck, 21/2-ton or Heavier !

This heavy duty V-type snow plow has become a favorite with many Western Canadian farmers. Hundreds now in use are satisfactorily performing a dual purpose job of keeping rural roads open and to ridge snow in fields to conserve moisture and prevent soil erosion. Although originally designed for clearing roads, over 50% are now sold for the purpose of ridging fields.

clearing roads, over 50% are now sold for the purpose of ridging fields.

Piled snow ridges act as snow fences and catch basins on your wind blown fields, thus the snow is kept well distributed over the whole field. Bare spots are eliminated in winter and in spring when the snow melts there is a minimum run off. Low spots don't get too wet nor the high spots too dry. With moisture conditions more even the field can be worked earlier and evenly which results in wind and water erosion being almost eliminated. The growing crop will be more even and productive, in fact increases of over 5 bushels to the acre have been claimed for this process which means a plow would pay for itself in extra production on 150 to 200 acres of crop.

All Steel Construction Assures Satisfaction

Rugged steel construction with a 9-foot 6-inch wingspread that will clear a path 7-feet 5-inches wide. The mouldboards of heavy gauge sheet steel are shaped so that the snow rolls clear and is not pushed ahead of the plow, slowing down the operation. The two replaceable cutting blades are 6-inches deep, made of high carbon steel. Plow runs on two adjustable shoes that can be raised or lowered as desired.

Easily attached to any standard four wheel tractor by a heavy Y-beam (similar to one shown in the insert of our W40-9501C Rotary plow as shown on the opposite page), which extends underneath the tractor and bolts to tractor drawbar by means of an adjustable hitch which can be moved to fit most tractors. At the front two cross chains brace the plow and holds it in alignment. These chains can be adjusted to evenly distribute extra weight from side strain which is caused when plowing only half swath.

V-Type TRACTOR SNOW PLOW to fit standard wide front 4 wheel tractor, 9-foot 6-inch wing spread at top. Weight approximately 1,000 lbs. Order from Winnipeg, Regina, Saskatoon, Calgary or Edmonton but shipment well be made direct from factory in Northern saskatchewan.

B40-5830F-Price Delivered to any Station in: Peace River Country (West of High Prairie) and British Columbia Manitoba Saskatchewan Alberta 459.75 459.75 450.00 477.00

If wanted with attachments to fit row crop tractor or truck 21/2 tons or larger, add \$75.00. When ordering, state year, make and size of truck or tractor.



Order this V-type snow plow from Winnipog, Regina, Saska-toon, Calgary or Edmonton but shipment will be made direct from fac-tory in Northern Saskatchewan.

IMPORTANT: A 4-5 plow tractor or larger is recommended for use on this plow for extra heavy work, however, 3-4 plow tractor will handle it in average conditions. Speeds over 6 miles per hour are not recommended.


The use of tire chains is recommended to increase the efficiency of your tractor or truck. See page 61 in this catalogue for complete information and prices on quality truck and tractor chains.

TO Fit Caterpillar Tractors-

The snow plow lllustrated and also larger models are available to fit caterpillar tractors with buildozer arm. Write for prices.



made of good, heavy hardwood stock and is heavily ironed where necessary. The heavy 2½-inch steel shoes are the best to be had. Our sleds are nicely painted and varnished, and have quality and sturdiness as well as finish,



Every MACLEOD sled is guaranteed! The material used is the best to be had. The runners and pole are straight grained oak, the benches are made of hardwood. The track of the sled is standard, 36-inch centres. Boisters are 38 inches apart, to take all standard boxes and grain tanks, runners are 2½x6x7-feet, but finish shorter than 7-ft., about 6½-it. Complete with tongue.

Monarch Bob Sled, as above; hardwood construction, 2 4-in, steel shoes. Complete with tongue. 119.75



Specialized construction features in the making of this heavy duty gear. Designed and built for hard service, with knees strongly ironed and braced on both sldes as lliustrated. Runners are 11/8-inch wide, 11/2-inches deep, 6-feet 6inches long, shoes with 1/4x1%-inch steel. Braces 1x%-inch steel. Adjustable shifting bar for use with shafts or pole. Takes first-class freight rate.

Heavy Duty Jumper Gear, as illustrated and described. Weight about 70-lbs. B40-6969F—F.O.B. Winnipeg 24.50

★Jumper Gear Runner Woods

Bent Runner Woods only, semi-finlshed. Size 1-inch wide. 11/2-inches deep, 61/2-feet long. Takes 3rd-class freight rate

B39-9295F—Price each, F.O.B. Winnipeg... 1.98 | F.O.B. Saskatoon...... 2.10 | Edmonton...... 2.15



Complete With Steel Shoes

With Shoes end Steel Nose Band Bolted on es illustrated. Any style of knee can be attached, will replace runners on any regular farm sled. You can do the work yourself without any special tools. These runners are made in one pleee, of thoroughly seasoned oak stock of the first quality. Ironed over none, neatly shod with steel shoes. These runners are celled 7-feet, but are actually 6 feet 4½-inches long when hent and finished. Available for alripment about October 15th. Teke 3rd-class freight rete.

	1		١. ا		PRICE	
Catalog No.	Size	Approx. Length	Approx. Weight	F.O.B. Wpg.	F.O.B. Sask.	F.O.B. Edm.
B39-9304F B39-9305F	2-in. 2 1/2 -in.	6 1/2 -ft. 6 1/2 -ft.	40-lbs. 50-lbs.	9.95	10.95 12.95	11.45 13.45

	THE PERSON NAMED IN PARTY OF THE PERSON NAMED		SHOE BO	
Catalog No. B15-868 B15-869 B15-870 B15-871		Diamete: % -in. % -in. % -in. % -in.	Lengtb 4 ½ -ins. 5 -lns. 6 -ins. 7 -ins.	Each .07 .08 .09



Heavy steel start pin plates to fit any sled. Drilled as illustrated. B39 - 8875 — each, FO.B. Winnipeg F.O.B. Price. .20

.23 Saskatoon24

Bent Runner Woods Only

Our runner woods are one-piece steam bent, thoroughly seasoned straight grain and are fully guaranteed to give long service under the most trying conditions. Specially selected streight grained oak. Available for abipment about October 16tb.

About October 1865.

839-9298F—2-In. wide, 5%-in. deep, length finished 6 ½-ft. Weight about 20-lbs. Each, F.O.B. F.O.B. Seskatoon Edmonton 5.95 6.50 6.75

Bob Sled Runner Strong Selected Hardwood "

| B39-9299F --- 2 ½ -in, wide 5 ¾ -in, deep, length finished 6 ½ -ft. Weight about 25-lbs. Each, F.O.B. | F.O.B. | F.O.B. | Saskatoon | Edmonton 6.95 | 7.50 | 7.75

Thoroughly seasoned selected hardwood stock of first quality. Bob Sled Repair Parts: B39-9256F—Seml-finished Sieigh Bolster. Front—wood only.

Size 3 ½ x 4 ½ -inches. Each. F.O.B. Winnipeg.

3.15

B39-9257F—Seml-finished Sieigh Bolster. Rear—wood only.

Size 3 ½ x 4 ½ -inches. Each. F.O.B. Winnipeg.

3.15

B39-9258F—Sleigh Bench. Measures 4x8x44-inches. Shaped to fit 2-inch standard sled. Each. F.O.B. Winnipeg.

B39-9269F—Sleigh Bench. Measures 5x8x44-inches. Shaped to fit 2-inch standard sled. Each. F.O.B. Winnipeg.

B39-925F—Sleigh Bench. Measures 6x8x44-inches. Shaped to fit 2-inch standard sled. Each. F.O.B. Winnipeg.

2.25

Steel-Tired HICKORY WHEELS

Made of straight grained hickory, and primed. Tires are round edge are round edge steel. Shlpping weight about 23 to 28 lbs. each.

State If front or rear wheel wanted Wheels are less boxings.

Note: A Buggy Wheel Rim is always 1/4-inch narrower than the tire.

Catalog No.	For	Tire Width	Wheel	Prica Eech
B39-9103F	i'ront	1-in.		13.95
B39-9104F	llear	1-in.		13.95
B39-9105F	l'ront	1 ½ -in.		14.75
B39-9106F	Rear	1 ½ -in.		14.75

SERVING THE WEST: In the importent consideration of Quality . . . Value . . . Service ... Macleod's Limited, today, as elways ln the past, is building for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the auccessful growth and continued expanslon of this company can be built.

STEEL SLEIGH SHOES 68-Inches Long

Heavy Steel Drilled

> Start Pin **Plates**

MACLEOD Sielgh Shoes are first quality steel, 68-inches long, properly MACLEOD Sleigh Shoes are first quarry steer, or makes and straight tempered and rolled to right thickness. They are shipped in straight bars and not drilled or hent, making it possible for you to get the exact bend to fit your runners and have the holes drilled in the proper place.

Take 3rd class freight rate. Price, Eech F.O.B. F.O.B. Wpg. 8ask. F.O.B. Edm. Approx. Weight Length B39-7746F 2-in wide by 5/16-in, thick... 5 ft. 8-in. B39-7747F 2 ½-in, wide by 5/16-in, thick... 5 ft. 8-in. B39-7748F 2-in, wide by 5/16-in, thick... 6 ft. 6 ft. 1.43 1.75 1.53 1.87 12 lh. 15 lb. 1.10

Take 3rd Cless Freight Rate ★ Steel Jumper Gear Shoes Price Per 6 1/2 -ft. Length Catalog No. Size Approx. Weight F.O.B. Wng F.O.B. Sask F.O.B. Edm. 1.10 1.17



Length 65-inches, to fit standard shape runners (we cannot supply any other length or shape). Wili not fit old style Adams or Massey-Harrls or other sielghs with special bend runners. Send paper tracing showing shape or bend of old runners. Take 3rd class freight rate

Catalog	Slze	Approx.		Price, Each	
No.	8128	Weight	F.O.B. Wpg.	F.O.B. Sesk.	F.O.B. Edm.
	2-ln, wide x 5-ft, 5-ln, lgth.		3.00	3.60	3.75
B39-7744F	2 1/2 -in wide x 5-ft, 5-in, lgtli.	27 1/6 ibs.	3.70	4.50	4.75



Jumper or Van Heater

You can be warm and cosy even though driving long winter miles in a jumper or cutter. This compact end opening heeter burns wood, kindling or charcoal, Legs can be bolted to floor. Blue polhegs can be bolled to floor. Sine polished steel with reinforcing rolled edges; measures 17-ins, long, 7 ½ -lns, wide, 8 ½ -ins, high—height on legs ls 11 ¾ -inches. Weight about 6-lbs,

B47-2877F---Price, F.O.B. Winnipeg 2.85


3-inch Blue Polished Steel Pipe for above heaters. 18-inch length. B47-9277F --- Price, each

3-inch Blue Polished Steel Elbow for ahove heater. 90 degree angle. 19

HEAVY DUTY WHEEL SKIS

Converts Any Rubber Tired Farm Wagon From a Wheeled Vehicle to a Sleigh . . . Put on or Take Off With or Without Load in About 10-Minutes.

- To fit farm wagons equipped with 6.50 \times 16, 6.00 \times 16, 6.50 \times 15 or 6.00 \times 15 Tires . . . easily attached, no fuss or bother.
- Heavy gauge steel construction . . . rigidly braced
 1-inch tubular steel frame; replaceable 2-inch steel sleigh shoes.



Sturdly constructed of heavy gauge steel . . . 1-inch tubular frame, heavily welded and braced . . . replaceable 2-incb steel sleigh shoes are bolted on . . . overall length of each ski is 44-inches, width is 8-inches . . . use on farm wagon equipped with 6.50 x 16, 6.00 x 16, 6.50 x 15 or 6.00 x 15 tires, no change or modification required . . . capacity is equal to that of tires used. Bearing surface on snow is approximately 272-square inches per ski; bearing surface of steel sleigh shoe is approximately 60-square inches.

Sleigh Conversion Set, as illustrated and described. Shipping weight about 140-lba. Takea first class freight rate. Order from Winnipeg only.

B39-7765-Price DELIVERED to any Station in: Manitoba Saskatchewan

Peece River Country (West of High Prairie) end British Columbie Alberta 66.50 68.95 71.50 74.25



steel or high wood wheel wagon to smooth running rubber tires.
Ideal for bullding your own trailer or any other farm
implement where a sturdy undercarriage is required.
Set consists of two disc type drop centre rim wheels
(hubs are 5-bolt type with Hi-Speed Timken bearings
(inner and outer) with grease seals and dust caps),
precision machined 1½-inch round steel axle, with spring
pads welded on—axle can be clamped under old wagon
axles when changing over to rubber tires. Shipping
weight about 80-lbs. Takes 3rd-class freight rate.

B39-9116F—Wheel And Axle Set, consisting of two 16-inch wheels
and 1 axle (for 5.50, 6.00, 6.50 tires).

B39-9115F—Wheel And Axle Set, consisting of two 15-incb wheels
and 1 axle, (for 6.70, 7.10 tires).

F.O.B. 39.95 | F.O.B. 40.95 | F.O.B. 41.95



Do the job yourself, convert your present old steel or wooden wheel field equipment to easier and amoother running rubber tires. Use old passenger car tires or new "Crest" Implement tires (see page 18). Simple to install—cut down wooden spokes, drill rin and attach with suitable aize screws . Cut steel spoked wheels down and weld spokes to new rim. 16-inch Drop Centre Rims, (for 5.50, 6.00, B39-7016F—Each, F.O.B. Winnipeg 3.50

15-Inch Drop Centre Rims, (for 6.70, 7.10 B39-7015F—Each, F.O.B. Winnipeg 4.25



Demountable **Drop Centre** Rim Wheels And Skeins

- Drop Centre Disc Rims ...choice of 15-irich or 16-inch size.
- Rim boits to hub with 5 stud boits.
- •3 1/4 x 10-Inch Skein.

Change old style steel or high wood wheel wagon to rubher tires. Gives your wagon greater rubher tires, Gives your wagon greater capacity The drop centre, black finished steel wheel mounts 5.50 · 6.00-6.50 × 16 · inch tires. Use old tires or equip with "Crest" Implement tires (See page 51). The dlsc wheel bolts to hub collar with 5 stud bolta, easy to demount without disturbing the skein or hub. Complete with 3½ x 10 · lend skeins. Takes 3rd class freight. Shipping weight about 175.1hs

175-bbs
B39-9122F—Wheel Set, consisting of four 16-lnch wheels complete with hnbs and skeins (for 5.50, 6.00, 6.50 thres).
B39-9120F—Wheel Set, consisting of four 15-inch wheels complete with hubs and skeins (for 6.70, 7.10 thres).
F.O.B. Winnipeg | F.O.B. Saskatoon | F.O.B. Educonton | 53.95 | 56.50 | 57.50 | If wanted less skeins deduct \$8.00 from ebove prices.

Heavy Service Waterproof Tarpaulins

The Nome "FARMCREST" on These Tarpaulins is a Guarantee of Service And Satisfaction

Rope Bound—3/16-inch rope sewn in eli around the edge,

Double-stitched at all points of strain,
42-inch tie ropes spaced 48-ins, apart.

Truck and Machinery Tarpaulins of beavy quality, long-wearing duck; your sawrance of maximum all-weather protection for all types of hauling. These sturdy tarpaulins are heavy-service waterproof duck securely stitched with double stitching at all points of strain and feature Macleod's exclusive "Rope-Bound" construction

3/16-inch manilla rope is sewn in all around the edge. This rope tskes the strain of the tie-ropes and prevents wind-whip, All corners are reinforced and duble-stitching at leave the strain of the tie-ropes and prevents wind-whip, All corners are reinforced and duble-stitched. Weight of material per lineal yard before treating 12 4/10-ounces; weight effect treating 16-ounces. Buff color. Order tarpaulins from Winnipeg only,

All corners double-reinforced and stlt-ske About No. Weight Winnipe
No. Weight Winnipe
No. Weight No. Weight On. Vo. Weight Vinnipe
No. Weight No. Weight On. Vo. Veight On. Vo. Weight Vinnipe
No. Weight No. Weight On. Vo. Veight Vinnipe
No. Weight No. Weight On. Vo. Veight On. Vo. Veight Vinnipe
No. Weight No. Veight On. Vo. Veight Vinnipe
No. Weight No. Veight On. Vo. Veight On. Vo. Veight On. Vo. Veight On. Vo. Veig

_	About	No.	Weight	Winnipeg
	6x 8-ft.	B38-8713P	8-lbs.	7.95
r	8x10-ft.	B38-8715P	11 1/4 -lbs.	14.35
7	10x12-ft.	B38-8719P	17-lbs.	21.75
3	10x14-ft.	B38-8720P	19-lbs.	25.35
6	12x14-ft.	B38-8722P	24 1/2 -1bs.	29.95
t	14x16-ft.	B38-8724P	28-lbs,	40.85
	4x16-ft.	B38-8710P	10-lbs.	12.25

Made-to-Order Tarpaulins MADE UP TO ANY SIZE


The listing below shows Prices F.O.B. Winnipeg on a few of the most used sizes. Note choice of three weights, 9-9/10 12-4/10 14-9/10 ounces ounces Price Price Price each each Size To fit | 3x12-ft. | Seed Drill. | 20 run | 4x16-ft. | Seed Drill. | 28 run | 11.52 | 13.44 | 15.36 | 5x14-ft. | Wagon Box. | 64 Rushe| | 12.60 | 14.70 | 18.80 | 8x14-ft. | Wagon Box. | 100 Rushe| | 20.16 | 23.52 | 26.88 | 10x12-ft. | Pick Up Truck, long box | 21.60 | 25.20 | 28.80 |

We can supply made-to-order tarpaulins in any size you need—any width, any length. We guarantee to ship your order within 72 hours. Canvas used is buff colored, heavy service weight, specially treated to resist water and mildew. Every made-to-order tarpaulin has our exclusive "Rope-Bound" construction and double stitching as described above. Note: When ordering be sure the sizes you give are exact. (Made-to-order tarpaulins are not returnable if sizes given us are incorrect). Order from Winnipeg only.

10x12-ft, Pick Up Track, long box | 21.60 | 25.20 | 28.80 | Prices listed on this page apply to flat surface tarpaulins only. We can supply any size or shape of tarpaulin. Write for prices. XB38-8730 — Weight of material 9-/10-oza, per square yard hefore treating, 14-ozs, after treating. Per sq. ft. | XB38-8732 — Weight of material 12- XB38-8734 — Weight of material 14-/10-ozs, per square yard before treating, 14-ozs, after treating. Per sq. ft. | 18-ozs, after treating. Per sq. ft. | 18-ozs, after treating. Per sq. ft. | 18-ozs, winnipeg | 18-ozs, after treating. Per sq. ft. | 18-ozs, winnipeg | 18-ozs, winnipeg | 18-ozs, after treating. Per sq. ft. | 18-ozs, winnipeg | 18-ozs, winnipeg

White Canvas Duck For Irrigation Purposes Heavy quality 9-oz, strongly woven No. 12 white cotcontrol dams in frigation ditches: used also for making your own machiney covers or wherever a durable canvas is required;
not recommended for binder or combine canvases, Choice of four widths. Order from Winnipeg only.

Width 38-Inches, B39-835 -- Price per lineal yard, DELIVERED 1.29 Width 48-Inches. B39-837—Price per lineal yard, DELIVERED 1.75 Width 54-inches. B39-839—Price per lineal yard, DELIVERED.... 1.95 B39-841—Price per lineal yard, DELIVERED 2.10



DUAL WHEEL TRACTOR WAGON

5 To 9 Ton Capacity

• ADJUSTABLE WHEEL SADDLE

• ROCKER AXLES

unload.

This dual wheel Tractor Wagon'is the most versatile Specially designed farm wagon ever offered the Western Canadian farmer. This modern piece of farm equipment is designed for use with farm tractors, for hauling anything on the farm—grain, machinery, feed, logs, livestock, etc. It more than equals the performance of a standard four wheel wagon or farm truck.

Hitched behind a farm tractor, it will trail true and turn sharply—actually in its own axis, and backs up with without jack-knifing. It can be fitted with a flat bed platform with removeable sides, using the flat bed for hauling machinery, logs, lumber, etc., and with the sides added for hauling grain, produce, livestock. The special tilting hitch feature makes it easy to load or unload.

Rugged Construction For Strength and Capacity

1. MAIN FRAME. Frame is constructed of heavy duty 2 x 6-inch channel steel which is heavily braced and welded into a rugged one-piece unit. Frame is approximately 13-fect long and 38-inches wide, built to carry flat bed platforms up to 8 x 14-feet.

2. WHEEL CRADLE. Constructed of 2 x 6-incb channel steel clanped to the main frame by heavy 1-inch clevises so fhe wivels may be set at any desired forward or back position under the load to handle various weights and capacities. For extra heavy hauling wheels are set back from the centre allowing the tractor to earry part of the load... or the wheels may be centred so load will balance and take load off tongue and thus tilt easier.

3. TILTING HITCH. The tractor littch and tongue is constructed of 2 x 4-inch heavy duty channel steel, which is hinged to main frame by a 1-inch steel shafting on to steel bearings. A spring loaded sliding bolt on the littch fits over a steel lug on main frame to hold it in position. When the wagon is to be tilted back, this bolt is just pulled forward and locked, then by backing up the tractor the front end of the wagon rises until the back end comes to rest on the ground or on stoppers. Makes unloading as easy as using a hydraulic dump box. For loading machinery the machine is driven or pulled on and tied down, then by pulling ahead with the tractor load pulls into position and is then locked. (See small insert.)

on the size of your tractor. Any large 4-5 plow tractor on the size of your tractor. Any large 4-5 plow tractor on the size of your tractor. Any large 4-5 plow tractor ing kick atand permits easy hitching and unhitching under able if desired—write for prices) will permit an infull load and for supporting load while unhitched. The craces of 1½-ton over the above capacities).

Dual Whaol Tractor Wagon, 7½-ton capacity, complete with 7.50 x 16 6-ply "Crest" implement tires and tubes. Weigth about 1160-lbs. Order from Winnipeg, Regima, Saskatoon, Calgary, Edmonton,

B40-8413F—Price Delivared to any station in:

adjustable extension pole on the bitch is made of 2 x 3-inch boxed steel channel and is fitted with adjustable cleris that can be adjusted to fit various drawbar heights. Purpose of extension hiteb is to accommodate large boxes for forage harvester work, hauling behind hay halers and for carrying machinery that have overhauging parts.

hanging parts.

5. ROCKER AXLES. (See insert.) The dual wheel axles are welded to a 2 x 4-inch boxed steel channel which has 1 %-inch steel shaft on each end that fits into steel sleeve bearings on the two cross members of the wheel cradle. This feature permits each wheel to rise up and down, cnables the tires to follow the contour of uneven ground, pass over obstacles and holes, or travel on rutted roads, and still maintain an evenly distributed weight on all four tires. Means added protection against overloading tires, wheels, bearings and axles... also reduces road vibration which is a serious factor with rigid type axles.

factor with rigid type axles.

6. CAPACITY. 3 ½ to 9-tons or 125 to 250-bushels of wheat depending on size of tires and tractor used. When fitted with 7.50 x 16 6-ply Crest implement tires this tractor wagon will carry 3 ½-tons when wheels are mounted directly in the centre of the wagon. For inearier loads the wheels are moved back so part of the load is transferred to the tractor, then capacity is increased to 7½-tons or 250-bushels of wheat, depending on the size of your tractor. Any large 4-5 plow tractor will handle the full load. (7.50 x 16 8-ply tires, available it desired—write for prices) will permit an increase of 1½-ton over the above capacities).


Paaca Rivar Country (West of High Prairia) and British Columbia Saskatchewan Albarta Manitoba 453.50 458.75 469.50 434.75

Dual Wheel Tractor Wagon, 2½ to 4-Ton Capacity, for Use with 100-Bushel Grain Box

The same features as above only construction is lighter. Main chassie measures 11-feet by 37-inches to fit our B40-459 hundred bushel box. Constructed of 1½ x '4-inch channel steel which is box re-inforced. Tilting bitch is made of 1½ x 3-inch steel channel, fitted with 3-inch tubular steel hitch with 2½ x 37-inch tubular extension and kick stand. Rocker style wheel chassis is constructed of 1½ x 4-inch steel channel and fitted with 1½ in. axles, taper roller bearing hubs and 6.00 x 16, 4½-in. or 6.70 x 15, 5-in. rims. Tires are 6.00 x 16-4-ply, or 6.70 x 15-4-ply 'Crest' Implement having capacity of 2½ tons. Full load up to 4-tons may be carried by moving wheel chassis back on main frame.

Dual Wheel Tractor Wagon, 4-ton capacity—complete with "Crest" Implement tires and tubes as listed below. Weigbt about 695-lbs. Order from Winnipeg, Regina, Saskatoon, Calgary, Edmonton.

Cash Price DELIVERED As Balow	Equipped with 6.00x16, 4-ply "Crest" Implement Tires and Tubes	Equipped with 6.70x15, 4-ply "Crest" Implement Tires and Tubes
Order by Catalog Number	B40-8407F	B40-8406F
To Any Station in Manitoba	243.75	247.75
To Any Station in Saskatchowan	255.50	259.50
To Any Station in Alberta	258.25	262.25
To Any Station in Poaca River Country (West of High Prairie) and British Columbia	265.50	269.50



For Use With 7½-Ton Dual Wheel Tractor Wagon Tbis heavy duly flat deck platform is designed to fit B40-8413F 7½-ton dual wheel tractor wagon. Ideal for hauling machinery, inmber, etc. When fitted with sides listed below, it will carry 200-bushels of grain. Can also be fitted with lay rack or forage rack for hauling feed and other produce. Measures 8 x 14-feet outside, inside box measurements are 7 x 13-feet 6-incbes. Main sills are 2 x 6-inch oak, fitted with 2 x 4-inch cross sills. Flooring is 1½ x 5-inch kiln dried tongue and groove fir fitted with a 2 x 6-inch oak buffer on each side. Back edge is protected by 2 x 2 x 3/16-in, angle iron. Floor is drilled with all holes to fit B40-466F 200-bushel box sides listed below. B40-465F—Flat Deck Platform, to fit 7½-ton dnal wbeel tractor wagon, Weight about \$40-ibs. Order from Winnipeg. Regina, Price DELIVERED to any station in Manitoba.... 166.50 For Use With 71/2-Ton Dual Wheel Tractor Wagon

Price DELIVERED to any station in 184.75

Albarta
Prica DELIVERED to any station in Paaca River
Country (Wast of High Prairie) and British Columbia
204.25

200-Bushel Grain Box Sides To Flt Flat Dack Platform

200-Bushel Grain Box Sides 10 Fit with 2 x 3-inch oak side stakes. Inside measurements approximately 13-feet 6-inches x 7-feet and 36-inches high, giving a capacity of 200-bushels. Inside of box is fitted with two cross chains, end gates with 7/16-inch box rods. Back end gate is fitted with a self-locking, sliding steel tail gate which measures 13 x 18-inches B40-466F — Grain Box Sidas, 200-hushel capacity to fit 18:10-465F Flat Deck Platform. Weight about 418-ibs. Order from Winnipeg, Regina, Saskatoon. Calgary, Edmonton, Price DELIVERED to any station in 153.75

Manitoba
Prica DELIVERED to any station in Saskatchewan 163.25
Price DELIVERED to any station in

Albarta 108.75
Price DELIVERED to any station in Paace River 173.25
Country (Wost of High Prairia) and British Columbia



"CREST" HEAVY 5-RIB IMPLEMENT TIRES AND TUBES Heavy, rugged implement tires with scientifically designed continuous 5-rib tread that prevents slipping sideways, easily climbs in and out of ruts, makes steering and turning easier. "Crest" Implement Tires are brulse resisting, and will stand up to the hard usage of any farm implement. "Crest" Implement Tires are guaranteed for the following loads at recommended speeds and pressures.

Capacitios At Spoeds Up To 20 Milas Per Hour—6,00-16, 4-ply tire will carry 1240-lbs, at 28-lbs. pressure; 7.50-16, 6-ply tire will carry 2250-lbs. at 36-lbs. pressure.

SIZE	TIRE TUBE		
6.70-15 (4 -ply)	18.45	3.30	
6.00-16 (4 -ply)	15.95	3.10	
7.50-16 (6 -ply)	29.55	4.35	

Tire and tube prices include delivery charges from Winnipag, Ragina, Sasketoon, Calgary or Edmonton and ara the pricas at any of our ratail storas. Tiras and Tubes Sold on Monthly Paymants. See Paga 58.

The Government does not collect Sales Tax or logging purposes. Prices quoted above do not include Sales Tax or Therefore, we cannot ship three and tubes at prices quoted nuless Tax Exemption Coupon is completed and included with order. If three and tubes are required for purposes other than above, write for prices.

TAX EXEMPTION COUPON

This is to certify that the Implement Tires and Tubee berewith ordered are required for:

Farming	Purposes	
Logging (Ma	Purposes ,	that which applies)

Name

Address



Wheel hubs equipped with grease sealed heavy Taper Roller Bearings and dust caps, exactly as used in heavy automotive vehicles . . . they roll easy with heavy loads.

Axle spindles 1 % in. steel, electrically welded and double steel breced to axles. Front axle spindles fitted with oilite bronze bushings, pressed into steel cestings which are braced and welded into 4 x 4-in. boxed front axle. Alemite fittings.

Rear exist 4 x 5-in., front axis 4 x 4-in., both front and rear exist are box type, formed from one piece of heevy 3/15-in. steel. The axiss of this wagon are built up high enough for unloading and roed clearance but retoins a low centre of gravity for stability.

Oscillating 234-in, tubular steel reach, telescopes into 3-in, steel tube. Allows each wheel to rise end drop independently on rough roads without any strain or twisting of gear. Extends from 64 to 120-ins., taking any box or rack up to 14-ft, Hitch for connecting several wagons in tandem on end of reach.

7-in. bolster stakes, formed to take extens stakes for hauling wood or lumber. Adjustable take 36 or 42 in. wide boxes.

Heavy 4-in. angle stest cross braces are electric welded to axies, reinforced with built up steel braces for extra strength.

Note: Shipping weights as follows—Without tires and tubes, about 490-lbs.; with tires and tubes, about 600-lbs.

Heavy duty all purpose rubber tired farm wagon with automotive steering, rocking front bolster. Crest Auto Tires or Crest Implement Tires, Alemite lubrication . . . designed throughout to meet the demand for speedy, full capacity hauling. Complete with all steel tractor hitch. The illustration above is made from an actual photograph. Study it carefully, note every feature, see for yourself why, in our honest opinion, this is the wagon our customers need for heavy hauling. Any way you look at it-at the price shown here—it is an outstanding value in a heavy duty farm wagon. After examining all wagons on the market we tell you frankly that it is the bost designed and best built wagon we know of. Trails at all speeds without whipping.

Every part of this wagon is constructed of steel heavy enough to stand up under continual hard usage, under all conditions. The heavy taper roller bearings will carry up to 20,000-lbs.; the

Heavy Duty All Steel Farm Wagon, as illustrated and described, complete with tractor hitch; with wheels as listed

carrying capcity of the wagon is only limited to the size of

tires used. Wagon is supplied with wheels as listed below.

26-Inch Demountable Spoke Type Steel Wheels if Desired For stony rocky lend; or bush work, where stumps and sharn mota

Capacity Chart	Wagon Capacity
6.00-16, 4-ply, 28-lbs. pres. 6.00-16, 6-ply, 36-lbs. pres.	4000-lbs, 4500-lbs.
implement Tire6 6.00-16, 4-ply, 28-lbs. pres. 7.50-16, 6-ply, 86-lbs. pres.	5000-lbs.
NOTE:—Maximum speed for tires is 20 miles per hour.	Implement

Cash Price DELIVERED As below	Equipped with 6.70 x 15, 5-in, rims, Less Tires and Tubes	Equipped with 6.00 x 16, 4 ½ -in. rims, Less Tires and Tubes	Equipped with 6.00 x 16, 5 ½ -in, rims, Less Tires and Tubes	Equipped with 28-in. all steel spoke type demountable wheels (4-in. rim)	Crest Implement	Equipped with 5-in. rims, 6.70x15, 4-ply Crest Implement Tires and Tubes	Crest Traveller	Crest Implement
Order by Catalog Number	B40-8459F	B40-8460F	B40-8461F	B40-8468F	B40-6462F	B40-6463F	B40-8466F	B40-8464F
To Any Station in Manitoba	146.25	146.25	149.75	189.50	215.25	219.25	219.25	274.75
To Any Station in Saskatchewan	155.75	155.75	159.50	199.75	224.75	228.75	228.75	284.50
To Any Station in Alberta	158.50	158.50	162.75	203.75	227.50	231.50	231.50	287.75
To Any Station in Peace River Country (Woof High Prairie) and British Columbia	162.50	162.50	167.50	208.75	231.50	235.50	235.50	292.50



High in quality, low in price! We know you never expected to buy a high-grade, standard size, grain tight box at this low price—but here it is—in workmanship and in materials it is a good and a strong box; heavily ironed and put together to last.

N-TITE | 64-Bushel Wagon Box

Will fit all standard gears end Mecleod's rubber tired wagon described above; it is e standard 38-inch hox, 28-inches deep end 11-ft, long. Entire box is best quality consue and grooved fir, the sides and bottom of 1-inch (about %-inch finished), double floor at bolsters end five hardwood sills give utmost strength. Exceptionally strong and well braced with five beavy wood top to bottom braces en each side and two on each end; bott strap through all ends and at each corner of box; four wagon box rods. Attractively painted, striped and finished. Complete with folding type endgate which is recessed in floor to make box "grain-tite." A eturdy, well built box.

Standard Wagon Box, as illustrated end described above. Shipping weight about 370-lbs. Takes second-class freight rate.

Alberta

115.50

MONTHLY PAYMENT PRICE, \$20.00 Down, the balance—plus carrying charge—in 6 equal monthly payments.

FALL and WINTER Catalogue—1953-54

B40-456F-Price Delivered to any station in: Manitoba Saskatchewan

114.25

Peace River Country (West fo High Prairie) and British Columbia 118.50

Order Tires and Tubes From Winnipeg, Regina, Saskatoon, Calgary, Edmonton Prices Include delivery charges from Winnipeg, Regina, Saskatoon, Calgery or Edmonton—and are the prices at our retail stores.

106.50



Painted and finished in green with attractive yellow strips—here is a sturdy, well built wagon box guaranteed to give antisfaction and long life

B40-459F—Price Delivered to any station in:


Manitoha Alberta 144.75 154.95 157.50 Peace River Country (West of High Prairie) and British Columbia 161.75

MONTHLY PAYMENT PRICE: \$35.00 Down, the balance-plus carrying charge-in 6 equal monthly payments.

For Use With Rubber Tired Farm Wagons

This grain tight box will fit all standard rubber tired farm gears, as it is made to fit bolsters 38 inches between the stakes and reach adjustments of 72-ins to 108-ins. strongest, tightest and best made 100-bushel grain box you ean buy anywhere in the West. It is built right. No effort has been spared to make it measure up to Macleod quality. Our factory-to-farm-price is much lower than you expect to pay elsewhere for a sturdy, well built 100-bushel

This box is specified construction; it is 11-feet long, 28-inches high and 60-inches wide, giving 100 birshel capacity. The illustration shows the heavy daily oak sills and cross sills—the two long sills are 2 x 6-ins, oak braced by two 2 x 6-ins, cross members and belted to cross sills with heavy angle brackets. There are seven 2 x 2 ½-ins, oak cross sills in give natural strength, The bettom, sides and ends are best obtainable longue and grooved 1-inch klin dried fir (finished %-in.). Sides are exceptionally strong and well braced with five 2 x 1 ½-ins, oak cleafs from top to bottom on each side of hox and two on each end. Bolt straps are put through sill ends and each center of box; four ½-inch wagon hox rods supplied. Tail gate is folding locking type—measures 36 x 10-inches. Shipping weight nbont 5 t 5-ibs. Taiges second class freight rate.



64 Bushel Wagon Box

Low priced, high quality grain box for general purpose work, it is a standard size 38-inch box . . . 28-inches deep and 11-feet in length. Will fit all standard rubber three farm gears. Has heavy 1-inch tongue and grooved in floor, double at bolsters and with steut oak cross silis. One-plece tongue and grooved fir sides bruced with top to bottom braces with a formed sleed brace at the end for tail gate to silide linto. The wagon box rods, strap bolts, anti-spreader chain and rub brons are full weight standard size. Cempiete with folding type tail gate, Finished in green with attractive yellow striping. Shipping weight about 310-ibs. Takes 2nd-class freight rate.

B40-452F-Price Delivered to any station in:

Retail Stores—In addition to our mail-order estalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and satisfactory service.

Manitoba 85.75

91.75 89.50

Peace River Country (West of High Prairie) and British Columbia 94.50

28-inch

Demountable

Spoke Type Steel Wheels, If Desired

For stony, rocky life or bush work, we stumps and streets are encounted. Wheels have 4-rhus; five bulls film, centre hale, listing below.

MONTHLY PAYMENT PRICE. \$20.00 Down, the balance-plus carrying charge-in 6 equal monthly payments.

4-INCH

OW BED Farm Wagon "I" BEAM STEEL AXLES-3 TON CAPACITY

Grease Sealed Taper Relier Bearings.

Axio spindles 1%-inch reinforced . . . front spindles fitted with Ollite bearings.

Axios 4-inch 'i' Beam steel.

Four Truss Braces of 2½ x 2 x 3/16-inch angle steel, fitted with 3-inch x 12-geuge reach bridging.

Adjustable Reach is axtondable 10-feet; mede of 2½-inch 0.0. 12-gauge tubular steel.

%-inch The Rods are fitted with steel bushing and wear washers. Alemita lithricated.

Tie Rod Yaka is made of 3-inch channel iren.

3-inch tuhular hitch tangus with %-

3-Inch tuhular hitch tongus with % inch clovisos, 4-foot long.
 Available with 28-inch stesi wheel with 4-inch rims, if deared.

This 3-ten "Farmerest" Farm Wagon is teps in quality and low in price. Value which is more than equal to anything on the market today. Note its outstanding features; 4-inch "I" beam Axles fitted with 1½-inch reinforced reur and front. Electrically welded construction. Built to carry any farm load up to 3-tons. Standard taper roller hubs can be litted with rims to permit use of 6.70 x 15 or 6.00 x 16, 4-ply or 6-ply tires and tubes. Designed to handle uny farm load and gives the advantages of low loading—liks "Farmerest" wagon has the features that assures satisfaction. Shipping weight: Wagon less lires and tubes, about 385-lbs.; wagon with lires and tubes about 550-lbs.
"Farmerest" Low Bed Farm Wagon, as illustrated and described, completo with tractor hitch; with wheels as fisled below:



The Macleod 64-bus.

oox or any standard vagon box will fit

Macteod's Limited:

I wonder If people
in the West appreciate the service you are
giving them in quality merchandbe at
such reasonable prices.
Never in my life have
I written a letter of
this kind before but I
am so well pleased I
aimply bed to.

Yours truly

Yours truly. (Name on request)

1	Cash Price DELIVERED As below	Equipped with 6.70x15, 5-iu, rims Less Tires and Tubes	Equipped with 6.00x16, 4 ½ -in, rlms Less Tires and Tubes	B,70x15, 4-ply Crest Implement	Equipped with 4 ½ 4n, rinus, 1,00x1 0, 4-ply Crest Implement		28-in, all steel spoke lype demonstrable
ľ	Order by Catalog Number	B40-8440F	B40-8441F	Tires and Tubes B40-8444F	Tires and Tubes 840-8448F	B40-8449F	B40-8481F
ı	To Any Station in Manitehn	114.50	114.50	187.50	183.50	188.50	153.50
ı	To Any Stetlen in Saskatchowan	119.75	119.75	192.75	188.75	193.75	159.50
I	To Any Station in Alberta	123.50	123.50	195.50	192.50	197.50	161.25
	To Any Station in Peace River Country (West of High Prairie and British Columbia		127.75	200.75	196.95	201.95	166.75

B40-8471F-Toam Polo Extension (to fit on to tractor hitch). Price DELIVERED MONTHLY PAYMENT PRICE: 1/3rd Down The belance—plus carrying charge

Hi-Capacity" Truck Loader

LOADS OR UNLOADS 30 to 35 Bushels Per Minute



Driven from the power take-off on your truck with a V-belt drive, Macleod's "Hi-Capacity" loader in Driven from the power take-off on your truck with a V-beit drive, Macleod's "Hi-Cupnelty" loader in the answer to all your grain moving problems. Specially designed for easy operation by one man, it's the duel purpose loader that loads or unloads as required; no hopper is necessary, will pick the grain right off the ground and out of your bin. The full length of the auger can be used as there are no supporting braces and no engine in like way. Grain can be cleanted through roof of graining to a height of 20 feet or more depending on angle loader is set, or can unload through deor or low window, piling grain from 10 to 12 text loader graining through deor or window. The "Hill Cupnelty" loader is in a class by fisself for big capacity... casy operation and sturdy construction. Alemite hibricated bearings throughout... replaceable bubbit sleeve hearings on the loader shaft... anger fitted with radial end throat bull bearing at top and sleeve hearing on the loader shaft... anger fitted with radial end throat bull bearing at top and sleeve hearing at horton. Bronze hearings in grease-scaled genr box assure smooth operation and incomplished to a loader shaft... d inch, 16-gauge steel easing is electrially welded to I deet rink welded to I hear the constructed of I 1-gauge steel electrially welded to I help the centre pipe shaft... d inch, 16-gauge steel easing is electrially welded and reinforced with three I-inch angle irons ... these nucle from act as a track for the loader slide to run on a waking it easy for one man to operate the loader. Three-way gear box rotates on the auger shaft to allow loading from elfher side or end of truck. First quality pressed steel 8-inch V-pulleys and V-belt.

B49-4310F—H)-Capacity Truck Loader. Length 16-feet overall. Complete as flinstrated and described less truck power (ake-off (see fisting below for power take-off to fit your (ruck.) Shipping weight about 189.75 270-lbs. Order from Winnipeg. Regim, Saska(oon, Calgary, Edmonton, Price, DELIVERED

Monthly Payment Price: \$48.00 Down and \$26.00 Per Month for 6 Months

Extra long teleacoping shaft, required for loading or unloading at end of box when truck box is over 14-feet in length, add \$14.75 to above prices.

Truck Power Take-Offs

For Trucks with 4 and 5 Speeds Forward

Gives plenty of power at allightly more than diling speed. Used extensively to operate anger (spe grain loaders in loading truck and unloading grain from truck into hins, or, and for dump (racks, etc. Controlled by handy shift lever which goes along side truck results, lever. Complete with necessary gaskets and belts and parts for installing. All ret Take-Offs have 18/16-heb shafts. Repairs always available. When undering retained to the complete form at right.

Catalog [Price each] Catulog Price each Number Delivered

To Fit Make and Model

	ears, n
	nower
with 6-in.	D III co tre

Order Power Take-

Offs from Winnipeg. Regina, Sas-

katoon, Calgary, Edmonton.

ASH CONTROL

ustrntien shews lever ntrol. If Dash Oon-I wanted, add \$9.15 the prices shown.

Itle Make and Madel | Catalog | Price each

AN E TO DANGE HILL ENGINEER	Number	I MUITABLE
4-SPEED TRANSA	IISSION	
Trucks Having 4-Speed Transmissi Onar and Small Emergence		
Chevrelet and Meple Leaf Trucks	1	1
1937-47 Series 1420, 1435,		
1830, 1533X, 1850, 1800.		Į.
1000, 1870, 1080 having Chev-		
rolet Transmission	B36-6419P	29,95
Dedge Trucks		
1942-49 Models DD-4, DD-7,		
DE-4, DE-5 having "NP" trans-		
mission, series 38750 to 39760	B39-6492P	29.95
1936-39 Models MR. MR. RE.		
RE, TD, TE, TF having "NP"		
trana merica 26200 to 26750	B36-6404P	29.95

Dedge Trucks		
1942-49 Models DD-4, DD-7, DE-4, DE-5 having "NP" transmission, series 38750 to 39760	1	
DE-4, DE-5 having "NP" trans-	C	
mission, series 38750 to 39760	B39-6492P	29.95
1936-39 Models ME, ME, RE, RE, TD, TE, TF having "NP"		
RE, TD, TE, TF having "NP"		
	B36-6404P	29.95
1939-49 Models DB-2, DB-3,		
DB-4, DB-6, DBM-8, DBM-4,		
DC-2, DC-8, DC-4, DC-5, DC-0,		1
DCM-3, DCM-4, DD-1, DD-18,		
DD-2, DD-3, DD-1, DD-48,		
DD-5., DD-6, DD-68, DDM-3.		
DDM-4 having Wurner Trans-		
1838-49 Models DR-2, DR-3, DR-4, DR-6, DR-	B39-0404P	29,95
1949-59 Models DE-2, DE-3, DE-		
4. DE-5, DF-2, DF-3 haring		
Warner Transmission model T-D.	B39-9494P	29,95
1949-59 Models DE-2, DE-3, DE-4, DE-5, DE-2, DF-3 having Warner Transmission model T-D 1951-52 Models D(4-2, DG-3 hav-		
ing 'NI' transmission	B39-9494P	29.95
Diamond T Trucks		
1941-49 Models 300, 30080, 404, 40480, 509, 5000 having Warn-		
4048C, 509, 500C having Warn-		
er transmission model T-D	B39-6404P	29.95
Fargo Trucks		-0.00
4049 40 Manually IST 0 101 0 00		
FL-7, FM-4, FM-5 having "NI" trans, series 38750 to 39740		
trans, series 38750 to 39700	B39-9402P	29.95
1936-39 Models FD-3, FD-4, FD-4, FE-2, FE-3, FE-4 having "NP" transmission series		
FDD-4., FE-2, FE-3, FE-4 bay-		
ing "NP" transmission series		
ing "NP" transmission series 36140 to 30300	B39-6404P	20.95
1939-49 Models FG-3, FG-4.		
FH-3, FH-1, FJ-8, FJ-4, FIM-		
8, ICJM-4, ICJ-0, ICK-3, ICK-4,		
PK-5, PK-8, PKM-8, PKM-4,		
FL-1, FL-2, FL-3, FL-5, FL-4,		
FL-48, FL-48 having Warner		
(ransmission model T-9	B39-9404P	26.95
1948-50 Models FM-2, FM-3,		
FM-4, FM-5, FN-2, FN-3 hav- ing Warner transmission T-D		
ing Warner transmission T-D	B39-9494P	29.95
1951-52 Modeis Ft)-2, FO-3 Jory-		
ing "NP" trnnsmission	B39-9404P	29.95
G. M. C. Trucks		
1937-47 — Series 9420, 9435, 9530, 9533, 9850, 9860, 9670 having Chev, trans.		
9530, 9533, DS50, 9860,		
DBOO, DOTO having Chev, trans.	B39-9419P	29.95
1641-49 Models K-5, K-5B, KBS-		
5, K-0, K-0F, K-0F, K8-6.		
KB-0, KBS-0 having Warner		
1641-49 Models K-5, K-5B, KBS-6, K-0, K-0, K-6F, K-6T, KS-6, KB-0, kB-0, having Warner iransmission model T-97 1637-49 Models D-30, D-30B, bg/94B Models D-30, D-30B, bg/94B	B30-9402P	29.95
1837-49 Models D-30, D-30B,		1
DS-30B, T-186T, D-35, DS-3 having H-11, H-11A irunsuls-slum model WT-9		
having H-II, 1141A irunsuis-		
sign model WT D	B39-6404P	29.95
1841-49 Models K-1, K-2, K-3,		
800 model WT 9 1641-49 Models K-1, K-2, K-3, KB-1, KB-2, KB-3, K-5, K-5B, KB-5, KBS-5, K-6, K-6F, K-		
KB-0, KBS 0, K-6, K 6F, K-		
6T, KS 6, KBS 6 having H 11B,	D00 04045	00.05
CA-4111 transmission WT-9	1 450-640-6	29.95
EALL and WINTER		1.

4000 00 11 11 1 110 1 150		Ditti still still	L
1959-52 Models L-130, L-150 having LH.C. trans., WTD Mack Trucks	B39-6494P	29.95	
Model EE having type TR-11 Warner transmission model WT-9	B39-6494P	28.95	
1949-49 Model OA, D-19, D-19X.			
1949-49 Model OA, D-19, D-19X, D-21, D-21R harlag Warner transmission model T-97	B39-6492P	29.95	l
1947-59 Models 2R 10, 2R-16A, 2R-17, 2R-17A having Warner transmission model T-9			ı
	B36-9492P	29.95	ı
1938-69 Models J-45, M 15, M -10, M -17, K -10, M -5, 2R -5, 2R -16, 2R -174, J -1611, J -20 M R, 13 - 17 - 17 - 17 - 17 - 17 - 17 - 17 -			ľ
2R-17, 2R-17A, J-15H, J-20MH,			ľ
			ľ
Warner transmission model T-19	B39-6494P	29.95	ŀ
White Trucks 1941-50 Models WA-14, WA-114			l
1941-50 Models WA-14, WA-114 having Warner transmission Tol	B39-8494P	29.98	
Coar and Large Emergency	n with Stra	ight Spur	
Trucks Having 4-9pead Transmissic Ocar and Large Emergency Chevrolet, G.M.C. and Maple Leaf 1947-50—having Chevrolet trans.	B20 0422D	07.47	
Studebaker Fucks		37,45	
Models M-16, M-17 having Warner transmission model T-9	R39-9419P	37.45	
Trucks Having 4-9peed Trensmission	with Helloni	Out Cears	
transmission model T-9 Trucks Having 4-9peed Trensmission and Smell Emergency B Chevrolet, G.M.O. and Mapie Leaf 1947-1959 % to 24 -400 hav- ing Chevrolet transmission Dodge Trucks 1940-82 Model DES DES DES	rake Drum		
1947-1959 - % to 2 1/2 fon Inv-	B00 0444B		
Dodge Trucks	B39-9444P	37.45	
4 7314 # 7362 4 7361 # 3			
	B39-6460P	37.45	
1049-52 FM-4, FM-5, FN-4, FN-5, FO-4 having "ND" Helical	B00 0400B	07.45	
frans. 88570	B39-0490P	37.45	
Ford and Moroury Trucks 1950 Models M-109 having Ford transmission model WT-D8 International Trucks	B39-0470P	37,45	
International Trucks	200-04701	0.140	
1050 Series L-130 having type 11-41B transmission model WT-0	B39-9470P	37.48	
1949-50 - Series L-150 L-100			
sion model T-D8	A39-9470P	37,45	
Trucks Having 4-Speed Transmission and Fither Large Emergency Brak	with Helical	Out Gear	
and Either Large Emergency Brak Emergency Brake Ohevrelet and Maple Lenl Trucks	Drom		
All models to 105th having Ameri-			I
All models to 195th having American Chile Tra-Stop having american Chile Tra-Stop having american Large energency brake drum	B39-9446P	43.75	
large emergency brake drum 1951-52 - Serles 1100, 1500, 1600, 1700, 1800 having Chevrolet Helical transmission and large emergency brake drum	200-04401	43.70	
rolet Halical transmission and			
large emergency brake drum	B39-9454P	43.75	
large emergency brake drum Series 11, 13, 14, 15, 14, 17, 18 having Duo-Grip emergency brake Dodge and Farge Trucks	B39-9454F	43.75	
end ent gear and large emergency brake drain with "NI" trans-			
ndssion model 88570	B94-6464P	43.75	
9700, 9800 baring Chevrolet			
Hericiti critinggramon and helec	B39-9454P	43.75	
emergency brake drnm			
CRI TERRESION REG TMO-CORD			
emergency brake drum	B39-9454P	43.75	
Trucks Having 5-Speed Transmissio Gear and Small Emergency	n With Stra	lght 6pur	
Gear and 9mall Emergency	Brako Drum		

COMPLETE THIS FORM When Ordering Power Take-Offs

-	
	Model Capacity
H	Serial Number
	Type of Transaclasion (name or make)
Į.	Model Serial No
П	Number of Speeds
ין	Are transmission gears straight or helical cut?
1	Is unergony brake small band or large disc type?
l.	ls Paner Take-Off opening standard 0-bule or 4-hole?
1	When ordering Power Tuke Offs to fit Chevrolet, G M.C. or Muple Leaf, state whether truck is equipped with
П	American Cable Tru-Stop Brake, Yes No
L	Type of Control Wanted: Dash Lever,

•	To Fit Make and Model	Catalog Number	Price each Dellyered
	520 inving Clark irmanission models 202VSP and 204VSP		29.95
	1937-40 Models D-35, D8-35, D-35B, D-40, D8-40, D-50, D8-50, DR-50, D-24dF, luving		
1	DS-50, DR-50, D-244F, Inving F-51, F-51C, F-52 or 1.11.C, transmission	B30-9426P	29.95
	1941-49 Models K-6, K-0F, K-6T, KS-6, KB-0, KBS-6, K-7, KS-7.		
	KB-7, KBS-7, K-8, K-8F, K-8T, KS-8, K88T, KB-8, KB-8F, KBR-8, KBS-8 having F-51,		
į	F-51C, F-52, 1.11.C. Trans, 1949-52 — Series L-170, L-180, L-190 having F-51, F-51C, F-52	B39-9429P	29.95
ļ	1.11.C. (rangulasion	B39-8428P	light 9pur
	Gaar and Larga Emergency Dodge Trucks	Brake Drui	n.
	1949 Model DE-0, 1950 Model DE-0, 1951-52 Models DG-5, DG-0,		

Dodge Trucks	1	
1949 Model DE-0,		
1950 Model DF-0,		
1 1951-52 Models DG-5, DG-0,	1	
All having "NP" helical trans-		
mission model 88580	B39-6406P	37.45
1939-37 Models MII, MS, RG,		
mission model 88580	1	
DCM-7, DD-7, DD-78, DDM-7		
having Ciark transmission model		
2001	B30-6439P	37.45
Fargo Trucks		
1949 Model FM-6; 1950 Mndel		
16N-8: 1951-52 Model 10-5.		
FO-6. All herring "NP" helicol		
FO-6, All having "NP" helicol transmission model 88580	B39-9499P	37.45
1939-47 Models FD 8, FE 6, FS-		
6, FH-6, FS-7, FL-7, FL-78		
having Clark transmission 200V	B39-6439P	37.45
Ford Trucks		
1947-50 All models having Ford		
transmission, Clark type models 200VSP and 204VOSP		
200VSP and 204VOSP	B39-9438P	37.45
1951-52 Models F-7, F-8 having		
Ford transmission, Clark type		
models 208VSP and 201VOSP.	B39-9438P	37.45
Mercury Truck		
1931-52 Models M-7, M-9 having		
Ford transmission; Clark type		
models 205VSP and 204VOSP.,	B39-6436P	37.45
Reo Trucks		
1948-49 Models C-21 C-22, D-		
22, D-221 having Clark frans-		
mission models 205V, 205VO	B39-6436P	37.45
Studebnker Trucks 1939-40 Models J-20, J-20M,		
1939-40 Models J-20, J-20M,		
K-20, K-20M, K-20MB, J-25,	1	-
J.25M, J.25MB, K-20D, K 25,		
K-25M, K-25MB having Clark		
transmission 200V, 200VO	взв-9438Р	37.45

G.M.C. Trucks 1948-51 Models Ft7-450, ACR-

WISCONSIN ALC: NO.

ENGINES

Air-Cooled

Type—4 cycle, single cylinder "L" head.
Starting—Rope starter.
Power Take-Off—Crankshaft extension.
Ignition—High tension type outside magneto with impulse coupling assures easy starting.
Lubrication—Hynnp circulated constant level splash system. Lubricates each necessary part.
Carburetor—Concentric float feed type, assures efficient and economical operation.
Cooling—Positive cooling is obtained from large fan cast in flywheel which forces air across and around cylinder and head.
Governor—Built in mechanical type, adjustable.
Main Bearings—Tapered roller.
Alt Cleaner—Efficient oil bath type.
Cylinder—Cast iron.
Head—Aluminum alloy.
Wisconsin Engines are heavy-duty designed, compact and light in weight. They are air-cooled for easy starting and trouble-free service in any weather. Camshaft is precision-ground for smooth, quiet running. Timken tapered roller hearings at both ends of the drop-forged crankshaft take end thrust and protect engine against bearing failure. Pistons are of inglest quality aluminum alloy for light weight and high serviceability. Cylinders and crank pins are mirror finished for perfect fit and smooth operation. Be assured of dependable, powerful performance with a Wisconsin gasoline engine!

3-6 HORSE POWER (Model AKN.)

Wisconsin Air-Cooled Gasoline Engine, as illustrated and described. Develops 3 H.P. at 1600 R.P.M.; 5.1 H.P. at 2600 R.P.M.; 6 H.P. at 3600 R.P.M.—governors set at 2000 R.P.M. and are adjustable to any of above or intermediate speeds. 2% inch bore, 2% inch stroke. Piston displacementa 17. 8-cubic inches; 1-in, oianneter pulley shaft. Weight about 89-lbs. Order from Winnipeg, Regina, Saskatou, Calgary, Edmonton.

B40-1940F—For Agricultural use, with signed Declaration; Duty and Sales Tax exempt. Price DELIVERED To any Station 138.00 | To any Station 139.80 In Manitoba 138.00 | To any Station in Alberta and 141.00 British Columbia B40-1940F-For other thon Agricultural use. Price

DELIVERED
To any Station 172.00 To any Station 173.80 In Manitoba
To any Station in Alberta and
British Columbia 175.00
MONTHLY PAYMENT PRICE: 20% Down, the balance-

-plus carrying charge---in 10 equal monthly payments.

41/2-7 1/2 HORSE POWER (Model AEN.)

4/2-1 72 HOKSE FOWER (Model AEN.)
Wisconsin Air-Cooled Gasoline Engine, as illustrated and described. Develops 4.50 H.P.; at 1600, R.P.M.; 6.4 H.P., at 2200 R.P.M.; 7.5 H.P.; at 3000 R.P.M.—governors set at 2000 R.P.M. and are adjustable to any of above or intermediate speeda, 3-inch bore; 3 %-inch stroke. Piston displacement 28-cubic inches; 1 %-in. diameter pulley shaft. Weight about 145-lbs, Order from Wnnipeg, Regina, Saskatoon, Calgary, Edmonton, B40-1945F—For Agricultural use, with signed Declaration, Duty and Sales Tax exempt. Price DELIVERED

BRIGGS AND STRATTON

4-Cycle-Air Cooled 5 and 81/4 H.P. GASOLINE ENGINES

Type—4 cycle, single cylinder, "L" head. Starting—Rope etarter.
Power Toke-0ff—Crankshaft extension.
Ignition—Hot spark at starting speed . . . spark automatically retards
when starting and advances when engine speed increases; moulded
waterproof coil.
Lubrication—Solash system. Lubricates each necessary pert.
Carburetor—Concentric float type; adjustable.
Cooling—Air cooled . . fly wheel blower forces air through deep
cooling fins on cylinder and cylinder head,
Governor—Mechanical type, adjustable, fully enclosed, operating in
oil, resulates desired speed accurately,
Main Bearings—Steel backed leaded Bronze. Fuel Fliter—Bowl type.
Air Clearer—Oil bath type. Filish—Heat-resisting hlack enamel.
Briggs and Stratton engines are powerful in efficiency . . . they
ere precision built by a company with more then 30 years of engine
manufacturing behind it. Briggs and Stratton englies are easy to run,
and cost less to run—because machined with the accuracy you would
look for in an automobile engine. Air cooled means that no matter how
cold it is this engine cannot freeze, and in hot summer you cannot overheat it. A pull on the starting rope and it starts in any weather. Thie
is today's most modern gasoline farm engine; troublefree at all times;
requires almost no attention.

14)

6½—8 ¾ HORSE POWER (Model 23)

31/2—5 HORSE POWER (Model 14)

Briggs and Stratton Alr-Cooled Gasoline Engine, as illustrated and described. Develops 3.56 H.P. at 2,200 R.P.M.; 4.50 H.P. at 2,700 R.P.M.; 5.10 H.P. at 3,200 R.P.M.—governore set at 2,900 R.P.M. are adjustable to any of above or intermediate speeds, 2 % inch bore; 2 %-inch stroke. Piston displacement 14.2-cubic inchea. 1-in diameter pulley chaft, Shipping weight about 96-lbs. Order from Winnipeg, Regina, Saskatoon, Calgary, Edmonton.

B40-1906F—For Agricultural Use, with eigned declaration. Duty and Sales Tax exempt.

Price, DELIVERED 109.50

B40-1908F—For other than Agricultural use. 142.75

6½—8½ HORSE POWER (Model Z3)
Briggs and Stratton Air-Cooled Gasoline Engine, as illustrated and described. Developes 6.50 H.P. at 2,200 R.P.M.; 7.70 H.P. at 2,700 R.P.M.; 8.25 H.F. at 3,200 R.P.M. egovernors set at 2,900 R.P.M. are adjustable to any of above or intermediate speeds, 3-inch bore; 3½-inch stroke. Piston displacement 23-cubic inches. 1-in. diameter pulley chaft. Shipping weight 112-lbs, Order from Winnipeg, Regina, Saskatoon, Calgary, Edmonton.

B40-1908F—For other than Agricultural use 163.95

61/2-81/4 HORSE POWER (Model 23)

BRIGGS and STRATTON 1 $\frac{1}{2}$ -2 H.P. ENGINE



Air-Cooled-4-Cycle (Model 6)

A powerful, dependable, gasoline engine developing 11/2 H.P. at 2000 R.P.M. Has 2-inch stroke, 2-inch bore and 6.28-cubic inch piston displacement. High tension ignition with built-in flywheel magneto, moisture and dust proof. Splash lubrication, concentric float feed carburetor, adjustable air-type governor, oil bath type air cleaner. Main bearings are steel backed, babbit lined with oil seals. Air cooled means the same efficient service in the hottest summer or coldest winter. %-in. pulley shaft. Order from Winnipeg. Regina, Saskatoon, Calgary or Edmonton.

DAG 400AF The Annual Transport State of the Date of Color Manager of the	
B40-1904F—For Agricultural Use with signed declaration. Duty and Sales Tax exempt.	51.95
Price, DELIVERED	U1.00
B40-1904F—For other than Agricultural use.	
Price, DELIVERED	67.75
MONTHLY PAYMENT PRICE: 1/3 Down. The balance-plus carrying charge-in 9	equal monthly naymente
the transfer the transfer the point the parameter plus carrying charge -in o	equal monthly payments

IMPORTANT: Read Carefully

If you have one of the implements listed below you can purchase a gasoline ouginc for use on this machine at the Agricultural use prices. Make out your order in the regular manner; fill out the following declaration in pen and ink, and attach to order.

If a Wisconsin or Briggs and Stratton engine is purchased for use with a farm lighting system, add 10 % Sales Tax to Agricultural use prices and complete the declaration.

Date...

I or We hereby certify that the internal combustion engine, described below, is to be used for agricultural purposes only and will be incorporated in, or attached, to agricultural implement or agricultural machinery (by being mounted directly on the agricultural implement or machine OR mounted on a common bedplate with the implement or machine and not merely used separately as a power unit) as provided for in the Agricultural implement Schedule of the Canadian Customs Tariff. Date...

Description Of Internal Combustion Engine

machine this engine will be used on.
Grain Elevator (Capacity not exceeding 40-bushels per minute)
Grain Loader (Capacity not exceeding 40-bushels per minute)
Grain Grain Grain Crop Sprayer
Fanning Cream Milking Machine
NOTE: You must state Brand Name of the above machine this engine will be used on.
Brand Namo
NOTE: You must mark "X" In space opposite one of the following methods of attaching engine to machine.
Permanently attached and directly mounted. Bolted ecentely to common bed-plate.
Purchased from Macleod's Limited Branch at

Mail Order or Sales Slip No
Description of my farm is:
Township Section Range
Purchaser'a Name
(Print clearly)
Purchaser's Address
(Print clearly)

NOTE: An internal combustion engine can be purchased under this declaration only for use on one of the Agricultural machines as listed above. Machines or implements other than listed above are NOT classified in the Canadian Customs Tariff as "Agricultural Machinery." WARNING: If this engine is used for purposes other than agricultural machinery or implements as outlined above, the engine will be subject to seizure by the Dominion Government of Canada.

Purchaser's Signature

BRIGGS and **STRATTON** 2/3 H.P. **GASOLINE** ENGINE

Fonr cycle air-cooled engine (Model WMB), for light load applications such as washing machines, power tools, etc. Efficient, economical and dependable operation. Air-cooled, starts easily and quickly in all weather. Enclosed valves, sure fire ignition, advanced lubrication, automatic air type governor, aluminum alloy pistons and rods. Built to the highest standards of design, quality and accuracy for long trouble-free service. Complete with 2½-inch Vee pulley. Order from Winnipeg, Regina, Saskatoon, Calgary, Edmortou. Shipping weight about 33-lbs.

B40-1901F—For agricultural use with eigned declaration. Duty and Sales Tax exempt.

44.95

B40-1901F—For other than agricultural use, FO OF



Flexible Steel Belt Lacing



Handy Bundles Leather About 1-lb.

Handy strips of different lengths and B38-4906—Per bundle,

.61 B38-505P 61.95

BELTS AND BELLING

MASTER-MADE

Our belts and belting are constructed of prestretched duck, impregnated with rubber and given friction surface that guarantees slip-proof delivery of every ounce of power. Treated and finished under pressure, positively waterproof and always flexible, 32-oz, is heavy Master Grip weight, Order from Winnipeg, Saskatoon, Calgary or Edmonton.

** 32-oz. ENDLESS BELTS
30-ft. 6-in., 4-ply.
B38-502P
B38-502P
Price,
103-6 50-ft. 6-in., 4-ply. B38-503P Delivered.... 45.50 40-ft. 7-in., 4-ply. B98-508P 40 0 Delivered.... 42.95 50-ft. 7-in., 4-ply. B38-510P Delivered.... 53.35

100-ft. 6-in., 5-ply. B38-5-16P—Price, Polivered 103.95 100-ft. 7-in., 5-ply. B38-5-18P—Price, 120-ft. 7-in., 5-ply B39-5-20P—Price, Price, Price, 144.95 Price, 144.95
120-ft. 8-in., 5-ply.
B38-523P—
Price, 155 OF Price, Delivered 155.85

32-oz. BELTING

1 ½ -in.3-ply belting.

1 38-803P.

1 4-in. 4-ply belting.

1 838-607P. Price per foot 25
Delivered..... 25
2-in. 3-ply belting.
B38-604P—

Price per foot

Price per foot Delivered..... 39

Price per foot 57 5-in. 4-ply belting. B38-608P— Price per foot Dellvered...... .70

6-in. 4-ply belting. B38-809P— Price per foot Dellvered..... 84

Belt and Belting prices include delivery charges.



This latigo tanned tough, pli-able lace leather has long been popular for

BUCK TANNED LACE LEATHER



Lace Leather

Oak tanned leather. ont. % in. width only. Treated to prevent drying ont. B38-4802—1-lb. buudle, Price





Multiple B Width "V" BELTS

Constructed of the finest materials—duck cords are imbedded in rubber, and then reinforced with heavy rubber cover. These belts have matched tensions to provide full efficiency on any drive. For use in elevators, cement mixers, pumps, pump jacks, farm welders and other machines. These belts are "B" width measuring 21/32-inches wide at the top and 7/16-inches thick,

75-ft. 6-in., 4-ply. B38-505P C1 O

Catalog	Length	Price	Catalog	Lengtb (Inside Measurement)	Price
Number	(Inside Measurement)	DELIVERED	Number		DELIVERED
B39-503 B39-505 B39-510 B39-515 B39-521 B39-521 B39-522 B38-525	46-inches 51-inches 64-inches 75-inches 81-inches 85-inches 90-inches	2.10 2.20 2.45 2.85 9.10 9.25 3.40 9.65	B39-528 B39-529 B39-533 B39-538 B39-539 B39-542 B39-544	112-inches 120-inches 144-inches 158-inches 173-inches 180-inches 195-inches	4.25 4.50 5.40 8.25 8.90 7.95 9.15

Replacement V-Belts For Truck Loaders

"C" width, approximately %-in. wide at top. Order from Winnipeg, Regina, Saskatoon,

Catalog Number	Length	Price DELIVERED	Catalog Number	(Inside Measurement)	Price. DELIVERED
B39-553	128-inches	8.95	B39-557	162-inches	11.50
B39-555	144-inches	9.95	B39-558	173-inches	11.95
B39-558	158-inches	11.25	B39-559	180-inches	12.75



Die Cast Aluminum "V" Pulleys

For B width "V" Belts
(21/92-in. cross section)
Heavy-duty V-pulleys to fit
any engines with 1-inch drive
shafts. Extra beavy bub and
flanges for work on grain elevators, pump jacks, etc. Pulley has

key way and	eet screw to	o lock on e	engine shaft.
Catalog			Price
No.	Diameter_	Bore	Delivered
B39-6567	3-ins.	1-in.	1.00
B39-6568	3 ¼ -ins.	1-in.	1,10
B39-6569	3 ½ -ins.	1-in.	1.15
B39-6571	4-ins.	1-in.	1.35
B39-6572	4 ½ -ins.	1-in.	1.80
B39-6579	5-ins.	1-in.	1.75
B39-6575	6-ins.	1-in.	2.25



All Steel Pulleys

Combination Groove For "A" and "B" Vee Belts

Machined from high quality bar steel and perfectly balanced, Heavy hub, keyway and set screw especially recommends it for beavy work. For engines with 1/2 inch drive shaft.

Catalog No.	Diameter	Bore	Price Delivered
B39-6584	2.5-ins.	½-in.	1.93
B39-8587	2.5-ins.	% -in.	1.93
B39-6590	2.5-ins.	% -in.	1.33
B39-6585	2.8-ins.	½ -in.	1.47
B39-6588	2.8-ins.	% -in.	1.47
B39-6591	2.8-ins.	% -in.	1.47
B39-6578	2.8-ins.	1-in.	1.47
R39_6597	Q_ina	1 14 sing	4 55

REPLACEABLE BUSHING ONLY



CAST IRON BUSHING TYPE "V" PULLEYS

Combination Groove for "A" and "B" Width "V" Belts


Combination Groove for "A" and "B" Width "V" Belts
Cast from close grained semi-steel and machined for perfect balance. Split
taper bushings are machined from bigh grade malleahle iron.

Because every one of the bushings fits each pulley, it is only necessary to
select the pulley and bushing combination required to make up a pulley from
3-ins, to 19-ins, diameter to fit any standard shaft from %-in. to 1-7/16-in.

Bushings are supplied with two holts to attach pulley. When attached and
tightened on the shaft, the taper bushing acts like a vise and is as tight on
the shaft as though welded on. To remove pulley bolts are removed and turned
in on the other side, pushing pulley off the hushing quickly and easily,
Pulleys cannot be used without the split taper hushings. When ordering
be sure to state size and catalog number of pulley as well as bushing.

	116	sure	LU	BULLE	SIZC	57.11
BUSHING-TY	PI	E PU	LL	EY	ONL	Y
(Bushin	rs I	Not I	nel	uded)	,	

	hing Not Inclu		To Elt		Pullevs
(Dus	ming Not Incit	ided)	Catalog	musting 1 1 he	Price
	Diameter	Price DELIVERED	Number	Bore	DELIVERED
B39-6601 B39-6603 B39-6605 B39-6806 B39-6608 B39-6612 B39-6620 B39-6622 B38-8824 B39-6628	3 ½ -inches 3 ½ -inches 4 -inches 5 -inches 6 -inches 8 -inches 9 -inches 10 -inches	2.47 2.47 2.47 2.71 2.75 2.95 4.53 5.07 5.80 6.59	B39-6651 B39-6652 B39-6654 B39-6654 B39-6655 B39-6659 B39-6660 B39-6661 B39-6662 B39-6663 B39-6664	%-incb 7/16-incb ½-incb 9/16-incb %-inch %-inch 15/16-inch 1-inch 1-1/16-inch 1-3/16-incb	1.29 1.23 1.23 1.23 1.23 1.23 1.29 1.23 1.23 1.23 1.23
B39-6630	14-inches	8.65	B39-6685 B39-6668	1 ¼ -inch 1-5/16-inch	1.23 1.23
B39-6631	10-inches	10.15	B39-6867	1 % -inch	1.23
B39-6632	19-incbes	11.75	B39-6668	1-7/16-incb	1.23



Heavy duty pulley for engine drives. Strongly constructed bub and fibre face to eliminate belt slippage.



utility Corowood Saws are made of best carbon saw steel. Correctly tempered and tensioned. Each saw is partially set and must be adjusted to suit the type of wood to be cut. Utility Cordwood saws are used in all parts of Western Canada and are known as a saw that will bandle any job, yet keeps its trueness and set under day after day nse.

Catalog Dispager Canada Canada Property 12 Catalog Dispager Canada Property 12 Catalog Dispager Catalog Dispager 15 Catalog

Number	(Inches)	Hole, Ins.	Revolutions Per Minute	F.O.B. Winnipeg
B13-4302P	24	1 %	1500	10.85
B13-4303P	26	1 %	1400	12.65
B13-4304P	28	1 %	1300	14.65
B13-4305P	30	1 %	1200	18.95
B13-4308P		1 %	1125	19.15

Guarantee—Cordwood saws are often abused by being run on untrue arbors and mandrels, by improper setting, sharpening and tensioning (or hammering), by being run at wrong speed. Saws not properly reset and resbarpened will heat and burn while sawing and crack in gullet. For this reason we will not make adjustment on saw that has been abused by improper handling in any way, and in no case does this guarantee exceed the value of the saw.



Saw Mandrels COLD ROLLED STEEL SHAFTING

Heavy duty saw mandrels for use with cordwood and arbor. Adjustable two-piece babbitted bearings. Fitted with 6-inch lat face pulley, 5-ins, diameter, Note: Saw must run opposite way nut tightens.

Carborundum Saw Gummers



For sharpening band and circular cordwood saws. Gemine carbor-bundum, quality guaranteed. Fit average saw mandrel. Diameter Sinches, thickness %-in., 1 %-in, bore.

B13-1849—4.95

Lameter 10-ins, thickness %-in.

Diameter 10-ins., tbickness 1/2-in., 1 1/2-in., bore. B13-1850—Delivered...... 7.65

SERVING THE WEST: In the important consideration of Quality . . . Value . . . Service . . . Macleod's Limited, today, as always in-the past, is building for the years ahead; we realize that the confidence of each customer gained through goodwill as a result of satisfaction is the main foundation on which the successful growth and continued expansion of this company can be built.



111111

Speed

"Tachometer"
Speed Indicator
under to remark of the checking and adjusting speeds of
gas engines, tractor pulleys, etc. Speed
range of 500 to 3000 R.P.M.

B13-4976—Price, F.O.B. Winnipeg 2.25 Starrett High Speed Indicator



Precision made high speed indicator; neasures revolutions of all rotating shafts, Dial has two rows of figures for right and left hand reading as the shaft may run. Working parts enclosed in nickel plated

B13-4984—Price, Dellvered.... 3.39

Hi- Capacity 2000 Bushels Per Hour TRIPOD GRAIN LOADER

All bearings Alemite lubricated. Gear box is fitted with three bronze bushings; drive shaft is mounted on two specially designed replaceable babbit bearings and one radial ball end thrust bearing et top. All pivot boits are fitted with sleeve bushings.

Adjustable self-levelling motor mount will fit most air-cooled gasolino engines.

New 22-ft. and 28-ft. Models for Every Grain Loading and Unloading Requirement

- Improved heavy duty cable slip-way lift fitted with crank Single V-belt driven 14-inch B-width pulley drives a and ratchet safety catch; adjusts 22-ft. elevator from 8 to 17-ft., 25-ft. elevator from 8 to 19-ft., and 28-ft. elevator from 8 to 21-ft. elevator from 8 to 21-ft.
- Auger is 14-gauge steel, electrically welded to 1-inch centre pipe shaft. The 6-inch diameter casing is 18-gauge single seam tubing.
- All-steel construction "A"-frame of heavy formed channel steel, electrically welded and rigidly braced.

 Gear box fitted with heavy cast gears; heavy steel roller chain sprockets at top of elevator.

ease box fitted with heavy cast gears; heavy steel roller most alr-cooled gasolino engines.

Heavy duty grain loader elevators that pernit loading from granary or grain piles into wagons or truck box without use of an extra spout or hopper as well as unloading into granary. Easily raised or lowered by improved cable lift "A" frame slide which runs on two angle tracks welded to auger casing.

Mounted on cast hub spoke type wheels or Timken tapered bearing demountable type wheels; 6.70 x 15 or 6,00 x 16 rims. Bottom end of auger casing is fitted with sturdy clevis which can be quickly and easily hitched to truck or tractor drawbar. Wide track and "A" frame undercarriage permit trailing at any speed with less swaying and no danger of tipping.

For maximum efficiency in delivering 1500 to 2000 bushels per hour, a 3 to 5 H.P. engine is required for operation of the 22-ft. model and a 5 to 8 H.P. engine on the 25-ft. and 28-ft. models. Auger must run at 270 to 300 R.P.M. The elevator is therefore fitted with a 14-inch B-width V-pulley which should be run by engine at 500 R.P.M. See table at right to determine correct size of engine pulley to be used.

We supply the correct size V-Beit for most engines; the 22-ft. model with a B-144 V-Beit (Catalog No. B39-539), the 25-ft. model with a B-173 V-Belt (Catalog No. B39-539), and the 28-ft model with a B-180 V-Belt (Catalog No. B39-532).

Note special savings when bought complete with gason

Note special savings when bought complete with gaso-line engine and 4-ply Crest Implement Tires and Tubes.

Macleod's Hi-Capacity Tripod Grain Loader Elevator, complete with V-Belt as illustrated and described. With wheels and in lengths listed below. Less engine, less tires and tubes. Order from Winnipeg, Regina, Saskatoon, Calgary or Edmonton.


B40-1880F

B40-1884F

Note the improved frame and enginc platform.
The low, self-levelling engine mounting is quickly
adjusted to mount any kind of air cooled or water
cooled engine. Engine carriage is sliding type fitted
with hand lever for adjusting belt as required and for easy
starting of engine. Carriage is locked in operating postion
by hand screw, maintaining proper belt tension at all times.



Illustration shows the "Hi - Capacity" loading from pile into a low wagon box. No added wagon box. No added spout or hopper is need-ed when loading in a high wind because of low height of spout above wagon box.



ed to auger flighting reduces the wear on edge of flighting and increase the capacity of the loader.

With Cast Hub Wheels

6.70 x 15 or 6.00 x 16 wheel rims (less tires and tubes).

Length	Catalog No.	Price Delivered
22-ft.	B40-1873F	228.75
25-ft.	B40-1878F	259.75
28-ft.	B40-1882F	278.75

If wanted with 3 1/2 - 5 H.P. Briggs Stratton Engine, Model 14, (our B40-1908F) add \$110.00 to elevator price. If wanted with $6\frac{1}{2}$ - $8\frac{1}{4}$ H.P. Briggs Stratton Engine, Model 23, (our B40-1908F) add \$125.00 to elevator price. If wanted with 3 - 8 H.P. Wisconsin Engine, Model AKN, (our B40-1940F) add \$117.00 to elevator price.

If wanted with $4\frac{1}{2} - 7\frac{1}{2}$ H.P. Wisconsin Engine, Model AEN, (our B40-1845F) add \$137.50 to elevator price.

If wanted with 6.70 x 15, 4-ply "Crest" implement Tires and Tubes, (our B40-7407F) add \$38.50, for set of 2 only, to elevator price. If wanted with 8.00 x 18, 4-ply "Crest" Implement Tires and Tubes, (our B40-7410F), add \$34.50, for set of 2 only, to

MONTHLY PAYMENT PRICE: 20% Down The balance—plus cerrying charge

Use this table in determining the correct pulley size for your engine to operate anger at recommended speed. Engine Speed R.P.M. Size of Engine Pulley With Timken Bearing Wheels 1500-1800 1800-2100 2100-2500 4-inch or 5-inch 3 ½-inch or 4-inch 3-inch or 3 ¼-inch 3-inch or 3 ¼-inch 6.70 x 15 or 6.00 x 16 wheel rima (less tires and tubes). Price Delivered Catalog No. B40-1875F

270.00

Shipping Weights of Elevators,
less thes and tubes

22-ft. Elevator
With engine, about 521-lbs.
Less engine, about 425-lbs.
Less engine, about 562-lbs.
Less engine, about 560-lbs.
Less engine, about 450-lbs.
Less engine, about 475-lbs.

COTTON BAGS

2-Bushel Cotton Grain Bags

"W" Quality. Strong weave eotton: about 2bushel capacity.

B38-6765---

2-BUSHEL JUTE GRAIN BAGS Heavy 10½-oz. Jute, size 20x44-ins.; holds about 2 bushela.



Knot Passing Pulley'

Steel frame with swivel eye; 6-inch hardwood sheave. A most popular pulley for hay carrier and other purposes — will pass large knots and ehort splices. Knot Passing Pulley.

Price,	each,			
F.O.B.	Winnipeg			1.89
F.O.B.	Baskatoon	********		1.88
F.O.B.	Edmonton			2.05
B38-6	326Shea	ve only	; 6-incl	dia-
	Well finish			
wood.	To fit p	ulley	listed a	bove.
Price.	each.			
	Milinalana			90

F.O.B. Edmonton40

A Customer Writes:

Easily Installed on any Grain Loader Elevator.

"Burke" Flexible Weeders are very satisfactory they leave the ground level providing a good seed bed. On summerfallow they save the cost of harrowing.



25-ft

28-ft.

Tripod Grain Loader
Preferred by many operators when
unloading from wagon box into
granary. Easily instalied on any Tripod
Grain Loader Elevator
by means of a sturdy
1x¼-inch steel band
clamp. Constructed or
heavy 16-gauge painted sheet steel with
reinforced rolled edges.
Length about 48-ins.
oevrall, 36-ins. wide
at top.
Shipping weight about
26-lbs. Order from
Winnipeg, R e g in a,
monton

Flexible Spout To Fit Most Auger Type Elevators Constructed of heavy gauge gaivanized steel. Fitted to elevator by adjust-

able chain. Will fit most auger type

elevators - 6-inches in dlameter at the

B40-1866F-Order from Winnipeg, Saskatoon, Regina, Calgary, Edmonton. 6.95

top, 35-inches iong when extended.

Price DELIVERED

UNIVERSAL JOINTS

For Truck Power Take-Off, etc.

Alemite lubricated, fitted with key seat and set screws,
Maximum load recommended for Universal
Joints listed not over 5 H.P., at 600 R.P.M.
Operating angle of more than 25-degrees not recommended.
Universal Joints—Round Bore Both Ends

Price Each Delivered

839-4022—15/16-inch both ends
839-4022—15/16-inch both ends
839-4028—1-inch both ends
839-4028—1-inch both ends
838-4030—1-1/16-inch both ends
838-4030—13/16-inch one end, 1-inch other end
838-4014—13/16-inch one end, 17/16-inch other end 5.10

Universal Joints—Combination Round And Square End Type B38-4035—% inch square at one end, % inch round at other end Pric B39-4034—12/16-inch square at one end, 13/16-inch round Die B39-4034—12/16-inch square at one end, 13/16-inch round 4.60 B39-4043— % inch square at one end, 13/16-inch round at other end B39-4037— % inch square at one end, 1-inch round at other 5.10

Universal Joints—Combination Spline and Shaft Type B39-4064—1 %-inch spline at one end, %-inch square at other end 1%-inch spline at one end, %-inch square at other end.

Universal Joints—Combination Long Shanked Spline and Shaft Type B38-4053—1 %-inch 6-inch shanked spline 13/16-inch round at other end.

B38-4055—1 % inch 6-inch shanked spline, 13/16-inch round 9.95



5.80



Glentworth, Sask Macleod's Limited:

Macleod's Limited:
I bave nised one of your anger
type grain loaders to handle all
my grain, snd I am very pleased
with this elevator.
Yours truly,
(Name on request)

TRIPOD GRAIN LOADER

LOADS OR UNLOADS UP TO 1500 BUSHELS PER HOUR

Dependable, 20-ft. and 24-ft. Elevators Noted

High Speed Auger: 5 \(\frac{3}{4}\)-in. diameter fitted with 18-inch double flighting at bottom end to handle greater capacity in all types of grain. Remainder of flighting is 3/16-inch, tape of to \(\frac{6}{4}\)-inch, electrically welded to a 1-in. centre pipa shaft. Both ends havo a 1-inch solid steel shafting, Auger runs in 16-gauge, 6-inch diameter electrically welded single seam casing.

Bearings: Alemite lubricated sleeve type bronze bearings

Bearings: Alemite lubricated sleeve type bronze bearings

(See note below for correct pulley size).

aft. Both ends have a large state and described.

Cash Price Dollverad to An Station in:

1800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.M. and fitted with a 3 to 4-inch v-pyliey.

2800 R.P.P.M. and fitted with a 3 to 4-inch v-pyliey.

280

1		ı î		Cash Price Dolivered to Any Station in:				
Length	Catalog No.	Welght	Manltoba	Saskatchewan	A Iberta	Peace River Country (West of High Prairie) and British Columbia		
20-ft. 24-ft.	B40-1760F B40-1769F	350-lhs. 375-lbs.	176.50 193.50	183.75 201.75	187.50 204.75	194.50 211.75		
24-16.	B40-1769F	1 070-108. 1						

wanted with $3\frac{1}{2}$ -5 H.P. Briggs Stratton Engine, Model 14 (our B40-1906F) add \$110.00 to elevator price, wanted with $6\frac{1}{2}$ -8 $\frac{1}{4}$ H.P. Briggs Stratton Engine, Model 23 (our B40-1908F) add \$125.00 to elevator price, wanted with 3-6 H.P. Wisconsin Engine, Model AKN (our B40-180F) add \$117.00 to elevator price, wanted with $4\frac{1}{2}$ -1 $\frac{1}{2}$ -1 $\frac{1$

MONTHLY PAYMENT PRICE: 20% Down The balance—plus carrying charge in 6 equal monthly payments

Master-Made Auger Type

"Farmcrest" Tripod Grain Loader Elevators are shipped complete with one B-81 V-belt—81-inches inside measurements—(Cat. No. 840-494), and one 3-inch V-pulley with 1-inch bore which is most commonly used with 3-5 H.P. or 4½-7½ H.P. air cooled engines. As there are variations in engine speeds, check the speed of your engine in the table on page 24 to determine the correct size of pulley. If different size pulley is required, state diameter and bore when ordering.

When Ordering Elevator With Engine Engine certificate on page 22 must be completed and sent in with order

Illustrated above is the "Farmcrest" Elevator in transport position. Note that the spout of the auger is only 6-feet off the ground. Elevator can be moved at higher speeda with less swaying and no danger of tipping. This low position is also an advantage when loading out of the granary or into a wagon or truck box as no added spouts or hopper is needed for loading in a bigh wind.

GRAIN ELEVATOR All-Steel Construction-20-foot length. Low Hinged Hopper allows elevator to operate at any angle.

Elevator Casing is 16-gauge electrically welded 6-inch steel tubing . . . reinforced with angle Iron.





Capacity 30 to 35 bushels per minute. Requires 2 ½ to 3 H.P. engine to operate at 350 R.P.M.

Order from Winnipeg, Reglna, Saskatoon, Calgary, Edmonton.

All Steel, Master-Made specified construction assures satisfaction; embodies every improved feature to give big capacity and casy operation. . . no sprockets or chains to hreak . . . dust-proof grease sealed gear box is fitted with Alemite lubricated heavy duty Bronze sleeve . . . gear box has two steel heavy duty Bronze sleeve . . . gear box has two steel heavy duty Bronze sleeve . . gear box has two steel heavy duty Bronze sleeve . . gear box has two steel heavy gears with a 2-1 ratio so that auger operates at 270-350 R.P.M. when fitted with a 10-inch flat or, 14-inch V-pulley. Elevator casing constructed of heavy 16-gauge electrically welded 6-inch steel tubing, reinforced with angle iron on bottom side to prevent denting. Auger is 14-gauge electrically welded steet with a 1-inch centre pipe; auger shaft on top is fitted with end thrust Alemite lubricated bearing. General construction gives strength and durability with a inlinimum of weight. Every elevator thoroughly tested before leaving factory.

B40-1820F—Master-Made Auger Type Grain Elevator, length 20-ft, with 14-in, V-pulley for high speed gasoline engines running at 1600-3600 R.P.M.; complete with hinged hopper. Shipping weight about 265-lbs. Price DELIVERED

If wanted with 3 ½-5 H.P. Briggs Stratton Engine, Model 14, (our E40-1906F) add \$110.00 to elevator price, If wanted with 3-6 H.P. Wisconsin Engine, Model AKN, (our B40-1940F) add \$117.00 to elevator price,

MONTHLY PAYMENT PRICE: 20% Down, the balance plus carrying charge—in 6 equal monthly payments,

Loads or Unloads up to 1500 Bushels Per Hour

Auper — Length 16-ft., dlameter 5 % -lns. Made of 3/16-in. to 1/16-in. tapered flighting welded to 1-in. cantra pipe with steal shafting at each end.

end.
Aupar Casinp — 16¹
gauge electrically
welded steel tubing,
6-in. diameter.

6-in. diameter.

Bearings — Alemite
lubricated bronze oil
replaceable sieeve
type, three on drive
shaft and one on each
end of auger . . top
end of auger is also
fitted with Alemite
lubrication ball and
thrust bearing.

The 16-foot Junior "Farmerest" Elevator incorporates many features of our larger elevator . . . it is specially designed for the farmer who wants an efficient, lower priced grain elevator, or for use on smaller farms...on large farms where grain is stored outside in piles it supplies an efficient answer to economical loading and unloading.

The illustration is from an actual photograph. Note the new style drive . . . a 64-inch belt runs with a half twist from engine to lower pulley on drive shaft which is mounted on the side of the tube by three replaceable sleeve oronze oil bearings. The power from drive shaft is transmitted through a V-Belt reduction unit at top of elevator to auger shaft. The top V-Belt is kept tight by a screw type a djustable standard. screw type standard.

Efficient operation at any capacity up to 1500 bushels per hour. Has height adjustment from 5 feet to 11-feet. Operates with 2 ½ H.P. or 3-5 H.P. gasoline engine; depending on condition of grain. Auger runs at 270 to 350 R.P.M.

Alberta

rim plain bearing
white plain bearing
Junior "F 44-in. track.

Shipping weight: With engine, about 299-lbs.;
without engine about 210-lbs.

Equipped with 6.70 x 15 or 6.00 x 15 wheels (state which wanted when ordering); less engine, tures and tubes,

Manitobe Peace River Country (West of High Prairie) and British Columbia

Saskatchewan

99.50 99.75 101.50 105.50 If wanted with 3½-5 H.P. Briggs Stratton Engine, Model 14 (our B40-1906F) add \$110.00 to elevator orice. If wanted with 3-6 H.P. Wisconsin Engine Model AKN, (our B40-1940F) add \$117.00 to elevator price. If wanted with 6.70 x 15, 4-ply "Crest" Implement Tires and Tubes (our B40-7407F) add \$36.50, for set of 2 only, to elevator price. If wanted with 6.00 x 16, 4-ply "Crest" Implement Tires and Tubes (our B40-7410F) add \$34.50, for set of 2 only, to elevator price.

MONTHLY PAYMENT PRICE: 20 % Down, the balance—plus carrying charge—in 6 equal monthly payments



The crushed feed is delivered at the side and threen several feet through a fast delivery metal load. At speed of 1700 to 2500 R.P.M. the 11-inch ball-bearing Hi-Capacity Grinder will gind 175 to 225 bushels per hour; requires full size tractor, 16-27 or larger (with governor) or engine of equal power Remember; there is only one "Hi-Capacity" grinder—it was introduced and it sold only by MACLEDD'S Limited. Mr. J. H. Miller, Pamburu, Sask., writes "The Hi-Capacity grinder is the greatest grain grinder over invented." Another customer writes: "Your Hi-Capacity grinder is the greatest grain grinder over invented." Another Capacity Grinders equipped with medium plates.

11-INCH (175 to 225 Bushels Per Hour)

B40-2814F—11-inch
Grinder, bull-bearing,
bushels per hour at 1700 to 2500 R.P.M.
Power required; full size tractor, 15-27 or
larger (with governor) or ongine of equal
power. Size of pulloy: 5 %-in. diameter,
812-in. for

Price DELIVERED to any stetion in Manitoba	92.75
Prico DELIVERED to any station in Saskatchowan	
Price DELIVERED to any Station in Alborta	99.95
Consh Price DELIVERED to any Peace River Country (West of High	station in

81/2-INCH (65 to 100 Bushels Per Hour)

B40-2812F--8½-inch "Hi-Onpacity" Grain Grinder, ball-bearing. Capacity 05 to 100 busiles per hour at 1700 to 2500-it.P.M. Power required: small tractor, automobile engine (must be governor equipped). Size of pulley: 5½-in. diameter, 7½-in. face.

Price DELIVERED to any

station in Minnitebe	00.00
Price DELIVERED to any station in Saskatchewan	88.25
Price DELIVERED to any station in Alberta	89.75
Cash Price DELIVERED to any Penca River Country (West of Hig and	Station in h Prairia) 91.50
	Price DELIVERED to any station in Saskatchewan

MONTHLY PAYMENT PRICE; \$25.00 Down The balance—plus carrying charges —in 8 equal monthly payments.

unctal, extra hard. Sharp edge assures per-						
fect grinding. Average weight of 8 ½ inch burr 10-lbs. State number of hurrs when ordering.						
★ To Fit Size	Number	Set of 2	Set of 2 (Set of 2 F.D.B.		
MACLEOD Hi-Capacity Medium, reversible plate 6 % in. Medium, reversible plate 8 % in. Medium, reversible plate 8 % in. Medium, reversible plate 10 % in. Medium, reversible plate 11 in. Medium, reversible plate 11 in.	P7	2.85	2.05	8.00		
	T3	8.10	3.25	8.30		
	F5	4.25	4.50	4.60		
	F8	4.25	4.50	4.60		
	F3	5.25	5.65	5.80		
	R14	5.05	6.40	6.55		
	R15	5.65	6.40	6.55		
MACLEDD 8-in. 10-in. 12-in. 1	M8	3.50	8,85	3.95		
	M10	4.85	5,45	5.05		
	M12	5.25	5,80	5.95		
	MFP	2.25	2,40	2.45		
Dyclone (Bentty) 8-in. 10-in. Flat Plate, Reversible 12-in. Inside Feeder Plate to fit 12" pr.	CB8	3.50	3.85	3.95		
	CB10	4.05	5.45	5.05		
	CB12	5.25	5.80	5.95		
	CBFP	2.25	2.40	2.45		

MACLEOD and FLEURY Coucnve 3.85 5.65 5.05 3.85 5.45 5,80 8-in. 10-in. Mapls Leaf Cencove "FARMCREST"6-Inch and 8½-Inch Grain Grinders



Lower priced than our "Ill-Capacity" Grinder . . . incorporates the basic engineering principles and patented features that have made the "Ill-Capacity" Grinder so well known in the West. Direct feed to anger Into burrs . . patented slip clutch on feed worm prevents large objects from entering plates . . . double spring loaded hood allows small objects to pass through . . . quick release hand clutch to throw grader out of genr . . lund screw for adjusting fine to coarse grinding . . . reversible burrs.

Note the study construction: One-piece cast from main housing and east from bounct hood. Compact of seal bearing housing is boiled to be bented hood with two steel boils. Adjustment serew and hand chitch massembly is also attached to the bonnet, Main body has hapection door for removing foreign objects and adjusting slip clutch.

Three Alemate hibricated bearings . . heavy duty S.K.F. ball main bearing next to pulley, replace-able bronze sleeve type bonnet bearing, and built end thrust bearing. Main shaft is 1½-in. on the 8½-inch grinder, Can be monthed similonary or on sides.

6-INDH (20 to 25 bushels nor hour)

B40-2800F — 6-Inch "Farmerest:" Grain Grinder, ball-bearing, capacity 20 to 25 landled and children in the serior of the control of the

3.50 4.05 5.25

66.45 DELIVERED to any 55.75
DELIVERED to any station in Alberta 56.95
DELIVERED to any station in Penca Deuntry (West of High e) and British Columbia 57.75
MONTHLY PAYMENT PRICE: \$20.00
Down The Sequal monthly payments.

★ Order Grain Grinders From Winnipeg, Regina, Saskatoon, Calgary or Edmonton Dollvery Charges Extra Except Where Prices State "Delivered"

CHOP ELEVATOR for Hi-Capacity Grinders Farmers and Stockmen in Every Part of the West are Passing on to Their Neighbors the Good News
That The Hi-Capacity Grinder With Chop Elevator is a guaranteed Work-Saving Outfit,

For eloyating chop into wagons, sleighs, bins or upper floors of The Illustration shows Chop Elevator attached to Higranaries or barns. Supplied in 8-ft., 10-ft., 12-ft., 14-ft., 16-ft. and 18-ft. lengths.

Strongly continued of 18 gauge block large paints of Glalch Willams and 11-inch Ill-Capacity Grain Grinders.

Strongly constructed of 18-gauge black iron, painted finish. The 14-ft. elevator weighs 160 lbs., which gives an idea of its strong construction.

The chop is elevated by steel flights attached to 55 steel chain, with easily adjusted chain tighteners on top of elevator. It is driven by beit from countershaft which boits to grinder legs. The countershaft is driven by belt from pulley on end of grinder shaft. Two belts, steel clipper laced, counter shaft and pulleys supplied. Supporting legs not supplied on elevators longer than 14-feet.

CASH PRICE (DELIVERED) To any station in Peace River country (Wost of High Prairie) and British Columbia To any To any Catalog Length of station in station in Manitoba 8askatchewan Number Elevator 53.45 55.75 49.75 51.95 B40-1804F 58.25 59.95 62.50 55.75 69.25 61.75 64.50 66.75 B40-1806F 74.25 66.25 69.50 71.45 B40-1807F 14-ft. 79.95 71.25 74.50 76.45 16-61 87.25 77.50 81.25 83.75

MONTHLY PAYMENT PRICE: 20% Down The balance—plue carrying charges

... operatos at either side of machine to start, stop or roverse rollers and feed chain.

High Carbon Steel Cutting

Knives . . . replaceable;

mounted on all-steel propeller.

Elevator stands at 45 degree angle, and elevates from ground to bottom of top spout as follows: 8-ft. elevates 3 $\frac{1}{2}$ -ft.; 10-ft. elevates 5 $\frac{1}{2}$ -ft.; 12-ft. elevates 6 $\frac{1}{2}$ -ft.; 14-ft. elevates 8-ft.; 16-ft. elevates 9 $\frac{1}{2}$ -ft.; 18-ft. clovates 10 $\frac{1}{2}$ -ft.



Order this Item from Winnipog, Rogina, Saska-toon, Catgary, Edmonton,

MACLEONS

MACLEON'S

ONLY

Safety Control

Hay, Oat Sheaves, Clover, Alfalfa, Corn, Straw, Cut Into $\frac{1}{2}$ -inch Lengths at a Speed of 4 Tons per Hour.

Every farmer and dairyman knows it is not the value of the feed given to the stock, but the value they get out of it that will put extra money in his pocket at the end of the year Cut feed has greater feed value than whole feed ... is easily handled and saves time in feeding... requires only half the space of loose hay and sheaves. Consider this: With cut feed it is easy to get any desired mixture of feed for milk cows or beef eattle, and poorer grades of feed are readily mixed in to make palatable and nutritious fodder.

- Feador Throat is 15-inches wide to handle large sheaves, bundles, medium size bales.
 Elevates any haight up to 30 and 35 feet.
- Two mon can operate at full capacity.
 Control Lover is directly over the machine, can be reached from any position.

Advanced Engineering Methods a Feature of the "Hi-Capacity" Feed Cutter

The Macleod "Hi-Capacity" Feed Cutter is easy to operate, simple in construction, strongly built with one-piece frame te stand rough use. Requires a minimum of power for efficient operation—any 2-plow farm tractor completely operates; a larger tractor will increase eapacity.

Check these Specifications: ... SELF-FEEDER ... equipped with friction clutch; 6-ft. long chain drag; has two 6%-inch feed rollers and one 10-inch roller which presses down the feed being cut and allows smooth feeding to the small roller. The floating upper feed roller is governed by two heavy tension springs and raises or lowers to handle light or heavy feeding. All roller shafts run on brass bearings. ALL STEEL KNIFE PROPELLER ... 1%-inch shaft runs on S.K.F. Self-Aligning ball bearing, the knives can be easily adjusted on the propeller and also on the propeller bearing. REPLACEABLE CUTTING KNIVES ... high carbon steel, 4-inches wide and 18-inches long. The throat of the feed cutter is 15-inches wide and has a replaceable cutting bar, BLOWER FAN ... heavy steel, with five hindes. Blower is 24-inches in diamoter, 1%-inch sbaft runs on S.K.F. Self-Aligning ball bearings ... will blow cut feed 40-ft. high. Driven with three vee beits. GEAR SHIFT ... forward and reverse speeds and neutral, the lever is placed above the feed rollers and easily reached from any position, DRIVE PULLEY ... 12-inches in diameter, 8-inches wide; approximate speed 1000-1100 R.P.M. CUTTING KNIFE SHAR-PENER ... easy to resharpen knives as the machine is complete with an attached mandrel and emery wheel.

One piece all steel frame—extra heavy east gears, equipped with

One piece ail steel frame—extra heavy east gears, equipped with S.K.F. Self-Allgning ball hearings and complete with Alemite lubrication. Blower is large and powerful, uses 7-inch pipe, Heavy wood sills are cross braced at each end with stout angle iron, heavy draw-rings welded on to these cross sills make it easy to hitch on at either end when moving the machine.

"Hi-Capacity" Feed Cutter, on skids as illustration.

moving the machine.

"Hi-Capacity" Feed Cutter, on skids as illustrated. Complete with 14-feet of 7-inch blower pine and one adjustable clow. Overall elevation is 18-feet. Shipping weight about 1300-lbs. Order from Winnipeg only.

B40-961F—Delivered to any station in:—

Alberta

598.00

585.00

Peace River country (West of High Prairie) and British Columbia 635.00

555.00 Extra Blower Pipe, 3-foot length complete with flange.

B40-964F—Price per longth. Delivered

MONTHLY PAYMENT PRICE: 25% Down Tho balance—plus carrying charge
in 10 equal monthly payments

RETAIL STORES—In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and satisfactory corvice.

o o m plotoly

enalosed and

oll bath (not as lilustratad).



New Improved 258 Amp. Model -Designed and Built for the Farm and Small Garage.

- Use on light, medium or heavy welding
- Welds easily in any position
- Readily portable . . . economical to
- Instant response assures smooth stable
- Direct current . . . welding voltage approximately 30-volts; open circuit voltage is 40-volts
- Continuous output up to 200-amperes end overload of 250-amperes
- Operates with any tractor or gasoline engine of 10 H.P. or more

Generator: Precision-made aircraft type, shint-wound generator. Compact armature construction with ventilating ducts.

Speed Range: 3000 R.P.M. is required speed for most farm wolding. Speeds can be increased or decreased from 2500 to 4500 R.P.M. for welding jobs on either very light or very heavy metals or alloys.

weining jobs on either very light or very heavy means or shows.

Amperage Regulation: Infinite annerage control regulator, permits operator to select any annerage up to 200-unperes when generator is operating at 3000 R.P.M. A special excitation feature permits obsolute control of voltage and annerage at all times.

Drive Shaft and Housling: Heavy-duty 1½-inch drive shaft rins on two 1½-inch heavy duty semi-scaled ball hearings. Flexible spline coupling to generator. Heavy east iron housing is machined for perfect alignment and climination of vibration. Generator is scaled from drive shaft housing to prevent grease from getting into generator.

Drive Pulley: 3-inch diameter by 4 1/2-inch width flet pulley or 3-inch triple V-pulley.

Cable and Clamps: Heavy duty 10-foot ground cable and 10-foot positive cable. Heavy spring type ground clamp and chiefded electrode holder.

Overall Dimensions: Length 27 % -ins., width 8-ins., height 12-ins.

Welding Electrodes Sultable for farm or general purpose with A. C. or D. C. Welders.

Cat. No. | Dlem. | Lengtb | Price Delivered Cat. No.

Now it is easy for farmers, garagemen and mechanics to make "on the spot" repairs—In the workshop or in the field! Can also be used for cutting, brazing, hardfacing or resurfacing. Many hours of valuable time ere saved hecause it is no longer necessary to dismantle equipment and to take the broken part to town. With the "Farmerest" Porteble Farm Welder you can re-model machinery to meet the needs of the modern farm, build new equipment or alter equipment to your own needs. Prompt repairs prolong operating life and efficiency of machinery and equipment.

Using a new precision-made sireraft tyne Pl generator, the improved "Farmerest" Welder is designed to our own rigid specifications. . . built to equel the performance and durability of high-priced commercial welders. This makes it easy to strike and maintain on are for steady, even welding. Welding Voltage cau he increased or decreased for welding very light or heavy metals end alloys by varying speeds of engine driving the generator.

To maintain constant normal operating temperature of 2.12-degrees F, the generator is fitted with a sturdy almainmu alloy fan which draws air through the verifilating ducts around the armature. (Note: Because of the special ventileting duets, this welder should not be mounted permanently on a tractor when working in dusty field conditions.)

Amperage output ranges up to 200-emperes when welder is operating at recommended speed of 8000 R. P.M. Any intermediate amperages out-put in this range can be quickly and easily selected by the emperage control regulator which is adjusted by the control knob on the welder easing. Specially developed for the "Farmerest" Farm Welder this gives the operator a complete selection of amperages to handle electrodes from 1/16-inch to ½-inch, affording a full coverage of all welding requirements; ½-inch and 5/32-inch electrodes are most popular sizes for general form welding. The 250-ampere overload safety factor cen be used for cutting for short periods of time (not recommended for more than 5 or 6-mi

MONTHLY PAYMENT PRICE: 1/3 Down The balance—plus carrying charge the plus charge t

GENERAL ELECTRIC PORTABLE FARM WELDER 180-Ampere-220-Volt Alternating Current-Transformer Type Ease of operation. Select the correct electrode by hand gauge.

Safety built. Protected against overload by built-in circuit breaker.

Easy current selection. Calibrated in electrode sizes rather than amperes.

Readily portable. Small in size, improved electrical characteristics. Reduces light flicker, eliminated fuse blowing. Approved by C.S.A. This weider is designed for use by farmers who live in areas having rural electrification. Serves as an effective tool in repairing or modifying existing equipment or in building new equipment. No time lost removing the broken part, taking it to town and walting for repairs.

Easy to operate, simply select the correct size of electrode by referring to the handy gauge on the front of the welder, set the indicator for the size of electrode being used, turn on the welder and start to weld.

Maximum protection for both operator and equipment is assured as this welder is completely enclosed in an electrically grounded metal case. Welder is protected against overload by a build-in circuit breaker. The welding current scale is calibrated in electrode sizes rather than amperes for ease in operation.

Readily portable the weider is less than two feet on the longest dimension and weighs only 150-lbs. Sturdily constructed for long life, it operates without moving parts has only two piug-in connections, one low range female tapered opening for 1/16 and 5/64-inch electrodes and one high range female tapered opening for 3/32, 1/8 and 5/32-inch electrodes. Current adjustments are made by simply rotating the hand crank, providing an infinite number of current settings without the constant shifting of plugs. The improved electrical characteristics eliminate tuse blowing, reduce light flicker, minimizes overall power consumption. Complete and ready to use. Casing is finished in attractive green enamel.

Included with the welder is 15-feet of electrode cable with fully insulated electrode holder and plug connector, 10-feet of ground calle with ground clamp stached, 10-feet of primary cable with three prong plug attached end a well receptacle. In the accessory package ere: instruction manuel, head shield, eleg hammer, scratch hrush, welder's gloves, curbon are starter with magnetic clamp, 4-bbs of type W-25 all purpose mild steel electrodes end 1-bb of herd surfacing electrodes in assorted sizes.

General Electric Farm Welder, A.C. 220-volts, 180 amperage machine with depectors to prevent line surges. Complete with all accessories. Order from Winnipeg Regina, Saskatoon, Calgary or

B40-8563F—Shipping weight about 150-lbs. Price DELIVERED

MONTHLY PAYMENT PRICE: 1/3 Down The balance—plus carrying charge General Electric Carbon Arc Torch, complete with 24 copper coated 6-inch cerbon rods in ¼, 5/18, %, and ½-inch sizes. Note: Copper Coated carbon rods ere for use on A. C. Welders only. 21.95

Cbeck with your local power supplier. Most rural electric lines are now adequate. A 3-KVA transformer is adequate for this welder, it is recommended that you have a qualified electricism install the wall receptacle so that local wiring regulations will be met.

Specifications

No load amperes
Output volts (at rated output
emperes)
Rated amperes output

G. E. Model Number Frequency Volts Primery Volts
Actual maximum input (primary amperes)
No load amperes 6WL2A2 60-cycle

33-amps

25-volts 180-amps 20 %

90-degrees C 44-volte

FARMOREST PORTABLE AIR COMPRESS Single cylinder type . . . air Displacement: 2.8 cubio feet. Stainless steel reinforced tank. air cooled.

3 Horse Power .. Completely Automatic

escape.

Large, easy-to-read pressure gauge.

Completely portable. Complete with all necessary attachments. Compressor Unit uses 8.A.E. 20 eil for normal operation, if compressor is to operate in a location where the temperature is 32 degrees or lower 8.A.D. 10 oil should be used. Check oil in compressor before using, Oil should never fall %-inch below full mark. Oil should be changed periodically.

Seftey valve . . . allows excessive air pressure to

A low priced unit made to deliver oil-free air for years with little or no cost. Precision built in every respect to do a faster, better, low cost job of pumping up all farm tires, high pressure greasing, volume paintling, cleaning equipment, spraying insecticides, cattle spraying rust proofing, white washing, etc. Unit consists of ten galion capacity air storage tank made of high quality stainless steel with ribbed reinforcements, mounted on two-wheel rubber tired base, with back rest support and carriage handle for ease in handling.

Tank is 12x24-inches with a capacity of 2.8 C.F.M. at 100-lbs, pressure: complete with safety valve that will release air if pressure goes over 100-lbs. Electric motor and air compressor are attached to a sturdy frame welded on to top of the air tank.

Compressor is a reliable piston type in 2x1%-inch size, having

Automatic pressure switch setting: 109-lbs. high, 70-lbs. low.

Compressor is a reliable plston type in 2x1%-inch size, having vaives in head, splash iubrication, intake muffier and cleaner. Equipped with 8-inch diameter "A" width pulley with %-inch bore. A fractional "A" width "V" belt drives compressor from motor mounted at opposite end of the platform. Recommended speed 900 R.P.M.

The Farmcrest Portable Compressor is equipped with 1/3 H.F. 110-120 volt electric motor.

The Farmcrest Portable Compressor is equipped with 1/3 H.F. 110-120 volt electric motor with thermal protection which prevents motor from burning out if overheated due to belt slippage, etc. An automatic pressure switch is connected both to the motor and outlet air pipe from the compressor. This switch automatically starts the motor again if pressure in tank drops to 70-ibs, or to whatever pressure the gauge switch is set at. Automatic switch also cuts off the electric motor when pressure is built up over 100-1bs. (Note. This applies only to electric motor.

motors and not gasonile air-cooled engines.) For not use any type of extra motor motor, FARMCREST PORTABLE COMPRESSOR. Consisting of compressor and electric motor mounted on tank, air gauge, automatic switch, safety valve, check valve, V-pulleys and beit, 20-ft, air hose and tire chuck. 152.75

B40-807F—Weight about 100-lbs. Order from Winnipeg only. Price DELIVERED

NOTE—5/8 H.P. gasoline air-cooled engine can be used to operate the compressor if electric power is not available.
A 3 ½ to 4-inch diameter pulley should be used on the engine. If wanted without electric motor see listing below.

FARMCREST PORTABLE COMPRESSOR, as above less electric motor and automatic switch, but complete with air gauge, safety valve, check valve, outlet vaive, V-pulley and belt, 20-ft, air hose and thre chuck.

B40-804F—Weight about 74-lbs. Order from Winnipeg only. Price DELIVERED 99.75




AIR BLOW GUN



QUICK CHANGE COUPLER

Three ball control coupler with swivel action. Air-tight with standard 4-inch pipe thread fitting. Used with blow guns, grease guns, paint sprayers, tire chucks, etc. For faat change over on air compressor hose lines—no wrenches required. Takes only a second to disconnect chuck end connect air-blow gun. Complete with one male tip fitting.

2.39 tip fitting.
B40-818—Price each DELIVERED



Air Compressor Unit Only

Alr compressor unit only, as shown on compréssor above and as described in general write-up of "Farmcrest" air compressor at left under paragraph headed, Compressor complete with 8-inch dlameter "A" width Vee pulley.

A40-810F—Each 31.50

MALE TIP FITTING

For use with B40-816 quick change coupler. Standard 14 -incb pipe thread. Threaded end of fitting screws into thread on air chuck, air-blow gun, etc., then just slips into quick coupler to make connection.

B40-820-Price each, DELIVERED ..

The street Curring Bits (for Older Illustration is exact, before ordering be aure it is the same as the bit on your digger. Made of specially processed steel—easily resharpened.

2 ½-in. hit to cut 5-in. hole—to fit on 4-inch Auger.

840-1141F—Price Delivered 3.75

3-in. bit to cut 6-in, hole—to fit on Auger.

B40-1142F—Price Delivered 3.75 3 ½-in, bit to cut 7-in, bole—to fit on 6-in,

Steel Cutting Bits (for Older Models)

DIGGER POWER POST **FARMCREST** · Telescoping Drive Shaft ● Hand-Controlled Clutch * Easily Attached To Any Tractor or Jeep That Has a Power Take-Off



Hand Controlled Clutch—Instant "Stop" or "Go" Action Controlled by the Operator—Plus an Added Feature — A Friction Clutch Between Tractor Power Take-Off and Drive Shaft to Protect Machine and Operator.

Extendable Telescoping Drive Shaft . . . Gives an Area of 8-feet by 4-feet In Which You Can "Spot" The Digger.

The new improved Farmcrest Post Hole Digger is fitted with both hand clutch and power take-off friction clutch. The hand clutch permits the operator to stop and start the digger at will . . . the friction ciutch, mounted on power take-off end of the telescoping drive shaft, provides further protection to operator and machine by slipping if the auger gets stuck while digging.

The auger is 36-inches in length and is available in two sizes: 6-inch diameter with ½-inch or 4-inch cutting blade to bore 6-inch or 8-inch holes, or 8-inch diameter with ½-inch or 5-inch cutting blade to bore 9-inch or 10-inch or 10-inch holes. The heavy duty telescoping drive shaft is fitted with two universal joints so that this digger can be used on the side of hills, in ditches or low spots, and it is easier to dig holes in hard-to-get-at corners. The Farmcrest Post Hole Digger with hand controlled clutch and telescoping drive shaft litted with friction clutch to fit 1% inch power take-off (1% inch and 1% inch also available—state if wanted). Auger is 36-incb diameter and is complete with one cutting blade, either 3% inch bor cutting 7-inch holes, or 4-inch for cutting 8-inch holes—state which wanted. Shipping weight about 75-lbs. Order from Winnipeg. Regina, Saskatoon or Edmonton.

B40-1109F—Price

119.65

Farmcrest Post Hole Digger same as above except is 8-inch diameter and complete with one cutting blade, either 4% linch for cutting 8-inch holes. A finch diameter and complete with one cutting 8-inch holes—state which wanted. Shipping weight about 75-lbs. Order from Winnipeg. Regina, Saskatoon or Edmonton.

B40-1109F—Price

119.65

Partnerst Post Hole Digger same as above except is 8-inch diameter and complete with one cutting blade, either 4 %-inch for cutting 8-inch boles or 5-inch for cutting 10-inch holes—state which wanted. Shipping weight about 84-bs. Order from Winnipeg, Regina, Saskatoon, Calgary or Edmonton.

128.50

Digger may be spotted anywhere in shaded section without moving tractor.

e GEAR BOX
Replaceable steel gears
mounted on 13/16-in.
steel shafts that run in
4 Alemite lubricated
bronze bushings and are
fitted with frost plugs,
grease and oil seals.
Gear box shafts have
Timken Thrust Bearing.

AUGER

Constructed of 1-in.
pipe centre shaft with
heavy gauge steel flighting. Auger is coupled
to gear box drive shaft
and held in place by
two steel bolts. Constructed

TELESCOPING
DRIVE SHAFT
Coupled to gear box
shaft end held in place
with Woodruff keys.
Square shaft measures
60x % -ins. a n d telescopes into round tube
74x % -ins. Safety stop
prevents over extension.
Fitted with friction
clutch for added safety.

. WHEN ORDERING Be sure to specify diameter of power take-off, (1 1/2, 1 3/2 or 1 1/2-inch) and size of bit required.

4.95 8ln 4.95 B40-1146-Price Delivered Reversible Steel Cutting Blade and Tip (for Newer Models) (for Newer Models)

Best quality tool steel. The illustrations are exact—before ordering be sure this is the blade on your digger.

(A) BLADE ONLY

2 ½-in. blade to cut 5-in. bole—to 8

B40-1151F—Dellvered 1.20

3 in. blade to cut 6-in. bole—to fit on 4-in. Auger.

B40-1152F—Price Dellvered 1.20

3 ½-in. blade to cut 7-in. hole—to fit on 6-in. Auger. 1.20 4-in. blade to cut 8-in. bole—to fit on 6-in. B40-1154F Price Delivered 1.20 4 ½-in. blade to cut 9-in. bole—to fit on 8-in. Auger 1.45 1.45 B40-1156F-Price Delivered B40-1156F—Price Delivered

(B) REMOVABLE TIP ONLY
To fit 4-in. and 6-in. diameter Auger.
B40-1180F—Price Delivered

75
To fit 8-in. diameter Auger.
B40-1181F—Price Delivered

95

* Order These Items From Winnipeg, Regina, Saskatoon, Calgary or Edmonton Remember: We satisfy you or roturn your money

MASTER-BUILT-LOW FRAME-SWEDISH BUILT STOCKHOLM Cream Separator

The "Stockbolm" is made in one of the largest cream separator factories devoted exclusively to the manufacture of cream separators. Time efter time the honor of medal awards heve been won by menufacturers of the "Stockholm." Each disc in the "Stockholm" is of polished mirror-finish steinless steel that will never rust, is easier to clean end is almost twice as etrong as ordinary disc—the separator is easier turning, too, because stainless cannot corrode end so the discs cannot "drag" when the separator is being turned.

- Gtainless Gteel Discs, these discs are not numbered and may be assembled in any order.
- Seamless Tinware, three times tinned then baked . . .
 exceptionally heavy.
- Free Floating Bowl; no vibration and no cream wasted;

. Oil Bath Lubrication of all moving parts.

 Spindle is supported and runs on finest quality hard-enod steel boil point. • Turntable Milk Supply Tank, wins special favor with

	diameter in our cut	op also, bas	TOTAL TOTAL	
Capecity Per Hour	Cetalog No.	Cash Price DELIVERED Bench Model	Cetalog No.	Cash Price DELIVERED Floor Model
850-375 lbs.	B40-6603F	63.45	B40-6612F	76.45
450-500 lbs.	B40-8605F	77.65	B40-6814F	92.65
600-650 lbs.	B40-6607F	94.85	B40-6818F	109.85

MONTHLY PAYMENT PRICE: 20% Down The balance—plus carrying charge in 10 equal monthly payments.

ALL CAME

ELECTRIC POWER ATTACHMENT To Fit the Following Cream Separators: Stockholm 450-500-ibs, and 600-650-ibs, capacity only; DeLaval 12, 14, 15, 16, 18; Messey-Harris, 7, 8, 10; Renfrew K.4, K.16, K.16, K.18; Messey-Harris, 7, 8, 10; Renfrew C. 3, 3 and 4; Domo, Baltic, Vegs G6, L6 and most other makes of separators.

When ordering state make, model number and size of your separator and if it has an extended worm sheft to fit pulley.

"Stockholm" Electric Cream Separator

SELF-STARTING-DIRECT DRIVE FROM MOTOR TO SPINDLE-CAPACITOR MOTOR BRINGS SEPARATOR TO FULL SPEED IN 40 SECONDS.

MDDR BRINGS SEPARATOR TO FULL SPEED IN 40 SECONDS.

Stainless Steal Discs are interchangeable and may be assembled in any order.

Self-Balancing, Frea Floating Bowl . . no vibration; direct cream regulation from the floor to top of milk tank, depending on capacity of separator.

Heavy Seamless Tinware, three times tinned then baked.

1-6 H.P. Electric Motor . . specially designed 110-volt; 60-cycle, single phase, 1725 R.P.M., capacitator start motor; ball bearing equipped. ..Brings mochine to full speed in 40 seconds. (NOTE:—No other motor can be used to operate this separator).

Flat Belt Drive from Motor to Spindle . . . Impregnated flat belt is positively non-slip and tested for long service.

Lifetime Lubrication . . . no cil to change.

Sealed Ball Bearings in the neck bearing, at botton of spindle and in the specially built motor.

Neck bearing is mounted on a specially designed three spring cushion that is solidly fixed to frame of separator with three screws; this arrangement holds the spindle perfectly true and assures dependable lifetime service without adjustment.

Motor is suspension mounted on e spring loaded plete—assures correct belt tension end precitically noisless operation. Heavy gange steel cabinet with cast from head; baked enemel finish in cream with maroon red trim. All working perts are fully enclosed. Sbipped knocked down; assembling instructions with each separator.

Catalog

Catalog Number	Capacity Per Hour	Weight	Cash Price DELIVERED
B40-6828F	450-500 lbs.	205 lbs.	156.50
B40-8630F	550-600 lbs.	209 lbs.	167.95
B40-6832F	800 lbs.	218 lbs.	181.50
B40-8834F	1000 lbe.	231 lbs.	196.50

MONTHLY PAYMENT PRICE: 20% Down The balance—plus carrying charge



Heevy duty steel stock tank; etrongly constructed with all seams electrically welded, rigidly broced and reinforced throughout. Constructed of 16-gauge galvanized steel with welded seams pelnted end protected from rust. Areilable with or without hull-in henter. Built-in heater is drum shepe and mounted in center of tank to assure gulck and even distribution of heat with a minimum of fuel used. The heavy hinged door is complete with draft regulator and is big enough to edmit chunks of wood up to 18-inches INDTE: Due to limited supplies of galvanized sleets your order may be delayed or if correct sizes of sheets are not aveilable to make above may be optionel.

CASH PRICE (DELIVERED) To any station in

	Capacity	Size (in feet)	Cetalog Number	station in	station in Saskatchewan		(West of High Pra
Tank, Less Heater Tank With Heater Tank, Less Hoater	190-gels, 190-gals,	8x2x2 8x2x2 8x4x2	B40-7279F B40-7280F B40-7287F	53.95 61.50 64.95	51.50 58.75 81.95	53.65 61.25 64.50	56.45 84.50 67.95

Shipment made direct from factory in Northern Saskatchewan

Model 76.45 Delivered 200 lbs. Capacity **Stockholm** Separator FOR THE SMALL DAIRY FARM 34.50 Delivered

A proven, practicel, smaller size, bench type separator e e rated capacity of 200-lbs, milk per hour . . . each machine e guarantee "Stockholm"—made in the great "Stockholm" fectory and by experienced "Stockbolm" workmen. Bolts conveniently to any table or bench.

Backed with a double guarantee, just lika the big size "Stockholm."

Made with exactly the same care ad from the same high-grade materials as other "Stockholm" separators.

Skims close and turns easily—the bowl is specially designed for this size separator; compact, light and easy to clean.

Spindle supported and runs on ball bearing.

B40-6601F—"Stockholm" Cream Saparator, bench style, 200-lbs. capacity; es illustrated end described—for one or two cows. Shipping weight shout 40-lbs. Order from Winnipeg, 8askatoon, Calgary or Edmonton.

34.50

MONTHLY PAYMENT PRICE: \$6.50 Down

MONTHLY PAYMENT PRICE: \$6.50 Down and 7 Monthly Payments of \$.. 40

Items Not Marked ★ to be Ordered From Winnipeg Only
Delivery Charges Extra Except Where Prices State "Delivered"

DISCS

Discs of stainless steel . . easier to clean, cannot rust, stronger and last longer. Fully

> 350-375 lb. SIZE

Delivered


63.45

Bench

Model

Floor

quaranteed.



PORTABLE MILKER PULSATOR TYPE with INFLATION TEAT CUPS

This low cost improved double action portable milker is an outstanding development in the dairy industry. Years of research and actual farm-testing have been carried out to produce this rugged, dependable machine.

Completely portable—can be used anywhere. Rough floors make no difference to operation. Simple to operate—constant speed pulsator requires no adjustment . . . Instant finger-tip vacuum control is quickly adjusted to suit each cow. Stainless steel pulsator is only moving part. "Duraglass" transparent pails are made of foughened glass and fitted with rubber bands and boots. Farmers and dairymen know that the uniform pulsation and massage-action of the inflation teat cups is easier on the cows and increases milk production. This increased milk production and the hours of tedious milking time saved means these milkers actually pay for themselves in a very short time, Milkers are complete with all equipment—sterilizer and rack, extra pail, two cleaning brushes, cleaning rod, wire stretcher, cleaning rod hook, Allen wrench and leather softening oil.

Check this list of advantages . . . features found only on higher priced milkers—plus features found on no other milking machine. C.S.A. approved.

Faster, More Thorough Milking Greater Safety

Faster, More Thorough Milking

- ۰

- Transparent "Duraglass" pail and stainless steel one-piece lid are easier to clean.
 Sanitary, off-the-floor milking.
 Claw fitted with removable end. No milk can get into claw thread.
- No valves between cow and pall. Check valve prevents moistura travel from pump to pall.

Greater Safety

Faster, More Thorough Milking
Inflation teat cups massage teats to stimulate faster let down.

Adjustable vacuum and constant-speed pulsations encourage faster milking.

Transparent palls allow you to see when cows are milked—cups can be removed immediately.

Heavier teat cups help eliminate hand stripping.

Sanitary, Easier to Clean
Transparent "Duraglass" pall and stainless steel one-piece lid are easier to clean.

Sanitary off-the-floor milking.

Greater Safety

Vacuum easily adjusted to suit each cow. Vacuum easily adjusted to suit each cow. In these supports the sail of the pulsations of the sail in sight at all times.

Fully visible milking.

Soft rubber inflations are easier on the cow.

Easier, More Convenient to Use
Palls ride on machine fitted with smooth-riding roller bearing rubber tired wheels.

Constant-speed pulsator requires no adjustment, requires no grease or oil.

Teat cups only are carried to cow.

Lower Cost . . . Low Upkeep

Lower Initial cost with no installation expense.

Low upkeep . . . stainless steel pulsator is only moving part. Simple, rugged construction for longer life.

SINGLE UNIT MILKER WITH GASOLINE ENGINE
B40-4729F—Double Action Single Unit Milker, powered by %-H.P.
Briggs and Stratton air-cooled engine, complete with two 4-gallon
(U.S.A.) Duraglass pails and instructions. Shipping weight about
198-ibs. Price DELIVERED 173.50
MONTHLY PAYMENT PRICE: \$37.00 Down and \$12.50 per Month for 12 Months.

SINGLE UNIT MILKER WITH ELECTRIC MOTOR

840-4727F—Double Action Single Unit Milker, powered by ¼. H.P.,
110-volt electric motor with 20-it, extension cable, complete with two
4-gallon (U.S.A.) Duraglass pails and instructions. Shipping weight
about 150-bs. 164.25

ALGERTH BEAUTY BEAUTY

A Customer Writes: "Yonr Double Action Portable Milker is a Godsend to a dairyman. I cannot speak too highly of it, for this milker is everything you say and a lot more."

Corrugated Round End STOCK TANKS

MONTHLY PAYMENT PRICE: \$55.00 Down and \$18.50 per Month for 12 Months.

TWIN UNIT MILKER WITH ELECTRIC MOTOR

B49-4718F Double Action Twin Unit Milker, powered by ¼-H.P.,
110-volt electric motor with 40-ft, extension cord, complete with three
4-galion (U.S.A.) Duraglass pails and instructions. Shipping weight
about 230-bis.

247.50

MONTHLY PAYMENT PRICE: \$51.00 Down and \$18.00 per Month for 12 Months.

Heavy gauge galvanized iron, securely riveted and cross braced, Body of tank is corrugated and ends are rounded for additional strength. Three sizes as listed below.

Catalog No.	Size	Height Ins.	Cap. Imp. Gals.	Ship- ping Weight	. F.O.B. Winnipeg	PRICE . F.O.B. 8askatoon	F.O.B.
340-7252F		23	164	65 lbs.	14.75	16.50	17.75
340-7256F		23	232	82 lbs.	21.50	23.95	25.45
340-7258F		23	849	140 lbs.	34.95	38.50	41.25

Price DELIVERED

Automatic Cow Watering Bowls



Bowls autonaticall supply drinking water needed for higher milk production, improved herd health, lower veterinary bills. Save time, work. Bowl is one-piece smooth, sanitary grey-fron casting with zinc chromate primer, aluminum finish. Reinforced, galvanized steel valve release lever. Valve working parts of easily-replaced heavy die eastings. Valve assembly is fitted high above the water line to eliminate water backflow and flooding. Complete with ¾-in., pipe opening with U-bolt to fit 1 %-in. pipe standard, Can be serewed to wood standards

B38-765P—Price, F.O.B. Winnipeg 5.15



Cast Iron Hog Waterer



Mouse And Rat Traps

Mouse Traps. Sure catch
traps if properly set. Strong
spring.

15-8615—Price, each 07

15-8615—Sturdily constructed, with strong spring and

SERVING THE WEST:—In the important consideration of Quality Value . . Service . . . Macleod's Limited, today as always in the past, is building for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the successful growth and continued expansion of this company can be built. SERVING THE WEST:-

Designed and developed in Canada to suit Canadian winters. Made

"Farmcrest" Oil Burning Stock Tank Heater Steady Burning Through Coldest and Windiest Weather

Designed and developed in Canada to suit Canadian winters. Made of heavy gauge steel with all seams electrically welded. Lower heat chest fitted with baffles which permit greater finel efficiency. The Burner ie a cast Iron tapered vaporizer which creates a stronger draft for more efficient burning. Fuel is drip-fed to burner from regulator valve on fuel tank. Note how fucl tank is enclosed in metal chamber, which is fitted with door to eliminate cold drafts and wind gusts which might blow out the flame. The chimney pipe passes through this chest so that in-coming air around chimney pipe is semi-heated before it enters burner. This feature serves three purposes: It eliminates wind gusts, heats the air for better combustion and this heated air prevents oil supply from becoming too cold. Size: Overall height is ahout 36-inches, heat chest measures 30-inches leng, 12-inches wide and 6-inches deep. Fuel Tank capacity is 3-gallons. Supplied complete with three lengths of 5-inch pipe and down draft regulator. regulator.

In most weather conditions uses No. 1 fuel oil, but in extreme cold, fuel oil becomes thick so keroscne must be added or substituted. This heater is for outside use only.

26.50



Submersible Stock Tank Heater

Newly designed submersible tank heater—round-type which increases fuel capacity. Round construction by eliminating many square and welded seams reduces possibility of leakage. Constructed of heavy gauge steel and fitted with legs to fasten it down. Measures 32-inches high: bottom is 29-inches long and 12-inches diameter. Burns any kind of wood, coal, or trash fuel. Large hesting surface permits radiation of heat to farthest corners of trough—not only prevents ice forming but warms the water easily and faster than any other type of tank heater. It is easy to operate and to clean. A grate is provided for coal, for other fuel no grate is needed. Complete with two 24-inch lengths of 5-inch pipe. Newly designed submersible tank beater-round-type



For Pumping from Dugouts, Lakes, Rivers, Shallow Wells, Filling Overhead Tanks, Irrigating, Dainage Ditches, Etc.

Delivered

Pumps clear, sandy or muddy water. Will force water up to a head of 120-feet and will lift water 20-fect with vertical lift and suction or 15-feet with vertical lift and suction on 15-feet with vertical lift and horizontal suction. Minimum speed 1000 R.P.M., maxlmum speed 2200 R.P.M. Capacity and horsepower required vary with height and distance water to be forced. See table below. Solid brass inneller, adjust-

Cast iron hody and trame, solid hrass impeller, adjustable bronze packing bushing. S.K.F. Ball Bearing with grease cup librication (use gnin grease). I ½-lnch inlet and outlets. Strainer foot valve to avoid priming each time used, and 1 ½-lnch coupling with drain petcock for suction pipe below frost line to drain suction pipe in cold weather, drain ping on bottom of impeller housing. Short nipple, Tee and Street Ell with plug supplied for priming with pump running.

Operated at 1750 R.P.M. Horse Power Required and Resulting Capacity as Follows

Power Required	Head or height water is being forced	Capacity				
1 H.P. 1 H.P. 1½ H.P.	15-ft. 40-ft. 60-ft.	1600 1360 1400	gal.	per	Hour	

Higher heads requirs more Horse Power. Higher speeds or lower heads will give greater volume. Inlet if desired can be hushed to 1¼ inch and outlet to 1-inch with corresponding reduced volume. Shipping weight about 37-lbs.

Cantrifugal Pump, with 2½ x 2½-ln, x %-in, bore flat pulley.

33.95

31.95 Delivered S1.95

Sat-726F - Price Selvered S1.95

S1.95

S1.95

S1.95

S1.95

S1.95

S21.95

S

**LARGE CAPACITY CENTRIFUGAL PUMP
Sinilar in construction to pump described above. Has 50 per
cent greater capacity. Inlet and outlet 1 ½-inch. Requires 1 ½
and 2 II.P. engine. Sbipping weight about 40-lbs.
Centrifugal Pump, witb2 ½ x 2 ½ in. x %-in. bore flat pulley.
S34-7201P—Price,
Dellvored
Centrifugal Pump, witb 2 ½ x %-in. bore "B" widtb vee pulley.
S34-7202P—Price,
39.75

39.75 Delivered

GENERAL PURPOSE 1-INCH CENTRIFUGAL PUMP

A general purpose I-inch pump that can be used for straight pumping or as a sump pump. To use as a sump pump, place pump suction opening directly in the water. Make a frame to support electric motor and mount 3 feet above pump. Connect pulley shaft on motor to pump shaft by means of 3-ft. ½-in. rod coupled to motor and pump shaft by means of short pieces of hose. Use clamps to connect hoses securely. Thunp can be installed permanently or used for temporary pumping of usual liquids such as water, oll. etc. Ileavily constructed from cast iron with oilite bushings. Specially designed so that a moderate amount of debris such as wood slivers, gravel, leaves will not cause damage to the pump or retard the flow of liquid to any great extent. Pump should run at 1700 R.P.M. but faster speed will incresse the capacity. A 1/3-H.P. electric motor or % to 1½-H.P. gasoline engine 1s required to operate the pump. Engine should be equipped with 2½-in. Vep miley with %-in. bore. A 1¼-in, brass foot valve should be used when using as a pumping unit.

	PUMP CA	
	ght of Pump	
abo	ve water level	Per Hour
4	feet	1700-1800
. 8	feet	1400-1500
15	feet	700-800
20	feet	400-500
22	feet	300-400

- Haavy cast Iron construc-
- · Oilite bearings.
- · Pumps all liquids.
- Complate with priming attachment.

Shallow Well Cistern Pump

Low squared front base; closed spont. The 3-in, cylinder is bored and ground to an extra fine finish to assure smooth operation; primes itself and stays primed. The top of this pump is attached with set screws and can be reset to allow the handle to operate in any desired position. Takes 1 ½ -in, pipe. Shlpping weight about 15-bs.

B34-7285F—Price,
F0.B. Winnipeg. 4.98 4.98 Winnipeg...

See page 34 for prices and sizes of "Farmerest" flexible pipe and fittings for use with centrifugal pumps — page 35 for prices and sizes of rubher discharge and suction hose and page 35 for foot valves.



PUMP JACK

- · Automatic Lubrication Floods All Bearings
- ٠
- Automatic Luprication Floods All Bearings
 And Gaars
 Gaar Case Housing Is Absolutely Oli Tight,
 Waterproof And Dustproof
 Adjustable Stroke Which Can Be Changed
 To Either Four, Five or Six Inches
 For Usa on Wells Up to 200-feat in
 Depth.
- Channel Iron Pitmans Ara Fully Adjustabla
 To Fit Any Windmill Head Pump
 Heavy Duty For Deep Wells And To Give
 Years Of Servica.
 Vital Points All Heavily Reinforced For
 Longer Wear
 Capacity 780 to 195 Q.P.H. Depending
 on Sizes of Pump Cylinders.
- Heavy duty cast iron construction, adaptable to any style pump. Pump hous-

Heavy duty cast iron construction, adaptable to any style pump. Pump housing, mounted on two steel U-bar irons, encloses four gears mounted on shafts which run in oil for long service. Mounting platform provided with slotted holes to mount any electric motor or gas engine, is adjustable for slackening or tightening of belt. Equipped with 9-inch B-width Vee Pulley for use with ½-H.P. or larger capacitor type electric motor operating at 1725 R.P.M. or with a 12-inch B-width Vee Pulley for use with a 1½-H.P. or larger gasoline engine operating at an average speed of 2400 R.P.M. Order by catalog number from Winnipeg only. Shipping weight about 130-lbs.

NOTE: Pump housing should be filled with heavy oil before using.

Price Delivered to Any Station In:	Electric M ot or livive. 9-inch Vee Pulley (Less belt)	Gasoline Engin
Manitoba	54.25	54.25
Saskatchewan	56.95	56.95
Alberta	58.45	58.45
Peaca River Country (West of High		
Prairie) and British Columbia	61.25	61.25



Vee Belts for Heavy Duty Self-Oiling Pump Jacks

DEEP WELL STRAIGHT LIFT PUMP

Double gear, oll-bath, straight lift pump jack for deep well pumps. Specially designed for slow lift and quick return with no dead centre... operates at recommended speed of 40 strokes per minute. The chart below shows power required for various depth of wells and sizes of cylinders.

Machined gears and pinions run in oil bsth, note the heavy cast iron weatherproof casing that houses all working parts...long steel pitmans, heavy semi-steel rocker arms and crosshead...iron base mounting...complete with steel clamps to fit any pump barrel. The I-inch steel pulley shaft is reversible so that the pulley can be mounted on either side. This pump jack is self-oiling, the shaft is alemite lubricated. Order by catalog number. Shipping weight about 130-lbs. Use only capacitor type electric motor. Pump jack has 1-inch pulley shaft.



Diameter | Capacity | Max. Depth Cylinder | Per Hour | of Well Power Required 2-inch 2 ½ -lnch 3-lnch 125 Gals. 205 Gals. 300 Gals. 1 1/3 H.P. Electric Motor 2-lnch 2 ½ -lnch 3-inch 125 Gals. 205 Gals. 300 Gals. 1/3 H.P. Electric Motor 1½ H.P. Gas Engine 1/2 H.P. Electric Motor 2 H.P. Gas Engine 2 1-lnch 3-lnch 125 Gals. 205 Gals. 300 Gals.

Prica Dalivered to Any Station in:	With 12-in, flat pulley for low speed engines (450-650 R.P.M.)	With 23-in, flat pulley for high speed engines (1600 R.P.M. or up).	With 12-in, "B" wldth Vee pulley for low sped engines (450-650 R.P.M.)	With 19-ln, "R width Vee puley high speed engin or electric motor (1600R.P.M.or u
Manitoba	39.75 41.95 43.25 44.95	42.15 .43.95 45.50 47.25	39.75 41.95 43.25 44.95	42.15 43.95 45.50 47.25

SHALLOW WELL STRAIGHT LIFT PUMP JACK FOR WELLS UP TO 36-FEET DEEP

Straight lift pump jack. Designed for use with bigh speed or low speed engines—streamlined and modern, runs quietly and develops plenty of power; long life and dependable service are assured features. Any make of stock pump may be used with this pump jack in wells up to 36-ft. deep.

Enclosed gaars . . . Alemita Lubrication—hera is assurance of smooth operation, quiet avan pumping and long service.

Straight Lift...dosignad for slow lift and quick raturn strokes, Pitman rods mova straight up and down in in me with Pump rods, aliminating pump wear.

Pitmans of sturdy angla iron...sami-steer rockar arms...plnion is machina cut steal with axtra heavy teath.

Alapite Lybbiotypen-bers

Pitman Motor of 1/2 H.P. Capacitor Type

Flortin Motor of 1/2 H.P. Capacitor Type Powar required depends on Pump cylindar siza and depth to water laval in well. Usu-ally 1/3 to 1/2 H.P. Capacitor Type Electric Motor or 1-1/3 H.P. Gasolina Engine.

Pump jack bas 1-in, pullcy shaft and is available with 17-in, flat on 19-in, "B" width Vee pullcy for use with low or high speed gasoline engines and electric motors. Order by catalog number. Shipping weight about 77-lbs. (pump not included).


Prica Dalivered to Any Station in:	B34-7757P With 17-in. flat pulley	B34-7761P With 19-in. "B" width Vee pulley
Manitoba Saskatchewan Albarta Paace River Country (wast of High Prairia) and British Columbia	25.65 26.75 27.50 28.95	26.75 27.95 28.50 29.95
		E 4





HEAVY DUTY WHEELBARROWS For Farm and General Construction Use







(B) Round mouth deep cement 16-gauge (C) General purpose 16-gauge steel tray atcel tray for wet materials. 3½-cn, ft, for dry materials. Has 4½-cu, ft, capacity with wet materials. 40-inches city with dry materials. 38-inches long and 30¾-inches wide.

Wheelbarrows are shipped knocked down — take ,2nd class freight rate.

Farmerest wheelbarrows are heavily constructed throughout and built to stand up to hard use on the farm or construction job. Choice of heavy 16-gauge steel trays for wet, dry or bulk materials and available with either heavy tubular steel or hard wood frame. All steel leg assemblies braced with welded reinforcements. Specially designed clamps welded to bottom of steel tray bolts to brackets on steel or wood frame, eliminates bolts and belt holes in the tray making the tray positively water tight and leak proof. Available with pneumatic tired or steel wheel. All parts are interchangeable.

(A) All Purpose Wheelbarrow with steel frame and legs and purumatic rubher tired wheel (B40-8784F). Shipping weight 74-

B40-8747F—F.O.B. Winnipeg., 38.65 (A) All Purpose Wheelbarrow as above, except litted with steel wheel in place of rubber tired wheel. Shipping weight about 76-lbs.

B40-8748F—F.O.B. Winnipeg....2765

(A) All Purpose Wheelbarrow as above only with hardwood frame in place of steel frame. Complete with pneumatic rubher tired wheel (B40-8748F). Shipping weight about 72-lhs.

B40-8749F—F.O.B. Winnipeg 37.15

(B) All Steel Cement wheelbarrow as above, except with steel frame in place of hardwood frame. Rubber tired wheel (B40-8784F). Shipping weight about 76-lbs.

B40-8756F—F.O.B. Winnipeg 39.50

(B) All Steel Cement Wheelbarrow as above, fitted with steel frame and steel above except with hardwood frame. Comwheel in place of rubber tired wheel. Shipping weight about 78-1bs. 28.50 B40-8757F—F.O.B. Winnipeg 28.50

(B) All Steel Cement Wheelbarrow with hardwood frame and pneumatic tired nubber wheel (B40-8784F). Shipping weight shout 75-bls.

B40-8758F—F.O.B. Winnipeg 37.95

(C) General Purpose Wheelbarrow as above except fitted with pneumatic ruber tired wheel (B40-8784F) in place of steel wheel. Shipping weight about 71-lbs.
840-8761F.—Price

F.O.B. Winnipeg 37.65



CONCRETE MIXERS FOR SMALL CONSTRUCTION JOBS AND GENERAL FARM USE

For small construction joba and general farm use—a great time save row mixing seed grain, feeds, fertilizer or washing root crops. Rugged, well-braced construction. Perfectly balanced cast iron drum. Zerk fittings for inbrication. Delivers a full wheelbarrow of concrete per batch (2½-cn. ft.). The 3½-cu. ft. drum volume allowa extra space for fast, thorough mixing. Discharges or loads from either side. Operated by hand or may be belt driven with attached pulley by any type of power. Requires ¾ to 1-H.P. engine. Maximum pulley speed 180 R.P.M.

Concrete Mixer, as illustrated and described except with 19-inch B-width V-pulley; 1 1/4-inch bore. Weight about 173-lbs.

B40-4789F—Price, F.O.B. Winnipeg

46.25

B40-4782F—Price, F.O.B. Winnipeg

46.25

Concrete Mixer, as illustrated and described. Complete with 10-inch x 3-inch flat face pulley; volume. Complete with 10-inch x 3-inch flat face pulley; volume. Complete with 10-inch x 3-inch, flat 1%-inch hore. Weight about 172-lbs. 39.85

1840-4788F—Price, F.O.B. Winnipeg 39.85 B40-4791F—Price, F.O.B. Winnipeg 61.50



Wheelbarrow

Ideal for general use on the farm, in city or
town for use on lawns, etc. Available with
either zero pressure donut rubber tired wheel or
steel wheel. Steel tray is 18-gange steel, 30-ima.
long, 23-ins. wide; holds 3-cubic feet of dry
materials. Sturdy hardwood frame with smoothly
finished wood handles, Steel leg assembly.

Economy Wheelbarrow—3-cubic foot capacity
with zero pressure donut rubber wheel. Shipning weight about 31-lbs.

B40-8737F—F.O.B. Winnipeg

Economy Wheelbarrow—3-cubic
foot capacity
with steel wheel. Shipping weight about
31-lbs.

B40-8738F—FO.B. Winniper

10.75



For farm and general construction work. Ruggedly constructed 34 ½ x 27 ½-inches, 18-gauge steel tray bolted to hardwood frame; 3-cubic foot capacity. Weight about 50-lbs.

B40-8753F—F.O.B. Winnipeg 14.95



All Metal Rubber Tired Wheel

All metal rubber tired wheel

All metal rubber tired wheel
equipped with roller bearings, brease seats and Alemite fittings. 10 ½ x ¾ -inch
axlc supplied and 4.00x8, 2
ply tire. Tire easily changed, just remove 6 bolts. Tire
inflated at 60 -lba. will take
700 -lb. 10 ad. Sbinning
weight about 12-lbs.

F.O.B. Winnipeg 15.50

"Farmcrest" Semi-Pneumatic



"Farmcrest" Semi-Pneumatic
Utility Wheel

Ideal for use on farms for making utility carts for milk cans, garden and lawn earts, trailers for welders, air compressors, etc., Suited for garage and service station equipment, also for use by hobby-ints. Tire size is 11x2-ina. Complete with greased-for-life ball bearings for 3-in, axle. Load capacity per wheel 200-lbs. Wheel finished in red enabout 3-lbs.

B39-8151F—F.O.B. Winnings.


B39-8151F—F.O.B. Winnipeg

Concrete Mixers Take 2nd Class Freight Rate

PORTABLE PUMPING

• Light Weight • Self Priming 11/2 Horse Power

• 1 1/2 -in. Suction And Discharge



Catalogue Number	Description	st
B34-7211P	1 ½-in., self-priming pumping outfit, directly connected to 1 ½ H.P. air cooled gas engine. Shipping weight about 95 lbs.	1
B34-7209P	11 ½-in. self-priming pump with extended 1-in. drive shaft and transmission head for nse with any type of power; belt driven or coupled for motor or engine. Less engine and mounting. (Shipping weight about 67 1bs.	
B34-7214P	Same as above only larger size, 5000 gallons per honr, 2-in. suction and discharge, Directly connected to 3-II.P. Briggs and Stratton 4 cycle air-cooled engine. Shipping weight about 195 lbs.	
B34-7213P	P-in, pump with extended 1-in, drive shaft and transmission head for use with any type of power, either belt driven or compled direct to motor or engine, Less engine and mounting, Shipping weight about 120 lbs.	-

To any station in Satation in Saskatchewan Alberta To and Station in Saskatchewan Alberta To and Station in Saskatchewan Alberta (West of High Prairie) and British Col' more station in Saskatchewan Alberta 143.75 145.25 145.95 146.75 74.25 75.45 76.25 77.15 189.75 193.50 195.45 198.50 94.75 97.25 98.50 99.75



AUTOMATIC SUMP PUMP

Fully automatic float-control operation—requires no priming or other attention.

Provides automatic, dependable drainage in cel-dars, boiler and coal pits, settling basins, etc.

• 2000 Imperial Galions per hour capacity at sea

Used extensively in homes where natural drainage or sewage connections are too low. When installed in a pit it will keep your cellar bone dry and prevent rusting of inmace pipes and other automatic heating installation. The ease which this sump pump handles seepage clogged with foreign matter makes it one of the most enconomical and dependable cellar drainers on the market.

Completely automatic in operation the float

matter makes it one of the most enconomical and dependable cellar drainers on the market.

Completely antomatic in operation, the float control starts motor when pit is full of water and stops it when pit is drained. As pump is underwater at all times, no priming or other attention is necessary and no foot valves are required.

Pump body is of heavy cast Iron with a brass inner plate. An accurately machined semi-enclosed impeller rotates in this outer casing. A large strainer inserted in the base prevents foreign matter from entering the pnmp.

Overall Height

Smallet Cir-le pnmp will enter 10 ½-ins. Maximum Depth of Simp 28-ina.

Discharge Pipe 114-ins.

Available with two different sizes of motors—X-H.P. unctor for ordinary simp pump duties in homes or other buildings where pump is not operating periods and 1/3-H.P. for heavy duty pumping where longer operating periods are required.

Sump Pump, complete with ½-H.P., 110-volt electric motor.

See Page 34 for information and prices on Farmerest flexible pipe for use with self-priming pumps listed on this page. Also Page 35 for information on suction and discharge hose for use with pumping outfits.

Deep Well Automatic "JET PUMP" Water System

Jet injector pumps may be installed over the well or offset at any reasonable distance. In an offset installation, the pump and pressure tank may be placed in a basement or other existing building, eliminating the need for a pump house and providing cold weather protection for the pump.

Two sizes of pipe are required to connect pump to injector—1 ½-in. suction pipe and 1 ¼-in. pressure pipe. Discharge pipe to tank is 1 ¼ -in.



The primary pumping action is that of centrifugal force—the most efficient and most trouble-free basic pumping action. Part of the water discharged from the centrifugal pump under pressure is returned to the injector through the pressure pipe. In the injector this pressure is coverted into velocity through the nozzle. The momentum or energy of this high velocity jet is transferred to the well water, serving to draw it into the injector and force it within suction lift of the centrifugal pump. The water returned to the injector is not wasted, but is used to transfer energy to the injector without the use of complicated and troublesome moving parts in the well.

Special Features Set New Standard for Quiet Operation, Dependability and Economy

PUMP—High speed centrifugal type with only one moving psrt, no belts, no gears, no pulleys. No lubrication required.

rication required.

MOTOR—3450 R.P.M. standard mske, vertical ball bearing, built-in automatic reset overload protection. Single phase 110-120-volt, 60-cycle motor supplied as standard equipment.

Standard equipment.

IMPELLER—Non-corrosive high quality bronze. Accurately machined for efficiency and well balanced to prevent vibration.

SHAFT—Stainless steel, protected by a special wear resisting alloy sleeve through the stuffing box. Accurate nachining and close tolerances insure proper fit and long life.

INJECTOR OR JET—All-bronze casting of ample size which minimizes friction losses. Suction pipe tapping in body eluninates possibility of deflecting Venturi Tube. The and nozzle are always at fixed distance for most efficient operation. Venturi Tube machined from solid bronze casting, and nozzle is machined from wear-resisting bronze.

FOOT VALVE—Macbined from bronze casting and designed for least friction loss.

CONTROL VALVE—Bronze construction. Easily adjusted and least affected by sand.

PRESSURE SWITCH—Two-pole with silver contacts.

Adjustable to suitable pressure within their range.

Adjustable to suitable pressure within their range.

IMPORTANT: In every bome there are many times every day when several outlets are in use at the same time:—the sink, the laundry, garden and barn uses. Do not under-estimate the size of pump required.

ACCESSIBLE STUFFING BOX—Cast integrally with the pump case, and of sufficient depth to accommodate a liberal quantity of packing. Ample room around stuffing box allows easy and quick adjustment. Split type gland may be removed from shaft to facilitate repacking.

DEEP WELL AUTOMATIC "JET PUMP" WATER SYSTEM, LESS TANK, (see opposite page for prices and sizes of tanks), consisting of: Punp and Motor Assembly, Control Valve, Pressure Bage for prices and sizes of tanks, rubber bose, clamps and pipe fittings from pump to tank as illustrated. Select suitable pump for pressure and capacity required from table below. Order from Winnipeg only. Shipping weight about 125-lbs.

Description	Vertical Distance to Water	Discharge Pr (lbs.) 20 30 Capacity, U. Gals. per H	1 40 S.A.	Price F.O.B. Winnipeg	Description	Vertical Distance to Water	20 Capac	rge Pre (1bs.) 30 eity, U.S. per Ho	40 S.A.	Price F.O.B. Winnipeg
B34-7480F 1-stage:1/3 H.P. Electric Motor	20-30 40-ft. 50-ft.	392 336 392 262 336 213	213 157 110	144.75	B34-7496F 2-stage; 1 II.P. Electric Motor	60-ft. 70-ft. 80-ft.	1000 950 950	980 950 900	850 700 500	243.75
B34-7484F 1-stage; ½ H P. Electric Motor	20-30 40-ft. 50-ft.	562 480 562 375 480 300	304 225 165	161.25	B34-7491F 2-stage; % H.P. Electric Motor	90-ft. 100-ft. 110-ft. 120-ft.	570 555 525 485	525 490 465 400	465 390 295 250	209.75
B34-7489F 2-stage, % H.P. Electric Motor	20-30 40-ft. 50-ft.	$\begin{array}{c cccc} 1020 & 1015 \\ 1010 & 1010 \\ 1010 & 1000 \\ \end{array}$	1000 900 800	209.75	B34-7497F 2-stage; 1 H.P. Electric Motor	90-ft. 100-ft. 110-ft.	700 650 625	700 630 570	600 550 400	243.75
B34-7495F 2-stage; 1 H.P. Electric Motor	20-30 40-ft 50-ft.	$\begin{array}{c cccc} 1250 & 1240 \\ 1230 & 1220 \\ 1220 & 1215 \end{array}$	$\begin{array}{c c} 1220 \\ 1200 \\ 1000 \\ \end{array}$	243.75	B34-7492F	120-ft. 130-ft. 140-ft.	275 275 270	270 255	300 245 235	
B34-7485F 1-stage; ½ H.P. Electric Motor	60-ft. 70-ft.	420 325 375 270	225 165	161.25	2-stage; % H.P. Electric Motor	150-ft. 160-ft.	265 250	245 230	200 185	209.75
B34-7490F 2-stage: ¾ H.P. Electric Motor	80-ft. 60-ft. 70-ft. 80-ft	322 225 875 825 850 750 825 650	140 650 500 425	209.75	B94-7498F 2-stage; 1 H P. Electric Motor	130-ft. 140-ft. 150-ft. 160-ft.	375 350 325	350 330 300 270	300 275 250 220	243.75

Special Instructions for Ordering "Jet Pump" Water Systems

DEEP WELL

AUTOMATIC

Water Sustem

Table at right shows capacities for the various pumps on vertical installations. These capacities are reduced by off-set installation, greater distance water has to be pumped, volume and pressure of water required. To enable us to supply the correct pumping system, send a diagram of proposed installation and state:

nd a diagram of proposed installation and state:

Depth of well and size of casing.

Distance from top of well to high water level as well as to low water level.

Whether pump is to be over well or off-set.

If off-set, give horizontal distance and vertical distance pump will be from well.

Position of house, barns, etc., to which water will be supplied, proposed water lines and horizontal and vertical distance of each in relation to pump. Size of pressure tank to be installed.

Total pressure required for all requirements.

Number of peisons using water in the house and number and kind of livestock to be watered.

Insert Coupling used to connect two lengths . . note how inserted into each length and clamped with two special metal clamps. On couplings 3-inches and larger use 2 clamps in place of one.

MONTHLY PAYMENT PRICE: 1/3rd Down The balance—plus carrying charge "FARMCREST" FLEXIBLE RUSTPROOF WATER

FOR COLD WATER LINES ONLY

ADAPTABLE TO ALL FARM WATER SYSTEMS OR FOR IRRIGATION AND GENERAL PLUMBING



Insert Tee used to connect three lengths of pipe or to cut a pipe and run a branch off main line. Insert Tee as ahown in F and clamp with metal clamps. Available up to 2-inches in size. For 3-incb and larger use metal Tee with adapter as shown in C and D.






Insert Elbows used to connect pipe around sharp corners or joints. Insert serrated end inside pipe and bold with clamp. Available in sizes up to 2-inches. For 3-inches and larger use metal elbows with adapter.

FARMCREST METALLIC COMPOUND

For use on threaded ends of adapter only. This supplies a tight seal which prevents any chance of air leaks. Under no circumstances use on insert ends of adapters or on couplings, tees or elbows. B34-2927—2-oz. Bottle Price, F.O.B. Winnipeg ...

"Farmcrest" Flexible Pipe it is easy to install a complete plumbing system or deep well jet water pressure pump; the only tools required and will be leakproof. "Farmcrest" Flexible Pipe it is easy to install a complete plumbing system or deep well jet water pressure pump; the only tools required are a hand saw and a screwdriver... all fittings are turned in by hand and will be leakproof. "Farmcrest" Flexible Pipe will withstand temperatures from 50 degrees below zero to 120 degrees above without bursting as it expands and contracts with changing temperatures, this means it can be used on any temporary or permanent cold water installation above ground or buried in trenches below ground ... as it is rustproof, rotproof, and non-corrosive this pipe is particularly valuable where soil and water corrosion, acids or alkalis are encountered. The expected life of "Farmcrest" Flexible Pipe under severe conditions is about 60 years... it never corrodes, so does not accumulate rust or sediment ... will withstand water pressure of 150-lbs, per sq. inch in small sizes to 60-lbs, per sq. inch in 6-inch size.
"Farmcrest" Flexible Pipe is light in welght—only one-eighth the weight of Iron pipe; a 200-ft. coil of 1% inch flexible pipe welghs only 80-lbs. Being fiexible (just bend it around corners) and because it is available in long lengths, the number of elbows, couplings and special fittings are greatly reduced. The only fittings required to join two lengths are plastic insert couplings and two clamps (see sketch A and B) or an insert Tee can be used if another line is to run off main line. (See sketch E and F). To connect to pump or any pipe fittings a threaded insert adapter (See sketch C and D) is used. Insert elbows can be used at sharp corners (See G and H). This is cheaper than using a metal elbow and 2 adapters to screw into the elbow. into the elbow.

Threaded Insert Adapter used to connect to pump or pipe fitting... Note standard iron pipe thread on end that connects to pump or iron pipe fitting Serrated end inserts inside pipe and is held by clamp. On adapters 3-inches and larger use 2 clamps in place of one. Insert Coupler (Less clamp) Threaded Adapter (Less clamp) Metal Clamp Length Available Continuous Coli Pressnre at 70° F Weight 100-ft. Per Foot Eech Cat. No. Cat. No. Cat. No. Cat. No. Cat. No. Each Each Each Each B34-6944 .40 B34-6720 .98 B34-6945 .48 B34-6721 .41 B34-6946 .64 B34-6722 .53 B34-6947 .79 B34-6723 .68 B34-6948 1.12 B34-6724 .93 B34-6950 1.49 B34-6728 1.22 NOTE:—On all fittings and pipe 3-inche and larger use 2 clamps instead of the normal one used. 400-ft. 400-ft. 300-ft. 300-ft. 250 ft. 200 ft. 100-ft. 25-ft. 10-lbs. 14-lhs. 18-lbs. 27-lbs. 32-lbs. 45-lbs. 91-lhs. 125-lbs. .15 .21 .28 .41 .49 .84 1.33 1.80 3.25 B34-6604 B34-6805 B34-6805 B34-6807 B34-6809 B34-6610 B34-6811 B34-6537 B34-8538 B34-8539 B34-6541 B34-6541 B34-6544 B34-6572 B34-6573 B34-6574 B34-6575 B34-6576 B34-6578 360-lbs. .98 .40 .82 .69 .78 .91 .94 .48 .56 .64 .88 2.48 3.22 5.25 .45 .46 .48 .47 .47 225-lbs. 225-lbs. 200-lbs. 1 % -inch 1 % -inch 2-inch 3-inch 150-lbs. 140-lbs. 110-lbs. 85-lbs.



Automatic Shallow Well Water System Pressure

For Wells Equivalent to 25-ft. Deep at Sea Level

An automatic water system that will provide "running water" under pressure to all rooms of the farm or suburban home, summer cottage, school, hall or church . . . and for all needs such as kitchen, laundry, bathroom, for sprinkling or fire protection protection.

Easy to Install . . . requires no attention; built as a single unit with no belts, gears or leathers to wear out; only one moving pump part, the all bronze impeller. Silent in operation . . . switches on and off automatically and keeps tank full under constant pressure at all times. Pressure can be adjusted from 20 to 40-lbs. Operates on 110-volt, 60-cycle A.C. electric current. Inlet and outlet 1-inch pipe size. The jet pump requires no lubrication . . the 4-H.P. Capacitor type ball bearing electric motor is factory lubricated to last from one to five years, after this service it is quickly and easily jubricated.

CAPACITY 110 TO 550 GALLONS PER HOUR

Will lift water by suction 25-ft. on en over-the-well installation at sea level. Capacity is determined by depth water is to be lifted from well and tank pressure.

The table below is based on sea level. For each 1,000-ft. above sea level deduct one-foot that pump will lift water from well. Example: at 2,000-ft. above sea level will only lift water 23-ft.

For each 100-ft, pump is offset or distance from well deduct 2-ft. from depth pump will lift water from well. Example: at sea level with pump offset 100-ft. from well it would only lift water 23-ft.


Total suction or lowest water level in well	Gallons per	hour at 2 O-lbs. pressur	
	20-lbs.	30-lbs.	40-lbs.
5-feet	550-gals.	375-gals.	225-gals.
15-feet	400-gals.	320-gals.	175-gals.
25-feet	240-gals.	230-gels.	110-gals.

With 14-H.P. Electric Motor

Pumping Unit, less tank, consisting of shellow well jet pump, %-H.P. capacitor type ball bearing 110-volt A.C. 60-cycle electric motor, automatic pressure control switch, pressure gauge and air volume control, fittings from pump to tank and foot valve (tank, pipe and fittings from pump to well not supplied). Order from Winnipeg. Shipping weight about 77-lbs.

B34-7903F—Price, F.O.B. Winnipeg

MONTHLY PAYMENT PRICE: 1/3rd Down The halance—plus carrying charge



Packaged Jet Water System

For Shallow Wells

The ideal shallow well water pressure system for farm home or town house use. This is the unit for any house well or man made cistern 22-feet or less in depth. It's the most suitable system for summer cottage use, suburban home, country estates, schools and churches. Compact and precision built.

CHECK THESE FEATURES:

- A complete packaged unit ready to use it is only necessary to connect the pipes.
- Streamlined in every way possible, horizontal in appearance.
- Complete noise damper for quiet operation.
- There are no belts, pulleys, gears, rods or leathers to wear out.
- Compact In design (only 25-inches high) and can be placed practically anywhere in the home or cottage. It is 22-inches long, 18-inches wide and has a 5-gallon tank.

The pump itself is a built-in jet unit, insuring simplicity and efficiency in operation. The only moving part is the jet itself. Pump is connected directly to a capacitor type electric motor mounted on a solid base.

14-H.P. Water Pressure System


1/3-H.P. Water Pressure System

Complete with 5-gallon tank and consisting of shallow well jet pump, ¼-H.P. Capacitor type ball-bearing, 110-volt A.C. 60-cycle electric votor, automatic pressure control switch, pressure gauge end air volume control. Order from Winnipeg. Shipping weight about 100-lbs.

139 75 139.75 Weight 2004 F.O.B. Winnipeg.....

B34-7931F-Price F.O.B. Winnipeg MONTHLY PAYMENT PRICE: 1/3rd Down The balance—plus carrying charge charge grant monthly payments

Install it to Fit Your Needs



Pressure Water Tanks for Shallow Well and Deep Well Water Systems

Water Systems

Heavy gange steel pressure tanks, galvenized inside and out after construction to assure that all welds end seems are thoroughly protected against rust.

Tapped with six 1 ¼ inch outlets for pipe connections, two of which are fitted with plugs.

Capacity 30-gellons (U.S.A. measure)

B34-9056F—Price, P.O.B. Winnipeg (U.S.A. measure)

B34-9056F—Price, T.O.B. Winnipeg (U.S.A. measure)

B34-9056F—Price, F.O.B. Winnipeg (U.S.A. measure)

B34-9056F—Price, F.O.B. Winnipeg (U.S.A. measure)

B34-9056F—Price, F.O.B. Winnipeg (U.S.A. measure)

Wire Imbedded Rubber Suction Hose

1½-inch inside diemeter with 1½-inch nipples attached to each end.
B34-7314—Price, per 20-foot length, F.O.B. Winnipeg
B34-7313—As chove. Price per 15-ft. length, F.O.B. Winnipeg Extra heavy, 3-inch inside diameter with 3-inch nipples attached to each end. B34-7318—Price, per 20-foot 95.75 length, F.O.B. Winnipeg



D Prices are F.O.B. Winnipeg

See Page 113 for Galvanized Pipe

BRASS FOOT VALVES All brass with helical spring wire strainer, rough, flexible, abrasion resisting rubber, taper type, holds tight without seenage. No springs practically no flow restriction, no less of head

or or process						
Price Delivered to any 3/4 -in	. 1-in.	1 ¼ -in.	1 1/2 -in.	2-in.	2 1/2 -in.	3-in.
station in Manitoba 2.45	3.20	4.10	5.95	9.50	14.50	15.75
Saskatchewan 2.50	3.25	4.15	9.15	9.65	14.65	15.95
Alberta	3.30	4.20	9.25	9.75	14.75	19.10
Peace River (west of High Prairie) & B.C. 2.90	3.35	4.25	9.30	9.85	14.85	19.25

CAST IRON FOOT VALVES Heavy cest iron, has two leather feed valves with large weterway to ellow a big volume of water to flow unrestricted. Heavy reinforced lugs around strainer prevents breakege. Valves are mede from the best grade of selected oak tanned

2	leather.								
į	Price Delivered to eny.	1-in.	1 % -in.	11 1/2 -in.	2-in.	3-in.	4-in.	5-in.	6-in.
]	Station in Manitoba	1.25	1.52	1.92	2.59	6.25	9.15	11.45	13.95
	Saskatchewan	1.33	1.93	2.03	2.77	6.59	9.65	12.15	14.85
	Alberta	1.39	1.99	2.10	2.85	9.75	9.95	12.45	15.45
	Peace River (west of High Prairie) and B.C.	1.45	1.75	2.19	2.99	9.95	10.35	13.25	16.25



GET **ALL THE** WEEDS

THE FIRST

TIME OVER!

CKFOOT CULTIVATOR SHOVELS

EXTRA HEAVY HIGH CARBON STEEL

Solid Steel, correctly shaped and bolted. To fit any stiff tooth cultivator. For general tillage operations in rough stubble lands. Extra heavy, high carbon steel polished and sharpened, double heat treated and oil tempered. Complete with two bolts. Made in three patterns. When ordering state catalogue number, give size of shovels and make of cultivator. Takes 3rd-class freight rate.

TO FIT COCKSHUTT:	TO FIT OLIVER; CASE;	TO FIT
JOHN (Except Tool	FORD-FERGUSON; I.H.O.	MASSEY-HARRIS
DEERE (Bar Model	McCORMICK DEERING	
B39-1170P 5-lnch		B39-1172P 5-Incb
B39-1174P 8-inch		B39-1176P 8-inch
B39-1179P 10-incb	DO0-111101 0001101000 TO-THED	
B39-1192P 12-inch	B39-1183P 12-ineh	B39-1194P 12-inch
B39-1196P 14-inch	B39-1197P 14-inch	B39-1188P 14-incb

reight rate.						
	Wt. about 1 % -lhs.	Wt. about 2-lbs.	Wt. about 2 1/2 -lbs.	Wt. about 3-lhs.	14-INCH Wt. about 4 ½ -lbs.	
F.O.B. Winnipeg	1.03	1.09	1.15	1.42	1.67	
F.O.B. Regina or Saskatoon	1.07	1.13	1.22	1.50	1.79	
F.O.B. Caigary or Edmonton	1.09	1.16	1.25	1.55	1.85	

TOOTH CULTIVATOR

Now Made in Two Patterns

(A) Sharp Point — sharp points
on both ends for use on land
adity intested with heavy rot
growth and trash; also for subsoiling.

(B) All Purpose Point — regular
simp point on one end and spade
point on the other end; use in
soil reasonably free from
tool growth, etc.

B39-1156P—SHARP POINT
(ILLUSTRATION A)

Cockshutt No. 10, 1938 and later; John Deere (except Tool Bar Model); Allis-Chalmers; Massey-Harris
B39-1152P—ALL PURPOSE POINT (ILLUSTRATION B)

Note: When installing sharp boots

Note: When installing sharp bond cultivator points make sure the ligh end of clip
charp hend standards and two 2 %-inch bolts,
as listed ahove under B39-1156P. Complete with two 2-inch bolts,
as listed ahove under B39-1156P. Complete with special back clip and two 2 %-inch bolts,
as listed ahove under B39-1156P. Complete with special back clip and two 2 %-inch bolts,
as listed ahove under B39-1156P. Complete with special back clip and two 2 %-inch bolts,
as listed ahove under B39-1156P. Complete with special back clip and two 2 %-inch bolts.

Note: When installing sharp bond cultivator points make sure the ligh end of clip
Coll of the plant of the

Burke Flexible Weeder. Com-B39-9003P—About 1½-lbs. each. Price F.O.B.

TO FIT ANY CULTIVATOR

76

Fits Behind Cultivator Standards . . . An Easy Way to Kill Quack

Burke Flexible Weeders can be used on the bind shovels or sweeps of any 2 or 3gang cultivator with excellent results, or on all shovels. The soil from cultivator shovels passes over the enred prongs of the weeder which gives weeds a last klek that how them to the surface, in place of heing partly huried to grow again,

Burke Flexible Weeder with clip, Bay-9003P—About 1½-lb price F.O.B.

Burke Flexible Weeder with clip, Bay-9003P—About 1½-lb price F.O.B. Regina or singular the prongs in or out from 15 to 20-inches according to height of weeds, The higher the weeds, the closer the prongs should he.

A patented clip holds the weeder back of shovel or sweep. (No extra bolts required), Shoulders on this clip hold weeder up sufficient to prevent their digging in ground when hacking. Clip shaped to fit stiff tooth cultivator shanks, can he flattened out to fit on spring tooth. We recommend using Burke Flexible Weeders with the duckfoot shovels and Burke Adjustable Points shown on this page.

Customer Writes:

Customer Writes:

"I equipped two cultivators with the Burke Flevible Weeder and I find that once over the field with the cultivator is as good as twice over without the weeder, it also leaves the ground level so that a eeed drill ean follow."

Disc Harrow Blades

16-inch Dlameter

Heat Treated of toughest
criss-cross grain steel-prevente breagage. Cuts through
roots and trash, and scours
clean. Standard size to fit all
disc barrows. 16-inch diameter, 1½-inch dish, 15/16
aquare centre hole. Weight
ahout 7-lhs. each.
B39-1356P—
Price each

Price each F.O.B. Winnlpeg .. 1.85 or Saskatoon 1.98

Disc Harrow Blades


16-Inch Dlameter
Heat Treated of toughest
criss-cross grain steel-bre
the breagage. Cuts through
stan Standard size to fit all
so barrows 16-inch diameter
114-inch dish, and scours
and trash, and scours
and standard size to fit all
so barrows 16-inch diameter
114-inch dish, and scours
114-inch dish, and scours
115/16-inch dish, and flexible harrows. Complete with nuts.
115/16-inch dish, and flexible harrows.
115/16-inch dish, and flexib

V-LOCK HARROW DRAW HOOK
To fit Diamond Harrow Sections. Prevents chains jumping off when turning and on rough land, %-in x 1 %-in, steel; drilled ready to attach.

539-3014P—Price, each:
F.O.B. Winnipeg . .40
F.O.B. Saskatoon . .45
F.O.B. Edmonton . .45
For all barrow drawbars with 3 links as illustrated. Standard thickness %-inch.

Price, cacb:—

839-3004—For 4-inch bars . .20
839-3006—For 6-inch bars . .21
839-3006—For 6-inch bars . .21
839-3018—Three-Link Chains only, for use with Harrow Drawbar Eyebolt, each .10



NEED TO DISMANTLE THE DISC-IT ANYWHERE, WITH TRACTOR, ENGINE OR MOTOR PULLEY.

PORTABLE FRICTION DISC SHARPENER

PORTABLE FRICTION DISC SHARPENER

Sharpens any disc implement—disc harrow, disc plow, etc.—without dismantling—right in the field if you wish. Takes ahout 5-minutes per blade. It's casy for one man to operate, Check these simple steps: (1) Place implement in transport position, block up implement high enough to clear the sharpener (about 3-in, from ground), (2) Line up one of the blades with a tractor engine or motor pulley. (3) Using any type of flat belt, cross the belt between pulley and disc blade; place one loop of helt on tractor pulley and other loop over disc hlade that is lined up. Tighten belt only enough to turn the blades. Note: Disc blade will not cut the helt. (4) Slow down tractor or engine so that disc assembly will turn at a speed of 150 to 450 K.M.P.
(5) Place the Disc Sharpener on bevel side of blade; the handle is then pulled toward the operator, this moves grinding wheel against disc hlade to be sharpened. The disc blade turning on the grinding wheel will fit any angle or bend of disc blade turning on the grinding wheel will fit any angle or bend of disc blade turning on the grinding wheel will fit any angle or bend of disc blade turning on the grinding wheel will fit any angle or bend of disc blade turning on the grinding wheel with 4-in, centre hole. Shipping weight about 25-in. Grinding Wheel with 4-in, centre hole. Shipping weight about 25-in. Order from Winnipeg. Regina, Saskatoon, Calgary or Edmonton. 27.95 Roplacement Grinding Wheel only to fit Portable Friction Disc Sharpener. Size 6-in. diameter; 2-in. wide. 4-in. centre hole 6.75



DISC HARROW WOOD BOXINGS

★ To Fit — Bissell, Bradley, International (I.H.C.), John Deere, Cockshutt, Massey-Harris, Oliver

Hard maple, guaranteed to fit perfectly and give best service. There are two pieces to each com-plete boxing, and six complete boxings to each 8-ft. harrow. Price quoted is for complete boxing.

	7-000	14 101	COLLISTOR	worthing.
Catalog Number	To Fit	F.O.B. Wpg.	F.O.B. Sask.	F.O.B. Edm.
B39-1361	Bissell	,37	.39	.40
B39-13S2	Bradley	.23	.25	.26
B39-1364	Cockshutt	.27	.29	.30
B39-1368	John Deere	.39	.41	.42
B13-1366	I.II.C. 1913 & slnce (hexagon)	.41	.43	
DO0 4484				.44
B39-1371	Massey-Harris		.43	.44
B39-1373	Oliver	.41	.43	.44



long and to equal or better the service you had from your original plow shares when ordered by the number on the back of your old shares. Partly Finished or Blank Shares: Fully welded, point

finished, not drilled, but landslide is long enough to fit all plows. Same high quality steel as the shares listed above. If make or share number is not known or your plow is obsolete with shares mobtainable we suggest you order these blank shares. Use old shares as a pattern to drill bott holes. Available in 12, 14 and 16-incb sizes. Prices same as above.

How to Order Shares—Do not fail to tell us the marks stamped on the back of your old shares, also state size and make of plow. The letters "QD" after a share mean "Quick Detach-able". Order plowshares from Winnipeg, Saskatoon, Calgary or Edmonton at prices shown.



(A) Hickory Neckyokes

Wagon Doubletrees

Wagon Doubletrees, Strongly froned, drilled for clevises and ends riveted. Well painted. Size, 2 x 4½ x 48-inches. Weight about 13-lbs.

(B) Strap End Plow Singletress Oval Centre 2 ½ x 30-in, plow single-trees, Oak and bickory; varnished. Weight ahout 5-lhs. B39-9312—F,O.B. Winnipeg 1.39

(C) Flat Centre Singletree Woods Flat Centre first quality. Size 2 ½ x28-inches, Weight about 2-lbs.
B39-9318—F.O.B. Wlnnipeg49

Plow Doubletree Woods No. 1 quality 1 % x 3-7/8 x 42-inches, Southern oak or blckory. Weight about 8-lbs. 13-lbs. B39-9265—F.O.B. Winnipeg2.79 8-lbs. B39-9269—F.O.B. Winnipeg95

(D) Full Strap Singletrees
Clear grain Hickory singletrees—strapped
right across the back.
For Plows, 2 ½ x30-lns, Wt. 5-lbs.
B39-9314—F.O.B. Winnipeg...
For Wagons, 2 ½ x 36-inches.
7 ½-lbs. 2.39 B39-9315-F.O.B. Winnipeg

Singletree Woods

No. 1 quality straight grain oak and bickery: correctly shaped.

For Plows, dressed size 2 ½ x 30-inches. Weight about 2 ½-ibs.

139-9319—F.O.B. Winnipeg

For Wagons, dressed, size 2 ½ x 36-inches. Weight about 2 ½-ibs.

139-9320—F.O.B. Winnipeg

83

83-9320—F.O.B. Winnipeg

83

Tractor Rolling Coulters

15-Inch Polished Steel Blade The ground and pollshed 15-in. Steel Blade is mounted on chilhaving a large

A Steel Blade is m led cone bearings, dustproof grease receptical and equipped with Alemite fitting, making the lubrication of bearings easier and more postive. Shank is 1½-ins. diameter, with heavy duty with the steel bearings and the steel bearings are supported by the steel bearings and the ste

BARB

6old in 80-rod spools.

1 12-118. (Maneter, with heavy duty yoke, will replace coulters on most popular tractor plows using 1 1/2-in, shank—can also be adapted to horse drawn gang plows. Takes 2nd class freight rate. B39-6353—Shipping weight 32-lbs.

F.O.B. Woo. F.O.B. Sask. F.O.B. Edm.

10.75 11.50 11.75

Available in $12\frac{1}{2}$ gauge heavy weight and 14 gauge standard weight.

B BARS - 32 Inches high 7 BARS-26 Inches high SEE THE BARB

HOG FENCE Barbed Bottom Wire

Sold in 20-Rod Rolls Only

Top Line Wires No. 11; Intermediate Wires No. 14 Galvanized Steel Wire; Bottom Line Wire of Special Barb Wire; Stay or Upright Wires are Spaced 6-linches apart.

apart.

26-inch has seven line wires. Spaces between the wires are 3, 3½, 4, 4½, 5 and 6-incbes respectively. The 32-inch fence has eight line wires spaced from bothom up 3, 3½, 4, 4½, 5 and 6-inches apart. With barbed wire on top, this makes a splendid farm fence. Furnished in 20-rod rolls only, We do not cut rolls. Order From Winnipeg or Edmonton.

No. Wires inches 20 rods Wpg. Edm. Wpg. Edm					Price	per Rod	Price 20		
					F.O.B.	F.O.B.	F.O.B. Wpg.	F.O.B. Edm.	
38-2981F 8 32 132-bs. 89 .95 17.80 19.0	38-2960F	7 8	26	115-lbs. 132-lbs.	.78	.85 .95		17.00 19.00	

* Plain Bottom Wire Hog and Sheep Fence

Plain bottom wire (not bsrbed). Plain top and bottom wires are 9 % -gange, other 13-gange. Space between line wires same as above. Order in 20-rod rolls only, Price per Rod Price per Rod Price per Rod Wires inches 20-rods Wpg. Edm. Pro. B. P.O.B. P.O.B. Edm.

F.O.B. Wpg. | Weight 19.00 23.20 B38-2952F B38-2953F 95 20.40



Fence Tool Pulls staples, splices, and stretches wire and is pincher, cutter and hammer. Drop forged, high grade steel—palnted finish with pollshed head; length about 10 ½-ins Weight about ½-lbs.

B13-1482— F.O.B. Wpg. 2.15


Post Hole Augers dijusting to dijustable auger, to dig 6-inch, 7-inch or 8-inch holes. Full length steel handle. Weight 10-lbs.

B38-105P—
F.O.B. Winnipèg 4.29

Post Hole Augers



F.O.B. 1.65
Wpg
HICKORY
POST MAUL
HANDLE
Strong, straightgrained hickory
bandle; shaped
and halanced for
satisfactory service B13-2085 .85 F.O.B. Winnipeg



STEEL FENCE POSTS Note Heavy Tee Rall
Construction
Tee Rail Posts
eliminate the need for digging holes easy to erect and eavy to take down. One man can dri e hetween two and three hundred posts per day. Fence is held firmly in place against posts by strong wire clips passing through holes in the Tee Rall. Seven clips are supplied with each post.
Rolled from tough, springy 000000

Winnipeg .93
Each F.O.B. 1.17



wire spool. 838-9833F—4 Point, 12V2-Gauge Meavy Weight Barbed Wire. Price F.O.B., Price F.O.B. 10.75 Winnipeg ... 9.65 Price, F.O.B. 10.75 B38-9837F—4 Point, 14-Gauge Standard Weight Barbed Wire. Weight about 58-lbs. per spool of 80-rods. Price F.O.B. 6.95 Edmonton ... 7.75 Barbed Wire Takes 4th Class Freight Rate GALVANIZED FENCE STAPLES B15-8205F—Galvanized Staples, 1 ½-inch long, 9-gauge, About 80 staples per lb. 5-lbs, Price, F.O.B. Winnipeg85 100-lb. Keg. Price, F.O.B. Winnipeg 13,00

POULTRY NETTING STAPLES



hlocks succeed by the state of the state of

The more you pull the tighter it grips. Complete with swivel. Weight about 1-lb. Weight about .65

B38-8461—Price,

0



"VARCON" MOTOR OIL Refined From Highest Grade Crude Oils

Varcon motor oil is one of the finest, most economical, low priced motor oils you can buy! Specially treated for greater resistance to "breakdown". Greater lubricating efficiency. Free of "slowdown" wax. Flows freely at all motor temperatures, low carbon content. Use it with confidence in new or old cars, trucks and tractors except when manufacturers specify a heavy duty oil, in which case we recommend "Varcon" Heavy Duty oil. You'll agree that either type is the finest that you can buy for the money.



Gamblei SUPREME

MOTOR OIL

Gambles |

*Easy-Pour 6 Imp. Quart

Can

When ordering state grade wanted: S.A.E. 10. S.A.E. 20, S.A.E. 30, S.A.E. 40, S.A.E. 50.

GUARANTEE: We guarantee Varcon Heavy Duty Oil LUBRICATE6 highest lubricating and cleansing properties possible to huy anywhere. It is recommended for all types and latest models of engines, gasoline or diesel, in tractors, trucks, automobiles or industrial use, under heaviest and most severe load conditions. or diesel, in tractors, trucks, automobiles or industrial use, under heaviest and most severe load conditions.

Reasons Why You Should Use "Varcon" licavy Duty

Reasons Why You Should Use "Varcon" licavy Duty

Helps keep oil rings and values free and clean.

Excellent stability . . . greater resistance of breakdown' than ordinary oil.

Laboratory and road tests prove its longer unbrication life.

Stays tough...protective oil film stub-bornly resists effect of heat.
 Protects motor parts from corrosion.

Clean.

Excellent stability . . . greater resistance to "breakdown" than ordinary oil.

Laboratory and road tests prove its longer lubrication life.

Low in carbon content . . . keeps combustion chamber cleaner and cooler.

As good or better mileage than ordinary oil.

ARCON CHASSIS

GUN GREASE

"VARCON" MOTOR OIL	Per Gallon	TOTAL PRICE 10-GALLON DRUM Including Drum Deposit Catalog No. B4-4049F	TOTAL PRICE 25-GALLON DRUM Including Drum Deposit Catalog No. 84-4050F
DELIVERED to any station in Manitoba	.94	13.40	29.50
DELIVERED to any station in Saskatchewan	.97	13.70	30.25
DELIVERED to any station in Alberta or British Columbia We ship "Varcon" Motor	1.01	14.10	31.25

25-gallon drums only. Order hy Mail from Vinnipeg, Regina, Saskatoon, Calgary or Edmonton at above prices at any of our retail stores.

t	"VARCON" HEAVY DUTY	Per Gallon	10-GALLON DRUM Including Drum Deposi Catalog No. B4-4439F	t Including Drum Deposi
	DELIVERED to any station In Manitoba	1.15	15.50	34.75
1	DELIVERED to any station in Gaskatchewan	1.19	15.90	35.75
	DELIVERED to any station In Alberta or British Columbia The drum lot prices on this	1.25	16.30	36.75


deposit for 25-gallon drum, which will be refunded when drum is returned freight prepaid and in good condition to our nearest retail store or mail-order warshouse.




ARCON DIFFERENTIAL and TRANSMISSION OIL

High quality lubricant recommended for trucks, tractors and older model cars that do not require extreme pressure lubricants. For use in differential, transmission and steering gear (other than hypoid gears). Grades S.A.E. 80 and 90 for Winter nse. B4-5022P—1-Gal., S.A.E. 80. Wgt. 11-lbs, B4-5026P—1-Gal., S.A.E. 90. Wgt. 11-lbs, F.O.B. F.O.B. F.O.B. F.O.B. E.O.B. Winnipeg Saskatoon Edmonton

.98 1.25 B4-5023F—5-Gallon Can, 6.A.E. 80. Weight 55-lhs. B4-5027F—5-Gallon Can, 6.A.E. 80. Weight 55-lhs. F.O.B. Wilsh 55-lhs. Sakatoon S



Fuel Hose % in diameter, plastic oil resistant, eight feet long, with couplings and metal hook which will hang on to any



For filling cars, trucks or tractors—handles a wide range of viscosities, from gasoline to heavy luhricating oil. Capacity at easy cranking speed is 7 to 10 gallons per minute. Suction and discharge pipe %-inch. Complete with dripless up-tilted spout, 40-in.

11.75 B4-5358P-F.O.B. Winnipeg



Lock Type Faucet For Oil or Molasses Fits all standard drums; 2-inch pipe thread. Made of heavy cast iron. Loop for padlock. Weight about 6-lhs. 815-2670—Price, each. B15-2670-Price, each



SPEED INDICATOR Speed range 500 to 3,000 R.P.M.

2.29 2.69 2.79

A heavy duty motor oil that contains detergent compounds (cleansing agents) that fight sludge and varnish deposits. Cleans as it luhricates—prevents dirt from settling in motor; engine stays clean even under adverse driving conditions. Highly recommended for use in cars, trucks and tractors. In 6-Imperial quart can with easy-pon spout, Order by catalog number. B4-4421P—S.A.E. 5W B4-4423P—S.A.E. 10-10W B4-4423P—S.A.E. 20-20W B4-4424P—S.A.E. 30. F.O.B. Winnipeg Saskatoon Edmonton 2 20 2 60 2 70

VARCON GUN GREASE FIBRE GUN ARCON GREASE Macleod's low prices save vet Varcon Macleod's low prices save you money, yet Varcon fuhricants are equal to the finest in quality. For tractors, farm equipment, trucks and cars fuhricated through fittings.

(A) "VARCON" HI-PRESSURE CLEAR GUN GREASE F.O.B. Saskatoon Edm No.

Size Winnipeg Saskatoon Edm

F.O.B. Edmonton No. 84-1604P 84-1603 25-lb. Tin 10-lh. Tin 5-lh. Tin 1-lh. Tin 4.59 2.05 1.09 .29 B4-1602 B4-1601 .98

(C) "VARCON" 45-lb. E-Z FILL PAIL CLEAR GUN GREASE
No money, time wasting hand filling of grease gun—fill the gun through
the opening in the pail (grease gun extra). Handy for in-the-fleld grease
ing. Shipping welght about 30-lbs
84-1607P—25-lb. E-Z FIII-Pail "Varcon" Clear Gun Grease. Price
F.O.B.
Winnipeg 5.35 | F.O.B.
Winnipeg 5.35 | F.O.B.
This grease is primarily a warm weather lubricant—developed for use on
heavily loaded bearings in farm machinery. Its fibrous nature gives
heavily loaded bearings in farm machinery. Its fibrous nature gives
longer wearing qualities the number of greasings required are reduced at
least by one-third. If used in early spring or late fall, warm hefore using.
84-1614P—25-lb. Pail "Varcon" Fibre Pressure Gun Grease. Price
F.O.B.
Winnipeg 3.95 | 6-askatoon 4.39 | F.O.B.
Winnipeg 3.95 | 6-askatoon 4.39 | Edmonton 4.69



(B) Fuel Oil Can With Flexible Spout

Heavily galvanized, capacity about 3 ½-gallons, hail handle. Flexible metal pouring spout about 10-inches long—handy for reaching places hard-to-get-at. Cover of large filling opening fastened to top by chain.

B15-1344—F,O,B, Winnipeg

(A) Galvanized Coal Oil Cans

Heavily galvanized, strongly handled; screw cap on spout.

Two Gallon Can B15-1321 F.O.B. 1 55 F.O.B. 2 55 $_{\text{Winnlpeg}}^{\text{F.O.B.}}$ 1.10 $_{\text{Winnlpeg}}^{\text{F.O.B.}}$ 1.55 $_{\text{Winnlpeg}}^{\text{F.O.B.}}$ 2.55



(C)

(A) Trigger Typs Pump Ollsr—Capacity 4-ozs. Strainer at bottom of plunger pump prevents clogging of hrass mechanism. Body, cap, handle and spout made of steel; copper plated and lacquered. B4-5168—Price, each 1.65

F.O.B. Winnipeg F.O.B. Winnipeg Bottom Oller—A sturdy metal oil can with 4½-inch straight spout, wide neck. About ½-pint capacity. 84-5142—Price, each .25

B4-5153—Price, each
F.O.B. Winnipeg
(D) "Symon's" Pistol Grip Pump Oller—Heavy steel copper plated; pistol grip assures perfect oil control and slight print size, straight spout, 1.95
4-pint size, straight spout, 1.95
4-pint size, bent spout
4-pint size, bent spout
4-pint size, bent spout
B4-5157—Price Delivered....
1.95
B4-5158—Price Delivered....
B4-5158—Price Delivered....
B4-5158—Price Delivered.... 1.55

11 1/2 - Qt. Holf-Covered Tractor Pails



Made of beavy galvanized iron with half-covered top to prevent spilling. Fine wire strainer in spout assure clean, dirt-tree fuel. Strong wire half handle is securely rivetted. Capacity about 11 ½ ouarts.

B38-6038P—
1.75 F.O.B. Winnipeg 1.75

Troctor Funnels

Galvanized iron. Top diameter 11 ½ ins., sides 6-ins.; wire mesh strainer. B4-1456P - F.O.B. Wpg. 1.15

Items Not Marked K to be Ordered From Winnipeg Only Delivery Charges Extra Except Where Prices State "Delivered"

Alemite "Red-A"

Alemite "Red-A"

Bucket Pump

This hand lever pump delivers up to 3,500-lhs, pressure with easy, single h a n d operation yet weighs only 14-lbs.
oval shaped container holds 25-lbs. of grease, so that when full the total weight is 39-lbs. Six foot high pressure hose with cheek valve end coupled directly on to fittings for rapid greasing of easy-to-reach and volume bearings. Full open head for casy filling. Dynamic primer gives positive priming. Equipped with bleeder relief valve. Handles light, medium or heavy grease. Rugged reinforced recessed base keeps the "Red-A" steady for pressure pumping, even on rough ground or gravel. When used in conjunction with A4-3207 "Dyn-O-Mite" Gun, shown below, pressure can be boosted to 10,000 lbs B4-3202P — Alemite "Red-A" Bucket Pump, complete with 6-feet of pressure hose and coupler.

The production of the pr

"Dvn-O-Mite" Gun (For use with above)
Use with bucket pump above for rapid, high pressure, big volume greasing of any bearing . . load and detach from hose of bucket pump and you have a one-hand operated grease gun for hard-to-reach or overhead bearings, that delivers up to 10,000 any horizontal pressure and grease 55 bearings without reloading. Weighs only 2-1bs. Steel cylinder, handle and extension, cast aluminum head. Equipped with 8-inch pipe extension to reach through and around obstructions. Complete with snap-on Alemite hydraulic (For use with above)

Vol-U-Matic Portable E-Z
Greaser Gun

Delivers twice as much g re a se per stroke. Has "Admstral-Nut" with finger tip adjustment to instantly give high volume delivery or high pressure performance. This "Admstral-Nut" in reer position gives high volume, in forward position it gives high pressure. Complete with 10-foot hose, so that you can reach all fittings on tractors, farm implements, trucks, cars. Gun is on a swivel increasing ease of operation—no bearing too large, no bearing too tight. Cuts lubricating time to the minimum. One man—one hand operation. Attaches to any standard 25 to 40-lb. grease pail.

B4-3201P—E-Z Greaser. Complete with 10-ft. hose (less real) Portable E-Z

B4-3201P-E-Z Greaser. Complete with 10-ft. hose (less

F. O. B. Winnipeg F.O.B. Saskatoon F.O.B. Edmonton

26.50 26.95 27.25



All steel hand lever grease gun, 26-oz. capacity. Positive spring pirining develops 10,-, 000-lbs. presure. Black oxide finish. Weight about 5-lbs. B4-2009Transmission Gun

All purpose gun—use for transmission, differential, or any place requiring a fluid lubrieant. Capacity 20-02. or 1½-pints. 16-inch flexible steel hose has positive seal. Weight about 3-lbs.

B4-1989—Price.

2.79 9— B4-1999—Price, F.O.B. Winipeg 2.79

GREASE GUN HOLSTER


The Practical, Convenient Way to Carry a Grease Gun on Tractors and All Kinds of Farm Machinery.

Holds the grease gun securely at all times and keeps to right where you want it—ready to use Takes greasy mess out of the tool box—off the machinery. Special "Klamp-Tite" feature clamps your grease gun down in the helster; prevents bouncing around and reduces rattle. Slotted holes make it easier to mount anywhere for quick access to grease gun. Formed of extra heavy 18-gauge steel, finished in rust-resistant weatherproof enamel,

steel, finished in rust-resistant weather.

B4-2078—Complete with special mounting boits. 1.69 F.O.B. Winnipeg





(A) "Alemite" Grease Gun—Lever type, with disappearing handle; 1-lh, capacity, 7,000-lb, pressure. Positive Priming hy spring in barrel which eliminates air bubbles. Complete with extension pipe and snap-on hydraulic coupler, as illustrated. Takes 2nd class freight. Weight about 4 ½-lbs.

B4-2004 - Price, each F.O.B. 4.10 or Saskatoon 4.25 F.O.B. Calgary 4.35

Winnipeg 4.10 or Saskatoon 4.20 or Edmonton 2.30 winnipeg 4.10 or Edmonton 2.30 or Edmonton 4.20 or Edmonton 2.30 or Edm

Price cach, F.O.B. Winnipeg

(C to J) Alemite Hydraulic Fittings—Rustproof plating, case
hardened; will withstand 20,000-lbs, grease pressure. Hardened steel
ball prevents grease leakage and keeps out dirt and water.

Catalog No.	Pipe Thread Size	Angle	Price F.O.B. Wpg., Sask'n. Regina, Calgary, Edmonton
(C) B4-1320 (D) B4-1316 (E) B4-1324 (F) B4-1308 (G) B4-1312 (H) B4-1313 (I) B4-1328 (J) B4-1330	% -in. pipe 1/2 -in. pipe 1/3 -in. pipe 1/4 -in. 28 thread 1/4 -in. 28 thread	Straight 30° 67½° 90° Straight 67½° Straight 45°	.06 .12 .11 .12 .17 .22 .08

AIR OPERATED GREASE GUN 26-OZ. CAPACITY

26-OZ. CAPACITY
Single shot, instant in operation. A high pressure gun that develops 80 times the pressure shown in eir compressor tanks. Bright niekel plated finish. Spring primed, fills hy suction through telescoping filling rod. Made of finest materials; fully guaranteed. Operates on air pressure as low es 50-lbs. Weight about 5-lbs.

B4-2026—Price, each, F.O.B. 19.25 F.O.B. 8askatoon 19.50 Winnipeg 19.25 F.O.B. Edmonton 19.65

BATTERY OPERATED GREASER



Reduces greasing time as much as two-thirds ... for farm, garage, municipal road machinery. Attaches to any standard vehicle battery ... ready for instant use. Automatic pressure switch controls unit at any pressure setting up to 3000-bs. per square inch; delivers 40-bs. of lubricant per hour. Complete with 25-tt. flexible high pressure hose—ball swivel at end of hose allows free sideways movement to reach fittings in any location; extra heavy 10-ft. battery cable with heavy duty battery clips. Fits any 25-lb. standard straight wall grease pail. Weight about 40-lbs.

B4-3210P—Complete as illustrated 149.50 less pail. Price, F.O.B. Winnipeg

Knot Passing Pulley Malleable frame with swivel

Malleable frame with swivel eye; 6-in. hardwood sheave. A most popular pulley for hay carrier and other purposes — will pass large knots and short splices. B39-6525-Price, each.

Sheave only; 6-inch diameter. Well finished of durable hardwood. To fit pulley listed above. B39-6526—Price, each.

F.O.B. F.O.B. F.O.B. Winnipeg .38 Saskatoon .39 Edmonton .40



(A) Oyster Shells—Our oyster shells are sharp, medium ground and clean; no powder and full weight.

B38-5886P—Price, 80-lb, bag, F.O.B. Winnipeg.... 1.65 (B) Cod Liver OII—Vitamin rich supplement. Supplies vitamins A and B for increased health and egg production Recommended by experimental farm. Contains 1,000 units Vitamin A and 150 units Vitamin B per gram.

14.25

RETAIL STORES: In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and satisfactory service.

FALL and WINTER Catalogue—1953-54

Galvanized Poultry Fountain

Geivanized Poultry Fountain, 11 ½ Imper-ial quart capacity. Wa-ter remains at drinking level until empty.





A Customer Wrltes: "Your Double Action Portable Milker rottable Alliker
is a Godsend to
a dairyman. I
eannot speak too
highly of it, for
this milker is
everything you
say and a lot ay and more."

6.25

Stockmen recognize the feeding of oil cake meal as the one certain method to gain healthy stock and greatest profit. Contains 35 per cent protein. Instructions on feeding Oil Cake Meal furnished on request. Fourth-class freight rate.

B38-2781P--100-lb. sack, F.O.B. Winnipeg

WIRE BASE Glass Substitute

Glass Substitute
Use in place of window
glass; extremely durable
and transparent. Alumimum wire screen cloth
imhedded in a sheet of
waterproof plastic, allows the sun's helpful
ultra-violet rays to enter. These ultra-violet
rays provide poultry,
plants, livestock, human
beings with out-of-door
benefits throughout the
winter season. As flexible as window screen—
cut with shears and tack
in place.

832-2520—Wire Base

mesh base material that is transparent and water proof-a perfect substitute for glass. Just eut it with seissors and tack it on. Requires no more reinforcing than ordinary screen or netting.

MESH BASE

Glass Substitute

A strong texture heavy

Holds in heat, lets through the ultra-violet rays of the sun. B32-2520—Wire Base Glass Substitute, 36-inches wide.

Price per square yard....... 1.15 | B32-2510—Mesh Base Glass Substitute, 36-inches wide Price per square yard..........................63

"CLOTHLITE" WAXED CLOTH

WAXED CLOTH
This is a waxed cloth
of strong texture
used as glass for
stable and poultry
house windows—just
cut it with scissors and nail
it on. It is waterproof and air-tight.
Better than glass as it holds in heat
and lets through the Ultra-Violet
rays of the sun. Width 36-inches.
B32-2515—Price,
by Salvar vard



Items Not Marked ★ to be Ordered From Winnipeg Only
Oellvery Charges Extra Except Where Prices State "Delivered"



Every set of MACLEOD harness is a guaranteed harness Every set of MACLEOD namess is a guaranteed namess—that means it is a strong, long lasting harness made to exacting specifications and of selected, well tanned leathers...it means that skilled harness makers do the cutting and the sewing. Every set of MACLEOD harness is dependable.

BRIDLES—Ring crown style, full length and adjustable,

BRACK PADS—Felt lined, 4%-inch shaped housing, 1½-inch double and stitched billets.

BRACK PADS—Felt lined, 4%-inch shaped housing, 1½-inch double and stitched billets.

POLE STRAP6 and MARTIN-

HAMES—Steel plain top, extra blgh quality.
HAME STRAPS — 1-inch, strongly attiched.

• BELLY BAND — 2-incb folded. 23 ½-inchea loug.

NOTE: All harness, harness leather and parts will be supplied in Brown leather.

GUARANTEED HARNESS PARTS Selected Leather And Best Workmanship



Macleod'a guarantee all harness and barness parts to be of the best quality leather; made by experienced harness makers. Should a trace, strap or any part give out through defect in material or work manship, return it and we will replace the part free of charge.

**Husky"* Back Pads, 4½ inch shaped housing, blue felt lined, 1½-inch wide double and stitched hillets run continuous over top of pad. Weight about 2½-lbs. As illustrated.

B39-2940-F.O.B. Winnipeg... 3.10**

"Leader"* Back Pads, 3½-inch straight

"Leader" Back Pads, 3 ¼ inch atralght housing, 1 ¼ inch double layer billets are stitched and run continuous over top of pad Weight about 2-lbs.

B39-2641—F.O.B. Winnipeg.... 2.19

TEAM LINES
1-Inch Team Lines, 20-feet double and stitched at cross checks. Less snaps. Wgt. about 5-ibs. Set for 2 borses 8.75
B39-2755—F.O.B. Winnipeg.... 8.75

 $1\,\%_8$ -Inch Team Lines, 20-feet, double and stitched at cross checks. Less snaps. Wgt. about 6-lhs. Set for 2 borses. 10.75 B39-2756—F.O.B. Winnipeg

Rawhido Team Lines, 1-ln. wide, 21-ft. Less snaps. Set for two horses. Weight about 5-lhs.
B39-2758—F.O.B. Winnipeg... 7.35

TRACES

2-inch, 2-ply Traces, 6-feet 4-inches long, triple sewn, ring style, 7-link heel chain, 1½-lnch billeta. Weight about 11-lbs. 839-2805—F.O.B. Winnipeg 13.95

2-inch, 3-ply Traces, 6-feet 4-inches long, triple sewn, ring style, 7-link heel chain, 1½-lnch billets. Weight about 12-lbs. Set of two.

839-2806—F.O.B. Winnipeg 16.25

B39-2806—F.O.B. Wlnnlpeg 16.25 2-Inch, 3-ply Rawhide Traces, triple sewn. Weight about 20-lbs. Set of two 9.35 B39-2908—F.O.B. Winnipeg... 9.35

TRACE BILLETS Trace Billets, 1 1/2-incb.
B39-2811—Each F.O.B. Winnipeg .48

HAME TUG6
Hame Tugs, 2-inch, 3-ply with bolted trace ring. As illustrated.

B39-2814—Fach F.O.B. Wpg.

2.65
B38-2646—Each F.O.B. Wpg.

1.53

BREECHING STRAPS
Breeching Straps, 1-inch wide, 5-ft. 9-ins.

long. B39-2793—Each F.O.B. Wpg. 1.39

MARTINGALES

1 %-Inch Sewn Martingales B39-2764—F.O.B. Winnipeg.... 1.75

BRIDLE6
Ring Crown Bridle, full length and adjustable. Ring Crown Bridle, full length and adjustable.

B39-2659—F.O.B. Winnipeg....

Ring Crown Bridle, one piece 1 % inch brow band and eye stay. Heavy 1 % inch straps, as illustrated.

B39-2658—F.O.B. Winnipeg....

B39-2791—Bach F.O.B. W'p'g 1.69

1-y-Inch Riveted Breast Straps, 4-feet 3-inches long.

B39-2790—F.O.B. Winnipeg...

1.29

HAME STRAP6

1-Inch Hame Straps, riveted. As illustrated.

B39-2798—Each F.O.B. Winnipeg...

B39-2798—Each F.O.B. Winnipeg...

B39-2798—Each F.O.B. Winnipeg...

1.39

1-Inch Hame Straps, riveted. As illustrated.

B39-2798—Each F.O.B. Winnipeg...

Back Pad Linings

* Heavy, soft harness felt.
To fit team hack pads.
B39-2727-Size
4% x18-ins. Fach
B39-2728-Size .31 5x19 Inches. Each





Blue Harness Felt (100% Wool) Sweat Pads

Beat quality, 100 Beat quality, 100 per cent wool blue barness felt sweat pads. Soft, thick, easy on the horses' shoulders. Securely riveted on books. Sizes 19 to 24. Price. Price, 1.96



GERVING THE WEST:

In the important consideration of Quality . Value . . Service . . . Macleod's Limited, today as always in the past, ia huilding for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the successful growth and continued expansion of this company can be built.

can be built.

RETAIL 6TORES:

In addition to our mail-order catalog service we bare retail stores "all over the West." Those retail stores further emphasize our desire to give a complete and satisfactory service.

Good Double Ply Rawhide Halters

BLACK LEATHER HALTER

No. 1 quality barness leather, every strap is double stitched with linen thread and is full 1¼-inches wide. The beavy crown is two or three ply according to weight of atock; gullet is 4-ply; buckle atrap is 4-ply and croas stitched; throat latch is fitted with snap. Six ring style, same as balter illustrated above.

Black Leather Halter, shipping weight about B39-2743—Each F.O.B. Winnipeg 2.79

BEATTY FARM COLLAR

•POLE STRAP6 and MARTIN-GALES—1 %-incb wide, strongly stitched



Beatty All Leather Collar, Straight. 7.15 Beatty All-Leather Collar, ½ Sweeney. F.O.B. Winnipeg...



Heavy Duck Collar, Sizes 19 to 24. 4.45

Steel Interlined Leather Collar Pad

"Justrite" Collar Pad of 2-ply heavy leather with steel interlining Com-plete with two straps. B39-2767— F.O.B. Winnipog .85



Bark Tanned

Harness Leather
Select quality, best for barness repairs. Great care is taken in the selecting of our leather to

e that every hide is p ell-cured and finished.	roperly tann	ed, plumb
lote: Brown Leather nly will be supplied.	Catalog No.	F.O.B. Winnipeg
Vhole 9ides (about 21- bs.) per lb.	B39-4975	.95
Vhole Backs (about 15 hs.) per lb.	B39-4970	1,03
Vhole Bellles (4, 5, 6) r 7 lhs.) per lb.	B39-4973	.47
b. Back Strips (hide ength) per lb.	B39-4671	1,10
eather 6trlps (b i d e ength) 1-in., 1 % -in., 1 % -in., 2-in 2-in	B39-4679	1.12
oke Leather Bend Strips -in. wide (about 22-in. long, approx. 1 ½-lbs. er strip), per lb	B105-731	1,39



An extra heavy 6-in polished bit with solid head. Has 2 % -in.

(B) CLIP ATTACHMENT WITH RIVETS

For use on hame tugs, trace rings and heel chains. Size shown is width of clip holt.

B39-2874-1 1/2 -inch. Each .04 B38-2876-2-inch. Each .05

(F) HAME LOOPS Polished finish for steel hames. B39-2864—Each10

(G) HAME BOTTOM LOOPS

(H) LINE SNAPS Flat spring style line snaps with strong blue spring steel tongue, Black Japanned finish,

I-inch size with loop. B38-2904—Each ...

ROUND EYE LINE SNAPS %-in.. Polished (not illustrated). B38-2894—Each25

(J) %-INCH BIT SNAPS

(K) OPEN EYE SNAPS Quick, repair snap for rope or chain as illustrated. Eye will close without heating (L)QUICK REPAIR BUCKLES Strong 1 1/2 -in. buckles. Japanned finish.

For breast chains or any work where double snaps usable. 42

(N) Breast Strap Roller Snaps A39-3228 — Big heavy, strong snap in bright, polished finish. Snap in bright, poissied Sorry Cannot Supply

(Q) BREAST STRAP SLIDE Standard 2-inch size. Works easily on strap. Wide flange; grey mal-leable iron, not cast idon. Fine Japanned finish. B39-2883—Each

(R) POLISHED BREAST CHAIN
Heavy polished breast chain. Electric welded, with hulldog Snaps. B39-2839 Each 1.65

(8) PLAIN TOP STEEL HAMES Plain top, varnished finish steel hames—two-piece construction. Will fit any collar.

B39-2854—Price, per pair 3.35

RETAIL STORES: In addition to easily y mal.

Fine

Our desire to give a complete and satisfactory service.



NEATSFOOT COM-POUND HARNESS OIL

Renews the life of leather and waterproofs it. Improves the appearance of all leather harness.

1-Gallon Can; weight 12-lbs. B38-5804— F.O.B. Wpg. 1.39

CURRY COMBS

Back grasp, 6 bar steel comb, with mane comb. B38-1833— Price, each..... .55

BROWN FIBRE HORSE BRUSH

Block is 9-inches long, 2-inches wide, smooth finish and nicely polished. With thumb and finger grooves.

B38-1154— 20 Price, each..... .39

STABLE BROOM

SOLID RIVETS WITH BURRS

Solid Copper Rivsts and Burrs. No. thickness. Assorted lengths % to %-inch B39.7101—Price,

Solid Copper Rivets and Burrs. No. 10 thickness (lighter than No. 8) assorted lengths % to %-inch. B39-7102—Price, per %-lb.68

Per 1-lh box.... 1.23
Solld Copper Rivets and Burs. No. 10 thickness, 1-inch length.
B39-7106— 1 25

Per 1-lb. box..... 1.25 Tinned Iron, %-inch long long. No. 10 thickness with Burrs, for canvass,

B39-7121— Per ½-lb. box..... .35

Tubular

Rivets

Revolving Punch

Strongly made steel:

1.23

Stabls Broom, solid hard-wood block and long han-dle. Best quality long bass. 14-ins. wide. взв-833—Еась 1.45

Coppersd Iron Rivets and Burrs, No. 8 thickness Assorted lengths % to % in. 1-inch length, B39-7110—. 42 B38-7105— 1 22

Split side, quick-repair rivets. Clinch with a hammer — no machine needed. 100 rivets to box. 29 B39-7170—Box 29

and




Long distance copper cow bell, Measures 4x3x3 %-ins. 65

V-sbaped Blades, cuts all sizes of horns. Compound levers make cutting easy. Large size—37 ½-ins. overall length. Weight 17lbs. B38-2373P— F.O.B. Winnipeg ... 9.95

(C) SELF-PIERCING BULL RINGS
Staniless steel, easily attached, complete as illustrated. Size wedded frame. Fitted with strong 5/16x2%-ins.

B38-9209—
Price, each





Easily adjustables, put on or taken off by removing a cotter pin. Spurs act immediately cattle try their strength on any fence. 36-in. size. B38-6123P—Price. 1.25

Not adjustable, 33-inch size—Will fit most cows. Bolt opening.

89



"Quick and Easy" Hog Ringer Hog Ringer. Quick, easy action closes ring33 B38-6485—Each

Hog Rings, coppered. Box of 100.



LINEN HARNESS THREAD


Linen Harness Thread, No. 8.



HARNESS THREAD Best grade Irisb linen thread of uniform

Pitched Linen

thickness and free from knots. Black pitched to resist moisture and acid. Spool contains about 100-feet. B39-8111—Per 1-0z. spool....... .29



(A) KLING SNAP ROPE HALTER SHANKS—½ Inch Rope Halter Shanks. Heavy kling snap fastened in by wire clips. Length 6-feet. B39-2750—Each F.O.B. Winnipeg .39

(B) SWIVEL SNAP HALTER CHAIN Halter Chain with Snap, good weight and strong. Length 4½-feet.

B38-1658—Each F.O.B. Winnipeg .59

40-FT. TETHERING OR TIE-OUT CHAIN—Pollshad Finish, 40-ft. tethering chain, complete with swivel snap and B38-1881—F.O.B. Winnipeg.... 2.69

Macleod's brand names: Artisan, Ar-dais, Coronado, Crest., Farmerest, Hi-capacity, Hlawatha, Homequard, Power-crest, Carcon, guarantee constant high quality and downright dollar value.



(D)

B38-8089P — Price. F.O.B. Winnipeg. Regina, Saskatoon, Calgary and Edmonton

(B) With 1/2 x6-inch bolt, to fit wood



SERVING THE WEST: In the important consideration of Quality ... Value ... Service ... Macled's Limited today as always in the past, is building for the years ahead, we realize that the confidence of each customer gained through goodwill as a result of satisfaction is the main foundation on which the successful growth and continued expansion of this company can be huilt.



Cast Iron Hog

Waterer
Easily attached to a barrel or trough; fills up automatically and, keeps an even water level. Cast iron, a lumnum rust resistly sanitary. Measures 13 ½ x 6 ½ -inches; 4 ½ -inches;



Copper Iron Rivets and Burrs. No. 10 thickness (lighter than No. 8). Assorted lengths % to % in. B39-7111

Solid Copper, %-in. long. No. 10 thickness with Burrs. B39-7104—

Per ½-lb. box63 Slotted Clinch Rivets

Items Not Marked K to be Ordered From Winnipeg Only Dollvery Charges Extra Except Whers Prices State "Delivered"

DURABLE ROOFING FOR ALL YOUR BUILDINGS

EOD roofings are made of high-grade materials; of long fibre roofing feit thoroughly impregnated and coated with elastic asphalt compound and specially surfaced for all weathers. In the best of all tests—that of actual use— many customers say it is easy to do a good roofing job with Macleod roofing; looks better and wears ionger, too. Each roll contains 108 sq. ft., and will cover 100 sq. ft. after allowing for lap: each roll is complete with nails and cement. MACLEOD roofing positively will not discolor rain-water, is suitable for any roof, for old or new work, and can be laid over shingles.

						Price Pe	ROII OF TO	5 5Q. I	
Catalog No.	Name of Roofing	Туре	Surface	Weight per Roll	F.O.B. Winnipeg	F.O.B. Ragina	F.O.B. Saskatoon	F.O.B. Calgary	F.O.B. Edmonton
B32-6555F	Blue Ribbon	Medium	Smooth Surface Talc Finish	45 lbs.	2.79	3.55	3.45	3.45	2.99
B32-6556F	Blue Ribbon	Haavy	Smooth Surface Tale Finish	55 lbs.	3.49	4.35	4.45	4.45	3.89
B32-6492F	Red Orlantal	Extra Haavy	Color Fast Slata Surface	90 lbs.	4.80	6.25	6.10	5.98	5.15
B32-6491F	Graan Oriental	with slate	Color Fast Slate Surface	90 lbs	4.80	6.25	6.10	5.98	5.15

FIBROUS ROOF COATING

For Waterproofing and resurfacing -Make Old Roofs Water Tight



Highest quality heavy-bodied asphalt ROOFING
CEMENT

One gallon will cover about 75 square feet on metal surface.

heavy-bodied asphalt base combined with tough asbestos fibres. Repairs leaky roofs . . . makes old roofs look like new. Not affected by the heat of the sunwill not wrinkle or crack in cold weather. Apply with a brush. One gallon will cover about 55 square feet on metal surface.

	Price F.O.B. Winnipag	F.O.B. Regina or Saskatoon	F.O.B. Calgary or Edmonton
B32-1455 1 Gal. Can; weight 1 I lbs.	1.55	1.79	1.69
B32-1456P 5 Gal. Can; weight 60 lbs.	6.65	7.65	7.15

Plastic Roofing Cement

Ideal for general roof repairs, repairing mortar joints, coating old metal and composition roofs; caulking wooden tanks, etc. Easily applied with trowel or knife.

	F.O.B. Winnipag	Regina or Saskatoon	F.O.B. Calgary or Edmonton
B32-1204— 21/2 lb. Can	.65	.73	.69
B32-1207— 10 lb. Can	1.85	2.10	1.95



Cartridge Type Caulking Gun

"Homaguard" Caulking Compound Cartridge Cartridge contains 1/12 Imperial Gallon of com-pound, Will not crack or become brittle; can be B32-1709—Price each, F.O.B. Winnipeg.... .55

Triple Butt Asphalt Shingles

- Thick butt . . . waar longer; always lay flat and smooth.
- Easily laid over old wood shingles or on naw roofs.
- Colors harmonize with any home design or satting.

Made of heavy roofing base thoroughly saturated and coated with asphalt and surfaced with slate granules that form a long-wearing, fade resistant surface. Choice of colors: Red or Green—will not fade, split nor curl—more fire resistant than ordinary shingles. These asphalt shingles are self-spacing and easily laid on any roof; complete instructions supplied.

Comes in bundles containing 48 shingles...3 bundles to a square (covers 100 square feet). Shipping weight per square, about 210-lbs. Nails not included, see listing below. Takes 3rd class freight rate.

B32-6424F — Red, per square (3 10.15 10.85 B32-6423F — Grean, per square (3 bundles to cover 100 square feet.) Price

10.15 10.85

"Storm-Tite" Asphalt Shingles

- Economical ... easy to lay on old shingled roofs or new roofs.
- Attractive haxagon pattern . . . choice of two rich colors.

Beautify your home at iow cost with a new Storm-Tite roof. Colorful fade-resistant, long lasting—made with a felt roofing base, saturated and coated with asphalt and given a weather protecting surface of slate granules. Choice of Red or Green—these colors blend pleasantly with any color scehme, Storm-Tite asphalt shingles resist the strongest wlnds because each shingle is "locked" at the corner.

Comes in bundles containing 40 shingles ... 2 bundles to a square (covers 100 square fect). Shipping weight per square about 125-lbs. Nails not included, see listing below. Takes 3rd class freight rate.

| B32-6359F — Rad, per square (2 bindles to cover 100 square ft.) | F.O.B. | Winnipag 6.25 | Edmonton 6.50 | | B32-6358F — Green, per square (2 bindles to cover 100 square ft.) | F.O.B. | Winnipag 6.25 | Edmonton 6.50 |

Startar Strip for Shingles—Use Oriental Roll Roofing, shown on this page; cut rolls to one half or 18-inch widths. Order color to match shingles.

Large Head Nails for Asphalt Shingles

Triple Butt shingles require approximately 1-ib. of nails per 100 square feet; Storm-Tite shingles require approximately ½-ib. of nails per 100 square feet. On new lumber use 1-inch nails, on old lumber use 1½-inch nails.

B15-5601F — 1-Inch Aluminum Nails, 10 gauge, large head. Per lb. F.O.B. F.O.B. Edmonton .89

Nalis, 10 gauge, large flead. Per lb. F.O.B. F.O.B. Edmonton .85

ASPHALT SHINGLES

RETAIL STORES: In addition to our mail-order catalogue service we have retail stores "all over the West". These retail stores further emphasize our desire to give a complete and aatisfactory service.

Plain, tarred and waxed building papers of quality. Service and satisfaction is assured with every roll, as each square foot of MACLEOD building paper is made to a specific formula that meets the demand for durability. Rolls contain 400 square feet. Order from Winnipeg, Regina, Saskatoon,

- 0 0.								
		Width	Weight		Price Pe	r Roll of 40	00 sq. ft.	
Catalog No.		of Roll	of Roll	F.O.B. Winnipag	F.O.B. Ragina	F.O.B. Saskatoon	F.O.B. Calgary	F.O.B. Edmonton
B32-5261F	"Winner" Plain Building Papar, Standard Grade—For general purposes	36-ins.	15-lbs.	1.60	1.79	1.69	1.75	1.65
B32-5263F	"Quafity" Grada Kraft Plain Building Paper. Stronger, tougher, more durable	32-ins.	16-lbs.	2.70	2.90	2.75	2.95	2.85
	"Winner" Tarrad Building Paper, Standard Grade—For sheathing walls and ceilings	36-ins.	25-lhs.	2.35	2.65	2.55	2.65	2.45
B32-5253F	"Quality" Greda Kraft Tarrad Building Papar. Tougher and stronger than above		27-lbs.	3.55	3.90	3.65	3.85	3.65
B32-5265F	Jumbo Heavy Kraft Plain Building Papar Three times heavier than regular weight.		45-lbs.	6.10	6.70	6.65	6.95	6.60
B32-5255F	Tarrad Heavy Kraft Building Papar—Same as above, except tarred	32-ins.	70-lbs.	8.45	9.35	9.25	9.25	8.65
B32-5285F	Waxed Kraft Building Papar, madium weight—Use wherever a vapor barrier is required		13-lbs.	3.10	3.10	3.10	3.10	3.10
B32-5286F	Haavy Waxed Kraft Building Paper— Same as above except heavier weight	36-ins.	18-lhs.	4.49	4.49	4.49	4.49	4.49



Shipping weight 50-lbs. por roll.

Asphalt Brick Roll Siding

ASPRAIT DICK ROII SIGING

ASPRAIT DICK ROII SIGING

Ilke brick.

Easy to put on this attractive brick siding—it comes in 18-inch wide rolf, you just nail it on. It is wind-resistant, fire-resistant and water tight. Makes old buildings look like new; insulates them against heat and cold, never needs painting.

Made with a heavy felt base thoroughly asphalt saturated and then covered with a thick coating of asphalt and surfaced with red blended or buif slate granules that form a long-wearing. faderesistant surface. Each roll covers 50 square feet allowing for 2-inch lap. Complete with nails. Takes 3rd class freight rate.

B32-7358F—Tapestry Brick, Red color. Per roll (50-sq. ft. coverage).

coverage).
B32-7357F--Tapestry Brick, Buff color. I'er roll (50-sq. ft.

F.O.B. Regina F.O.B. Winnipeg F.O.B. Saskatoon F.O.B. Calgary F.O.B. Edmonton 3.60 3.69 3.69 3.10 2.85

Asphalt Stone Block ROLL SIDING

of Grey stone block effect with of More first-resistant than wood black mortar-like lines.

This grey stone siding is easy to apply over any type of wood sleedtling. Use it to simulate a stone foundation or use it to completely cover the walls of sny building. Insulates, too, and that means a warmer home in winter and a saving in fuel bills. Made with heavy felt hase, asphalt saturated and then coated with asphalt and surfaced with fine rock granules. Itolis are 18-inches wide and eover 50 equare feet, allowing for e 2-inch lap. Complete with nails. Shipping weight about 50-lbs. per roll. Third class freight rate.

B32-7377F—Grey Stone Block Roll Biding; black mortar-like line.


Per roll (50-sq. ft. coverage).

F.O.B. F.O.B. F.O.B. F.O.B.

Winnipeg Regina Saskatoon Calgary Edmonton

3.19 3.95 3.85 3.85 3.30

Asphalt Insulating Siding Panels



ing Siding Panels

More fire resistant then wood siding ... waterproof and weatherproof. Rich appearance; will never fade.

Easlest to put on .. rigid 5-ft. 4½-in. panels, just nail them on; shiplap edges essure an even sealed-tight surface.

This attractive siding is easily put on, the big 5-ft. 4½-in, panels are 14½-ins, wide, ship-lap joints are water-tight—just nail it on. Adds to the appearance and increases the value of any house—insulates, and that means the house is warmer in winter, and a saving on finel bills, too!

Fire-resistant, weatherproof, waterproof construction—over a hase of ½-inch ashalt treated insulating board is embedded a thick coat of asphalt; onto this is moulded a surfece of slate granules to give an attractive real brick or stone appearance. Comes in bundles of 8 sheets; one bundle coars on how to install over sheathing or old siding. For nails and corner strip see listing below. Shipping weight should 10-lbs. por bundle, takes 3rd class freight.

NOTE: For caulking joints and windows use "Fibregum" Plastic Roofing Cement. 10-th the does about 10 bundles of siding.

XB32-7342F—Brick Design, with white mortar line; choice of Rustic Red or Rus-tic Tan color. Per bundle (50-sq. ft. coverage). State color. Winnipeg Edmonton XB32-7342F—Grey Stone Design, with black mortar line. Per bundle (50-sq. 700 225 7.90 8.25

Corner Strips—All metal, brick or stone face. Complete
with separate metal base to firstall under siding.

B32-7422F—Brick Design, white mortar line. Rustic Red or Rustic Tan—state which. Per length, 42-ins. long. Shipping weight about 3-lbs.

Shipping weight about 3-lbs.

Winnipeg Edmonton
Shipping weight about 3-lbs.

1.40

1.40

F.O.B. Edmonton..... 1.13 F.O.B. Edmonton



General purpose clamp for shop, ferm or home. Steel frame and screw Red finish.

B13-972-2-iu. % -in. Throat .29 B13-973-3-in. Jaw. 1 1/4 -in. Throat .57

Sturdy 18-Inch Nail Puller

Nail Puller

Heat treated tool
steel lever bar and
elaws. Accurately
ground claws grip
tight every time to
speed work. Ran
bar drop forged
from best quality
tool steel — heat
treated — natural
finish. Ram finished in bright haked
en mel with black
grip. Length 17 ½inches.

B13-3509— 2.98

GALVANIZED EAVESTROUGH

Standard gauge, durable, gaivanized sheet metal eavestrough and drain pipe, casy to install on any type of house-adds to the appearance and also to the life of the building, as a good eavestrough job prevents a water logged foundation end a damp basement. Best of all, a good eavestrough job means plenty of soft rain water in the eistern each rain. Width of eavestrough is 4-inches; diameter of conductor pipe is 3-inebes.

meier	or conducto	r pripe is 5-menes.	
Ca	talog No.	Article	Price Each F.O.B. Winnipeg
	B32-2009	Inside Corner, 4-in, width	1.19
(A)	B32-2010	Outside Corner, 4-in. widtb	1.19
(B)	B32-2005	Centre Drop	1.22
(C)	B32-2001F	Eavestrough,	1.29
(D)	B32-2012F	Conductor Pipes	1.55
(E·F) B32-2013	Conductor Elbow	.57
(H)	B32-2002	(75 degree angle) Left End Cap,	.22
	B32-2003	4-in. width	.22
(K)	B32-2003	4-in. width	
(K)	B32-2015	length)	.03

eavestrough. Order Eavestrough from .02 (7-in. length) Winnipeg only,

SERVING THE WEST: In the important consideration of Quality. Value. Service... Macked's Limited, today, as always in the past, is building for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the successful growth and continued expansion of this company can be built.

Keep The Cold Out With Weather Strip

Stop dratts by "weather stripping" doors and windows. The pob is so easy to do and the cost is so low that in one winter a god weather etrip job saves its cost many times in extra comfort an reduced fuel bills.



(A) Felt Weather Strip

Heavy thick felt weatherstrip—tack it around doors and window stops drafts, keeps the cold outside. Contains about 39-ft. 832-9637—Per box

(B) Eskimo Weather Strip for Doors, Etc.

Bost grade rubberized fabric with cotton filler. The fabric cover is sewn and shaped to give a windlight bead protection when fitted to B32-9505—Price per foot

(C) Hair Felt Weather Strip

(D) White Felt Weather Strip

Made especially for storm windows, to give annu fit, prevente rattling. Soft white felt ½-inch wide, approximately ½-inch thick. 22
B32-9672—Price per 25-foot hundle

Sponge Rubber Weatherstrip

Ideal for storm windows—makes e tight windproof fitting. Sponge nibber is %-in. wide and 3/16-in, thick. Box contains about 50-ft.

2.49 B32-9622—Price, per box. Delivered



"Strip-Seal" All-Purpose WEATHERSTRIP

WEATHERSTRIP
Pliable as putty, you can seal cracks and holes around storm doors and windows by just pressing it in where required; also used as a wood filter to fill dirt-catching spaces in kitchen woodwork and for giazlng windows. Will not crack or fall out. Motorists find "Strip-Seal" an efficient low-cost way to install frost sblelds on cars and trucks.

B32-9522—Box of five packages, sufficient to do five average windows. Price, DELIVERED 1.65 B32-9745—Per Price, Delivered.

Wood-Backed Rubber Weatherstrip Door Set

Easy to make doors windtight when you tack on this woodbacked rubber weatherstrip. Set consists of two 7-foot lengths and two 3-foot lengths enough for an average deorway. Complete with nails.

B32-9745—Per sot. 2.49




Bronze Weatherstrip Door Set

"Built-in" spring action of the last weatherstrip effectively seals against all weather conditions (see illustration). Easy to Install, all that is required is hammer and scissors. Set contains two 4-ft, lengths, complete with nails.

Bronze Weatherstrip Door Set, complete, R32-9692—

B32-9692— Price F.O.B. Price F.O.B. Winnipeg...... 1.85

RETAIL STORES: Our retail stores have hundreds of items that are never shown in our mailorder eatalog.



Metal Reinforced Door Bottom, Wood Backed Rubber Weatherstrip

Goes on door sill; soft sponge rubber fits snigly against bottom of door. Heavy metal strip-covers weatherstrip to protect it from scuffing and breaking. This is a permanent year round installation Length 36-inches, easily cut to fit door. Door Bottom Weatherstip, B32-9735—Each, Deliversd... 1.25



Homeguard Ready-Cut Storm Pane

Converts Screens to Storms In a Jiffy

A handy panel of sturdy transparent material, ready-cut to fit most doors and whidows. Complete with framing strips, nails and instructions. Just tack on to keep cold out, keep heat in . . avoids drafts saves fuel. Size about 36x72-ins. Storm pane complete with eix 3-ft. weterproof framing strips.

B32-1770—F.O.B. Whnipeg.... 89

ace ferrules and kes every 2 feet of



Adds to the Value of Any House . . .

Homeguard insulation is development for home improvement.

- It is Fire Resistant.
- It is Vermin Proof.
- It is Fluffy and Feather-Light
 ... weight is only 13 ounces per
 square foot. 4-inches thick.
- Does Not Settle . . . this means complete protection for every part of the walls.
- Not Affected by Moisture.
- Lasts The Life Df The Bullding. Saves Fuel Every Winter...many users report a winter fuel saving of more than one-third.
- Maintains An Even Temperature Throughout The Building.

Throughout The Building.

Home owners who have connicted a Homeguard Insulation job are enthusiastic in praise of Homegnard . . schools, churches and other huildings too need Homeguard extra comfort. During the past five years we have insulated hundreds of homes, schools, hotels and government buildings with Homeguard Insulation . . owners report complete satisfaction in greater comfort, healthier living conditions, and in fuel savings which pays for the cost of insulating in a short time. For a Saskatchewan School Division we insulated 14 schools with Homeguard and they report a marked improvement in classroom comfort and fuel savings. Remember: there is only one Homeguard Insulation — it is sold and guaranteed by Macleod's Limited.

Make your home really comfortable... to put Homeguard Insulation in walls and ceilings of your house is the easy, modern and economical way to master the problem of year-round comfort... Homeguard Insulation actually moderates within the house the extremes of heat and cold; prevents uneven room temperatures. Think of the added comfort of having each room in your home really draft-free in winter and cool in annuncr.

Homeguard Insulation acts like a blanket around the house... cold outside air cannot enter and the warmth from the heating system cannot escape. In summer the house will be cooler, too—because in summer the insulation blanket is really an umbrella to keep out summer heat.

When you insulate your home with Homeguard Insulation you cut down heat loss through walls and ceilings... as much as 47 per cent, on a 1-storey frame type house and even more on a 2-storey house of the same construction... even to insulate the ceilings adds greatly to comfort and foel savings.

Have a construction of the same construction of the same construction...


Up To 50% Up To 47% LDUVRE VENTILATORS To Complete The Insulation Job. All insulated homes must be ventilated. Gable type ventilators ahould be installed on both ends of the attic as near the peak of the roof as possible. The ventilators must be placed to allow an unobstructed flow of all across the insulation in the attic, and so prevent any condensation. At less two ventilators are required and are left open the year around. Select the correct size from chart below. Order from Winnipeg, Regin a, Saskatoon, Calgary, Edmonton. Select the correct size from chart below

COOLER IN SUMMER



(A) Gable Type

Number	Descripti	on	Use 2 Ventilators of Size Below	Ventilates Attic Floor area up to	
B32-8755 B32-8729	Gable Type		4x8 inches 8x8 inches	100 sq. ft. 200 sq. ft.	1.95
B32-8730 B32-8731	Gable Type	(A)	8x12 inches	300 sq. ft.	2.45
B32-8732	Gahle Type	(A)		400 sq. ft. 600 sq. ft.	2.65
B32-8780 B32-8769—F	Roof Type		dia : wentiletes 75	¹ 500 sq. ft.	l 5.95 istrated). Delivere



An Easy Do-It-Yourself Job

Stop heat escaping through ceilings and the attic. It is easy—just empty a bag of Homeiust empty a bag of Homeiust in a tub or box and find tup to its natural state, then pour in between the ceiling joists and level it off with a board or rake.

Saves Heat Loss

圖

Saves Heat Loss



STEPHENDER

COUNTERWEIGHT TYPE GARAGE DOOR HARDWARE SET

For doors up to 8-ft, wide and 8-ft, high. A complete hardware set including 6-ft, tracks, rails, rollers, weight box, pulleys, cables, bumpers, bandle and all necessary parts for attaching such as screws, holts, etc. Also included are two angle iron braces to join double doors together, or to reinforce single door. An easy to erect set with four pages of illustrated instructions to ensure perfect assembly. Complete (everything but the door), shipping weight about 50-10s.

B15-2912F—Counterweight Type Garage Door Hardware Set, for doors up to 8-ft. wide and 8-ft. bigh. F.O.B. Winnipeg....


OVERHEAD GARAGE DOOR HARDWARE SETS


- CAN BE USED FOR CONVERTING PRESENT GARAGE DOORS TO OVERHEAD TYPE, OR INSTALLATION OF NEW DOORS.
- NO SHOVELLING OF SNOW OR ICE TO OPEN DOORS.

Give your garage that new, modern look. Replace those bothersome doors with a single, overhead silding door. You'll save a great deal of time, in the years to come, by not having to shovel and manoeuvre. And its no longer an expensive proposition — especially when you can use your old doors. The big feature of these door sets is easy operation—door opens smoothly because it's balanced for finger tip raising—so easily—you'll be able to raise the door with one hand—even a child can operate at a touch—safe—will not swing back while open. Choice of two styles—see illustrations.



For use on the average garage door weighing up to 200-lbs, and measuring up to 9-feet in width and from 6-f. 6-ins, to 8-ft. in height. Gives more room for longer cars as door fits inside opening. Only 2 ½-ins, headroom required in average installation and only 3-inch sidewall clearance. Easy to install, may be used on oid or new doors. Heavy, oil tempered springs assure proper door balance, raises door with fingertip action. Has shide bolt with hasp to be used with padlock for locking doors. Complete with all fittings. (less door) and simplified, illustrated installation instructions. Shipping weight about 53-lbs.







NEW BEAUTY AND LASTING PROTECTION

By all the standards known to paint making Macleod's "Super Qual-ity" will give satisfaction . . . in coverage, hiding power, protec-tive qualities, ease of application and beauty of finish.



Macleod's "Super Qual-* ity" Rity" Outside House Paint contains the finest ingredients to form a weather resisting, durable finish, with excellent hiding

power. Made from white lead, zinc oxide, titanium and pure linseed oil, which assures lasting protection and greater coverage on all exterior work. One gallon covers approximately 400 to 425 square feet on two coat work, or approximately 800 square feet over Undercoater or prepared surface.

OUTSIDE WHITE B30-4522-Ouart Tin. DELIVERED. 1.93

OUTSIDE CREAM B30-4521-Ouart Tin. Price DELIVERED 1.93 B30-4533P—Gailon Tin.
Price
DELIVERED 6 6.65

Macleod's "Super Quality" Exterior Undercoater

Macleod's "Super Quality" Exterior Undercoater
The practical low-cost way to paint—one cost of Undercoater
and one cost of MACLEOD'S "Super Quality" Outside House
Paint will usually give an excellent paint joh! Use for priming new,
unpainted, or hadly weathered surfaces; has remarkable histing
qualities. One gallon covers 450 to 600 square fect, one cost, depending on emidition of surface.

B30-6417—Quart Tin—Price DELIVERED 1.93
B30-6419P—Gallon Tin—Price DELIVERED 6.65

Shipping weight about 20 lbs. per gelion.

MACLEOD'S "SUPER QUALITY" RED BARN PAINT

Add to the appearance of your barn and at the same time give it all-weather protection by painting with MACLEOD'S New Formula ded Barn Paint. Made with pure Linsect Oil and quality ingredients that give lasting protection. On new work and harns not hadly weathered one gallon covers approximately 500 to 600 sq. ft. in one coat, or 300 to 325 sq. ft. two coats.

B30-3817P—Gailon TIn—Price DELIVERED 4.35
B30-3818P—5-Gailon Tin—Price DELIVERED 21.25

Shipping weight about 15 lbs. per getton.



color card. B20-6870—Quart Tin. Price, Delivered ...

S.W.P. HOUSE PAINT—Made from finest pigments to assure maximum coverage, beauty and protection. There is no better house paint made. Covers approximately 800 square feet per gallon, one coat, over Undercoater or prepared surface. Colors: White, Cream, Chelsea Grey. Hollywood Brown or Black.

B30-4550—Quart Tin. Price, Delivered 2.40
B30-4558—Gallon Tin. Price, Delivered 7.75
Also available in other colors at slightly higher prices. Write for color card and prices.

Flite



Spraya lacquers, enamels, varmishes, painta and all finishing material, including synthetic enamels and cold water paints; applies them evenly on rough or smooth surfaces, operates at amazing speed.

Outfit consists of compressor mounted on a metal base, cadmium plated handle, mbber feet; pressure feed spray gun, complete with fan nozzle; vee helt and motor pulley: 15 ft. of hose included. Requires 4, H.P. motor.

The Gun: Pressure feed type with internal break-up nozzle—atomizes "inade" the nozzle of the gun and gives a high efficiency per cubic foot of air; sensitive controls in paint and air gives any required volume form fine shading to production coverage. Capacity ahout 1 4, pints.

The Compressor: Is built on an entirely new principle.

The Comprassor: Is built on an entirely new principle, no piston rings to wear or cylinder walls to score; rubber dlaphragm completely separates crank case from air chamber so that oil cannot enter. Only clear air is delivered to the gun.

delivered to the gun.

830-7505—Portabla Paint Sprayer, complete as described, less motor, weight about 21-lbs. In
87.50

struction sheet supplied. Price DELIVERED

Monthly Payment Price: \$7.50 down and \$5.50

Per Month for 6 Months.

830-7507—Extra Spray Gun. DELIVERED 12.00

830-7508—Extra 25-foot Length Rubber Air Mose.

Price DELIVERED 5.65



Emery Cloth Package, contains six sheets, size about 5 ½ x4 ½-ins. Assorted surfaces 17 B30-106—Per package .17

Sandpapar Package, contains 20 sbeets, size about 5 ½ x4 ½ -ins. Assorted aurfaces. B30-128—Per package .15

Sand Paper In Sheets

Specis	are said		rice
	Grit		Sheet
B30-129			
	Mediur		
B30-135	Coarse	**********	04

Emery Cloth in Sheets

Sheets are 9x11-incbes.

Price
Grit Per Sheet B30-117—1½ Medium Coarse

For electric sanders, power saws, cleetric drills, and other home workshop tools, please see pages 48 and 49.



B30-751—DELIVERED.... 25
1-inch wide, length of bristle
1 % -inches. .25 B30-752-DELIVERED.... 1½-inches wide, length of bristles 1¼-inches.
B30-753—DELIVERED .35 2-inches wide, length of bristles 1 % -inches.
B30-754—DELIVERED .45

Good Quality Paint Brushes

3-inches wide, length of bristles 2-inches. 95
4-inches wide, length of bristles 2½-ches. 1.39

B30-758---DELIVERED

B30-758—DELIVERED

Better Quality Paint Brush
Pure black bristles set in rubber, red enamel handles with gold trim; nickle-plated ferrules.

1-in. wide, length of bristles 2-ins.

350-891—DELIVERED

3-in. wide, length of bristles 2 ½-in.

5980-893—DELIVERED

4-in. wide, length of bristles 2 ½-ins.

1.69

4-in. wide, length of bristles 2 ½-ins.

2.98

Nylon Paint Brushes

Nylon Paint Brushes
Good quality set-in-rubber Nylon bristles—
ionger, hold more paint and are more durable,
Green enamel handles; nickle plated ferrules,
1½-in, wide, length of bristles 2 %-ins. 98
B30-763—DELIVERED
B30-794—DELIVERED
B30-766—DELIVERED
B30-766—DELIVERED
B30-766—DELIVERED



Paint Water mix paint

Casein

te feet of wall and ceiling.

R Cream, Peach, Buf, Ivory, Bue, Daffodil, Green, Pink, Write for color card. package. Price, Deilvered 1.45



Roller Koater and Tray
Seamlesa plush covered roller and metal tray outfit for use with water mixed or oil paint.

B30-7339—DELIVERED 2.10

ROLLER REPLACEMENT OF ABOVE.

B30-7342—DELIVERED85

ROLLER KOATER OIL OF ABOVE.

B30-7336—DELIVERED35

Sandpaper Holder

Holds Sandpaper, emery paper, etc. All steel; with sure locking device; polished handle. Size 4 ½ x 3 ½ -inches.

B13-623—Price each......




plated. Per pair27






.32 B15-3569-Price, per pair





keys, screws. B15-4822—ea. 2.49 Modern Door Latch Set
Modern design, push-pull
type for screen, storm or
combination doors. Easily
installed hy boring a 1inch hole—no mortising.
Will fit doors %-inch to
1 %-in. thick. Complete
with acrews. with screws. B15-4863—Set.. 1.09



(A) Mortise Lock Set | Dull For inside door. brass finish. Set consists of cast steel lock, 3 x 3 % - inches, two escutcheons, 2x6-inches: one pair hendle knobs. Complete with key. Weight 2-lhs. 1 CO B15-5015—Price1.69

(E) MORTISE LOCK SET For inside door, Dull brass finish. Set consists of cast steel lock 3x3 4-inches, two facts of brass escutcheon pletes, one pair landle knobs. Complete with key.

(C) MORTISE LOCK SET Same as above except with flutglass knobs.

(C) MORTISE LOCK SET Same as above except with flutglass knobs.

(C) MORTISE LOCK SET Same as above except with flutglass knobs.

(E) Tubular Type Inside Lock Sets Amazingly easy to install, You can install them yourself with just a brace and bit in only a few in minutes. Full instructions with each set. Fits doors 1 % to 1½-inches thick. Dull brass finish.

(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass finish.

(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass finish.

(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass finish.


(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass finish.

(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass finish.

(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass flutglass finish.

(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass finish.

(C) MORTISE LOCK SET Set Inside Door Lock as above but in mortise flutglass flutg



Sturdy Padlock

Case hardened resists filing and sawing. With two keys. 1.55

(B) Brass Plated Padlock Heavy pressed steel, brass plated. Measures 2 x 1 ½ inches. Strongly riveted for greater pretection. Complete with two B15-6320—Price,39 (C) Heavy Steel Padlock Sturdy brass plated steel case, strongly riveted. Measures 1½ x 1½-inches. Complete with two keys. B15-6317—Price,25

(D) Safety Hinge Hasps

Made of wrought steel, com-plete with screws, Screw heads are concealed when hasp is

B15-3514-3 ½ -in.22 B15-3515-4 1/2 -in.25 B15-3516-6-inch38



(A) Bathroom Lock Set Brass knob on one side, chrome knob on the other. Push button locking mechanism with simplified emergency release.


B15-4998—Price, ea. 3.59

(B) Bathroom Lock Set With fluted crystal glass knobs. Inside lever locking mechanism with patented split spindle for emergency entrance.

B15-4996—Price ea. 2.65 (C) Exterior Door **Lock Set**

For use on all exterior doors, Polished brass finish, Key operated from outside, turn button action inside knob. Spring latch, 5-pin tumbler latch. B15-5004—price 6.75

DOOR AND WINDOW BUTTONS
Cadmium plated. For sash, screens or st
windows. Size 1 % in, with screws. B15-8785—Price, per dozen



(A) Loose Pin Ball Tip Butt Hinges Dull brass finish Complete with screws.

B15-3562—
B15-3563—
B15-3564—
3x3-in.
Per pair .70 | 3½ x3 ½ x3 ½ .75 | 4x4-inches Per pair99

(B) Loose Pin Plain Steel Butt Hinges Choice of three sizes. Complete with screws. B15-3580—B15-3561—B15-3562—S23-ins. 32 3 x x 3 x x 3 x x 4 x 4 x 4 x 4 inches. Per pair59

Narrow Fast Pin Butt Hinges Strongly made of rolled, wrought steel; these light, fast pin butt hinges are ideal for small doors such as cabinets, china closets, medicine cabinets. Complete

with screws. **B15-3555**—Size 1½-ins. | A15-3557 — Size 2½ inches. Size



Coat Hooks

Dull brass finish. Ideal Hook for walls and closets. Choice of two sizes. Complete with screws.

2 1/2 -inch projection: **B15-3791** each.... .17

3 % inch propection. B15-3792 ~ Price each..... .19



B15-3841---3-in, (B) HEAVY TEE HINGES WITH SOREWS B15-3663—4-in. .44 B15-3666—8-in. .78 B15-3665—6-in. Pair .59 B15-3667—10-in. 1.29

LIGHT TEE HINGES WITH SCREWS B15-3661—3-in. 23 B15-3662—4-in.



(A) STURDY SHELF BRACKETS

Sturdy corrugated steel. Three sizes. B15-879—Size 5 x 7-ins, Pair35 B15-881—Size 6 x 8-ins. Pair42 B15-982—Size 8x10-ins. Pair52

(B) GATE HOOKS and EYES 815-3807—Price, each Size 2½-inches B15-3808—Price, each Sizes 3-inches

THUMB LATCH (C)

For storm doors, etc. Black painted finish pressed steel: 6%-inch handle. Price, each (D) SA6H LIFT
All steel, choice of brass or nickel finish.
B15-4642—Sash Lift—brass. finish. Price. each B15-4943—Sash Lift—nickel finish. Price. each

(F) PNEUMATIC DOOR CLOSER

Has automatic pneumatic action. Clo door quietly. Suitable for light doors. Easy to install. Weight about 2-lbs. B15-1825—Price, each 1.98

(G) Sturdy Door Bolts with Screws Made of rolled wrought steel,



(A and B) "Artisan" Planes

Precision built to meet exacting requirements. Cutter and chip breaker of tool steel, bardened, tempered, and ground to a keen tough edge. Brass adjusting nut and steel fulcrum arm insure close cutter adjustment, Baked enamel finish on interior surfaces; polished sides, edges, cutter cap and blade. Corrugated bottom.

(C) Steel Body Block Plane

"Artisan" quality—non-breakable steel body, precision machined, ground and polished. 1 %-inch tempered steel cutter. Adjustable endwise and sidewise, Sides and bottom ground smooth. Polished metal knoh and cap. Overall length 7-inches. Weight shour 9 %-lbs. B413-2658—

Block Plana.

(D) Ratchet Brace


(D) Rafchet Brace

"Artisan" quality—steel clad ballbearing head; shockproof black plastic head and grip. Hardened steel
1%—inch
cutter,
sie and
d bottom
Polished
10, Overt. Weigbt
1, Weigbt
2.59

2.59

(D) Rafchet Brace

"Artisan" quality—steel clad ballbearing head; shockproof black plastic head and grip. Hardened steel
laws take parallel shanks twist drills
and square shank auger bits. Hardened Sheffield tool steel ratchets,
beavily nickel-plated frame. 10-inch
sweep; double ratchet.
B13-740—Weight about 5.45
Plain Brace; ball-bearing head, alligator iaws, 10-inch sweep.
B13-731—Weight about 2.19



(O) COMBINATION TRY AND MITRE SQUARE "Expert" quality, combination Try and Mitro Squara with level and scriher installed in handle. Use as an inside or outside try square, depth and height gauge, rule, straight edge, level and plumb. Blade 12-inches long: 45-degree miter.

B13-4625—Shipping weight ahout 1-lb, Prics 1.25

WOOO PLUMB AND LEVEL

Will give good service. Made with one plumb and one level; extra protecting lens permits top view reading. Length 18-ins. 1.75 Length 24-ins. B13-2366-Price 1.75 B13-2367-Price 2.25 ALUMINUM PLUMB AND LEVEL Grade—Two level glasses and four plumb glasses ill length 24-ins. Shipping weight 2-lbs. 5.35

History State Control of the History State Co

(H) TANG TYPE WOOD CHISELS
Polished heat treated forged alloy steel 3 ½-inch
bevoled blade. Red plastic handle.

B13-636 % -inch .65 B13-935 B13-937 1-inch .66



(E)

(F)

(G)

(A) Hand Saw Handle

Made of sturdy hardwood; slit hut not bored, will fit the average saw handle. Natural fimsh.

B13-2110—Screws not included. Price each

(B) Hand Saws

High quality, clean cutting cross cut saw; 26-inch, 8 points to the inch. Sturdy well fiulshed handle 3.15 26-Inch Rip Saw, 5 ½ points to the inch. well finished handle. 3.15 B13-4369—Price, each

22-inch Panel Hand Saw, 10 points to the inch. Same quality as B13-4381.

2.65

A good serviceable 26-in. cross cut band saw; 8 points to the inch, sturdy handle.

1.98

"Expert" Mitre Back Saw Steel braced stiff back; hardwood handle: 14x3 ½-in, hlade. Fits any standard m it re

1.79 B13-4407—Price, each

Blade can be turned at right angles to saw frame. Handle and saw frame is 7/32-inch steel, B13-4320—Complete with blade, Price, each .03
B13-522—Extra Loop End Blade, Price, each .03

Set of Three Saws Set consists of one 16-in. Pruning Saw Blade; one 14-inch Compass Saw Blade; one 10-inch Keyhole Saw Blade. Complete with sturdy easy-grip beech handle and wing nut for use with either blade 1.09

(A) WALL SCRAPERS

(B) 9-INCH WOOD SCRAPERS
Double Edge Replaceabla Blades

(D) Glass Cutters Easy cutting, rustproof glass cutter with ball handle, single alloy wheel. Leugth 5-inches B13-1068—Price, each19 (0)



Wood grip handle, steel shank se-curely rivited to 10-inch blade. A low priced trowel that will give service, B13-5194—Price, each39

(F) Bricklaying Trowel Wood grip handle, 10-inch blada. Serviceable, yet low priced B13-5167—Prica, each 30

(G) Pointing Trowel Similar to above but with 5 1/2-in blade. B13-5199—Price, each18

RAZOR BLACE SCRAPER Folds like a jack-knife. Holds single or double edged razor blades. B13-4452—Price, each22



POCKET CLIP SCREW ORIVER
4 ½ inches overall length: earry it in your pocket as you would acil. Amber plastic handle with clip.

a pencil. Amber plastic handle with clip.

13.4477—Price, each

13.4486—Price, each

13.4486—Overall length overall about 6 ½-inches.

13.4486—Overall length overall about 6 ½-inches.

13.4486—Overall length 9 ½-inches. Price, each

13.4486—Overall length 8 ½-inches. Price, each

13.4486—Overall length 8 ½-inches. Price, each

13.4484—Overall length 8 ½-inches. Price

13.4484—Overall length 8 inches. Price

14.4484—Overall length 12 ½-inches. Price

15.4486—Overall length 12 ½-inches. Price

15.4486—Overall length 8 inches. Price

15.4486—Overall length 8 inches. Price

15.4486—Overall length 8 inches. Price

15.4486—Overall length 12 ½-inches. Price

15.4486—Overall length 8 inches. Price

PHILLIPS HEAD SCREW ORIVER
Shockproof amber plastic handle; alloy
blade for recessed head screws on antos, etc. Cat. No. B13-4626 B13-4629 For Screw Blada
5 to 9 4-incb
10 to 16 6-inch Size ROBERTSON SOCKET SCREW DRIVERS ROBERTSON SOCKET SCREW DRIVERS
For square head screws on furniture, etc. Allor
steel blade; practically unbreakable plastic handle.

Cat. No. B13-4646 B13-4647 Blade 4-inch For Screw 4,5,6 7,8.9 Size 4-inch

(A) 14-Inch Spiral Ratchat Screwdriver. Quick return ratchet action. Three position control for right or left turning or as a rigid screwdriver. Can be locked for use as a fixed ratchet type.

3.09

10-Inch Spiral Ratchat Screwdriver. Similar to above except can not be locked as a fixed ratchet type screwdriver.

1.98

PRINCIPAL CONTRACTOR (A) "ARTISAN" BREAST ORILL

Heavy duty, "Artisan" quality. Drills metal and wood. Two speeds—easily regulated by a simple gear change device. 8-jaw chuck takes up to ½-inch round shank drills, pinion is fully enclosed. Length overall 16-inches. 4.75

B13-1281—Shipping weight 5-lbs. Price, each 4.75

clearly marked in eighths; steel back cut for 40-uegree miles.

17 Price, each

O CARPENTER'S FRAMING SOUARE

Has rafter table, brace table, octagon scale. Essex table. Rust resisting blued finish, white markings. Body 24x2-incbes, tohgue 16x1½-inches. Complete with instructions.

B13-4635—Price, each

CE) ARTISAN "T" REVEL

Adjustable S-inch metal blade. Tenite handle with finger hold.

73

Expansion Auger Bit Bores any kind of wood.
Solid steel shank will fit all braces. Small eutter bores from 1% to 1%-ins., large cutter bores from 1% to 3-ins.

2.45


Solid Centre E FERRE Wood Auger Bits

Price

(A) (R)

(A) "ARTISAN" BELL FACE HAMMER
B13-1626—Finast quality polished steel head, heat treated
and hardened. Select Hickory bandle.

1-tb, head. Price 2.35
B13-1624—"Expart" Ball Faca Hammer, 1-tb, head-heat treated and hardened drop forged steel. Price 1.59
B13-2063—"Our Best"; select straight grained bickory 39
Length 14-ins. Price . 39
Length 14-ins. Price . 25





"ARTISAN" 8-INCH BENCH SAW

Lifetime Seeled S.K.F. Ball Baarings, %-in. erbor. Precision ground table tilts to 45 degrees cut. Self-aligning fence for usa on either side of biede. Removeable throat insert for dado.

Removeable throat Insert for dado.

Heavy duty 8-incb ball bearing bench saw with the rugged, precision built, construction and quality features that assure dependable, long service and accuracy. Ground cast-table measurea 16x14 ¼-inches. Handwheel raises blade to full 2 ½-inch cut. Throat insert is removabla for use with dado blades, cutting to a 1 ½-in:h depth with a 6-inch dado blade. Fitted with adjustable blade guard and splitter, nitre gauge and cut-off rods. Saw comes complete with 8-inch combination blade. ¼ to 1/3 H.P. motor with 4-inch pulley to run saw at 3000 R.P.M., recommended. (Pulley not included; see below.)

Teble Extensions Dnly for Artisan 8-incb Bench Saw.
Two table extensions one on each side of table increases working space to 16 x 24 ½-inches,
Bli3-3318—Price, per pair,
F.O.B Winnipeg.

5.95



Equipped with 6 %-inch combination blade, will cut to a depth of 2 %-ina at 90 degrees and up to 1 % ins. at 45 degree angle. Strong aluminum die cast body, trame and guard provides a maximum of strength with a minimum of weight. Adjustable ripping guide is graduated from % to 8-ins. Ilandle has convenient two pole switch. Automatic safety guard. C.S.A. approved 49.75

Pulleys For ½-Inch "V" Belts

his. 2 1/4 3 4 2 1/2 1/3 4 B13-3586 B13-3592 B13-3598 B13-3510 B13-3588 B13-3594 B13-3600 B13-3612

Four Step "V" Pulley Graduated 4, 3 ¼, 2 ½, and 1 ¾ -ins.: ½-in. bore. For ½-in. "V" belt. Bi3-3703-1.25 As ahove %-inch B13-3705-- 1.25

"V" Belts to Fit Above Pulleys 1/2-Inch Width Inch Width
Dutside Prica eech
Meesure Delivered
28-ins, 75
30-ins, 77
32-ins, 37
34-ins 87
36-ins, 87
36-ins, 89
37-ins, 92
38-ins, 92
40-ins, 95
42-ins, 1.05
48-ins, 1.09

Sturdy Saw Mandrel
Cast iron collar, %-inch eteel shaft,
threaded end %-inch diameter, oilite
hearings. Length overall 12-ina. 2-in.
Vec pulley. Weight about 4-lbs. 3.85
B13-2487—F.O.B. Winnipeg
Same as above, %-inch shaft, threaded
end ½-incb diameter. Weight about
4-lbs. Cast iron collar, %-inch eteel shaft, threaded end %-inch diameter, oilite hearings. Length overall 12-ina, 2-in. Vee pulley. Weight about 4-lba. 3.85 B13-2487—F.O.B. Winnipeg Same aa ahove, %-inch shaft, threaded end ½-incb diameter. Weight about 4-lba. B13-2488—F.O.B. Winnipeg S.85 B13-2488—F.O.B. Winnipeg S.95 B13-2488—F.O.B. Winni

Ball Bearing Saw Mandrel



Peeriess quality. Flat ground, cbrome nickel alloy. Each saw is precision heat treated, correctly tempered tensioned, set and filed. Bored for %-in. shaft and complete with ½-in. bushing (if wanted for %-in. ebaft just punch out the bushing). Cat. | Bore

Inch Combination Saw—for cross cutting.	300 - 100	INO.		Each
ripping and mitering	ripping or mitering	B13-491	1/2 and %-in.	2.25
Inch Kid Circular Saw	ripping and mitering	B13-496 B13-495 B13-500	1 % and % -in.	2.75



(D) ARTISAN 6-FODT IN-ZAG RULE Inside reading 6-foot zigzag folding rule: made of special plastic—cannot warp, rigid and strong yet light weight. Joints are double brass rivited. Large black numerals; graduated in 1/16ths. B13-4280-Price, Delivared 1.09 8-FDDT ZIG-ZAG RULE An economy rule for the handyman, house owner, etc. Made of hardwood, white finish, easy working joints, Graduated in 1/16tbs of

B13-4278—Price, Delivered39
(E) 50-FDOT CLDTH TAPE
(Cloth measuring tape in black crackle finish metal case, folding winding handle, Vellow coated prestitched cloth tape, ½-inch wide, marked in feet, inches and ¼-inches. B13-4992-Price, Delivered



Cast aluminnm alloy construction witb steel bushings, ½-inch diameter shaft threaded each end for wheels with ½-inch bore. 2-inch diameter V-belt pulley, Can be driven from either back or bottom, Shinping wit shout 3-lbs.

B13-2857—F.O.B.
Winnipeg 2.69

Winnipeg

Power Grinders

New massive design moulded of heavy gray iron castings; equipped with "safety" steel wheel guards, Two 5-in. vitrified grinding wheels: One coarse, ona medium; 2-in. V-pulley driven from above or below, %: -in. shaft turned down to ½-inch at ends, Workshop Gray, wrinkle enamel finiah. 2.69 finish. Price, 7.95 F.O.B. Winnipeg 7.95

6-incb

(A) Utility Tool Grinder. Clamps to table or bench; 5-inch diameter, 1-inch drip proof; machine cut gears; adjustable steel

tool rest. B13-1768P—Price, F.O.B. Winnipeg 3.45

(B) "Aloxite" Grinding Wheels. Fast cutting, long wearing ahrasive. 1-inch face, 1-inch arbor hole, Bushings can he supplied to fit shafta 3/8, ½, %, and % inch Giameter.

Diameter	Grain	Catalog No.	Price Dailvere
4-inch	Fine Medium	B13-1819	2.75
4-inch 4-inch	Coarse	B13-1820 B13-1821	2.75 2.75
5-inch 5-inch	Fine Medium	B13-1822	3.85
5-inch	· Coaraa	B13-1823 B13-1824	3.85 8.85
6-inch 6-inch	Fine Medium	B13-1830 B13-1831	4.69 4.89
6-incb	Coarae	B13-1832	4.69
8-inch 8-inch	Fine Medium	B13-1837 B13-1838	8.95 6.95
8-incb	Coaraa	B13-1839	8.95

(C) WIRE SCRATCH BRUSH WHEELS
For removing rust paint, light buffing, etc.
Coarse Wira Scratch Wheels—order by catalog num-

Diameter	Arbor Hole	_Cat. No.	Price Deliverad
4-inch	⅓ -inch	B13-778	.95
4-inch 6-inch	% -inch ½ -inch	B13-781 B13-784	.95 1.19
6-inch	% -inch	B13-787	1.19
Fine Wire	Scratch Whee	ls-Order by	catalog number.
Diameter	Arbor Hole	_ Cat No	Price Delivared
4-inch	1/2 -inch	B13-777	1.19
4-inch	% -inch	B13-780	1.19

B13-788

% -inch

1.55



- Heavy Fabricated Steel Base
- Grease Sealed S.K.F. Ball-bearings
- Arbor Unit Tilts to 45 Degree Angle
- Double Acting Saw Guard

A powerful 8-inch tilt arbor saw for the professional crattsman or the home workshop. Heavy fabricated steel base. Floating motor rail reduces vibration and maintains proper pulley helt tension at all times; grease scaled S.K.F. ball-hearings; arbor unit tilts, with blade, to 45 degree angle; table stays flat; 8-inch combination hlade cuts up to 2½-inches. Two handwheels give fast, accurrte adjustment. Large machined table 13x18½-ins. Rip fence locks front and rear, can be used either side of blade. Complete with mittre gauge and cut off rods, splitter, clear view guard and 2-inch Voe pulley. Height from floor to table 32½-ins., adjustable up or down two more inches by adjusting hase legs. 1/3 H.P. motor with 4-inch pulley to run saw at 3000 R.P.M. recommended. (Motor and Pulley not included).

Artisan Floor Model 8-inch Tilt Arbor Saw, less table extension shipping weight about 75-lbs.

B13-3314P—Price, F.O.B. Winnipeg ...

64.95

Table Extensions Only for Above Saw. Two extensions increase working area of table to 25 x 18 ½-ins. Shipping weight about 16-lbs.


B13-3315—Price per pair, F.O.B. Winnipeg



Designed for a lifetime of quiet running in a complete bath of oil. Cuts to centre of 28 ½-inch circle, handling work up to 2-ins, thick. Modified Scotch yoke with automotive brenze bearings designed for smooth blade action in cutting wood, plastics or metal. Built-in blower keeps layout free of saw dust, 5-inch plain end blades, easy to change—can be installed parallel or at right angles to saw base. Ann is removeable for sabre cutting. Blade guide and hold down ig for accurate work, Large precision ground additional stable 8 % x 8 %-ins, mounted on dual heavy dusty trainions to tilt to 45 degree angle. Equipped with 3½-inch pulley. Motor pulley recommended, 2-inch (not included); motor, ¼ H,P. (not included).

Artisan 14-inch Jig Saw; shipping weight about 30-ibs. B13-3348P—Price,

23.95 F.O.B. Winnipeg



(C)

AUTOMATIC PUSH DRILL

Just push it for quick easy drilling. Magazine handle contains 8 drills—1/16 to 11/64-in. Bright Chromium B13-1312—Price, each 4.59

Drill Bits for above Drill, Nine bits; sizes 1/16 to 11/64-B13-1445—Price, per set98



7-Piece Round Shank **Drill Set**

Good quality, correctly tempered carbon steel. Use with brace, hand or breast drill; drill metal or wood. Sizes 1/16, 3/32, 4, 5/32, 3/16, 7/32 and 4 incb. Complete in 1/16, 3/3: 7/32 and handy box, -Priee, per set65

(B)



A Low Priced Brush, sultable for white-washing poultry houses, root cellars, etc. 7inches wide.

Better Quality Strongly Made White Bristle Whitewash Brush. 7-inches wide. This is a good serviceable brush for kalsomining walls and ceiling, etc. B30-634—F.O.B. Wpg. 1.09

See page 45 for Paint Brushes and Painting Supplies.



Protects storm, combination and all ouside doors from damage when strong winds whip the door open. Complete with two springs, cadmium plated lockweave, chain, screws and instructions.

B15-1829—Price, per set .63



(C) HANDY STEEL RIPPING BARS

(C) HANDY STEEL RIPPING BARS

Heavy duty gooseneck style. Handy for opening boxes, tearing down buildings, pulling nails, etc. Strong tempered steel; painted.

B13-128—Size 24 x ¾-in.

Price, F.O.B. Winnipeg.

179

B13-124—Size 18 x %-in.

Price, F.O.B. Winnipeg.

CD) GENERAL PURPOSE "C" CLAMP

General purpose eland for shop, farm or home, frame and sersew with sliding T-bar. Red finish.

B13-972—2-in, jaw, %-in, throat

29 B13-973—3-in, jaw, 1¼-in, throat,



..... .57 HANDY OIL STONE Combination Oil Stone. One side medium, other side fine grit. Size 6x1 \(\frac{3}{4} \)-

B13-4947-Price .29 LE PAGE'S LIQUID SOLDER





Set includes eight sockets; 7/16, ½, 9/16, %, 11/16, % and 15/16-in. offset handle; 7-in. racbet with ½-in. hexagon opening; ratchet connector. Enamelled steel container. Wgt. about 2-lbs. 2.69 B13-9076—Price, F.O.B. Winnipeg 2.69



"ARTISAN" 4-Inch Jointer-Planer

"Artisan" 4-inch jointer-Planer

"Artisan" 4-inch jointer-planer for the professional or hobbyist, Heavy duty, shielded, factory Inhricated and sealed ballhearings for constant smooth operation. Heavy cast base with
machired tables. Sold steel safety-type cutterhead with 3
high speed alloy steel knives. Complete cutterhead can be
easily removed so that hlades can he sharpened in position in
head. Width of cut 4-ins. Control knob adjustment for O½-in. depth of cut; rabbets to ½-inch. Control fence tilts
to 45 degree angle in either direction. Length of front and
rear table 11-ins. Equipped with 2-inch Vee pulley. Recommended 3500 R.P.M. 1/3 or ½ H.P. motor (not included).
"Artisan" 4-inch Jointer-Planer; sbipping weight about 40-lbs,
B13-3188P—Price.
F.O.B, Winnipeg.

"ARTISAN" Insta-Lock Vise



For contractora, homebuilders, cabinet makers, workshop, etc. Can be set up on any job in a few minutes. Firmly holds mall sections of wood 0 to 2-inches wide for bench planing or can be nsed as a floor to bench or table. Grips and releases(quickly. "Artlsan" insta-look Viso, 10-inches long.

1.39

Mechanics' Tool Box Handy Lift-Out Tray



Every mechanic who uses good tools will appreciate the med for a well made tool box like this. Constructed of beavy 22 - gauge steel; metal handles, nickel-plated corner reinforcements, padlock hasp and side catches. Partitioned lift-out tray has sturdy carrying bar. Measures 10 x 7-x 8 % -ins. Attractive blue crackle finish. Weight about 11-lbs.

B13-672P— F.O.B. Winnipeg 6.45

Tool and Utility Box

This sturdy box has many uses around the home, for junior mechanics, amateur fishermen, etc. Rigid construction, all seams electrically welded, cantilever tray. Made of 26 gauge steel; attractive blue crackle finish. Corners are rounded to prevent tearing clothing when carrying. Equipped with lock and side catches. Size 19x8x6½-ins. Shipping weight about 6-lbs. B13-656—Price. 3.39



"Homeguard" Extension Ladders

• 1/4-lock Rungs of Select Fir.
• Steel Automatic Safety Locks.
• Weight Only 2-lbs. Per Foot.
Lightweight, easy to move from place to place—
and strong, of good construction throughout. Steel
guide irons at top of ladder; rungs of select fir;
sturdy automatic safety locks. Extends quickly and
easily. Complete with rope.

Catalog No. Consista of B30-2908F 18-ft. two 8-ft. sections 34-lbs. 11.95 B30-2909F 18-ft. two 9-ft. sections 37-lbs. 13.45 B30-2910F 20-ft. two 10-ft. sections 37-lbs. 13.45 B30-2912F 24-ft. two 12-ft. sections 50-lbs. 17.95 B30-2914F 28-ft. two 14-ft. sections 50-lbs. 17.95 Takes First Class Freight Rate

Drop Forged Steel Leg Vise These drop forged steel vises are heavy duty construction, with 4½ inch width laws opening to 4½ inches. Each part is forged in one piece, even the hack jaw with leg. The jaws are heavy steel, tempered hard and tough. Screws are heavy and strong. Threads are carefully cut and thread boses are solid. Steel leaf spring. Complete with bench plate. Shipping weight about 38-lbs.

B13-525P.—F.O.B. Wpg. 18.95



Cadmium Plated Wrench Set 7-Pieces; In Metal Case



"Artisan" and "Expert" Quality
"Artisan" quality forks are forged from
one solid piece of special high carbon stel.
The oval times are soientifically heat tempered
for toughness and spring. Handles are of the
finest hardwood, properly shaped and finished;
fittel with tihular steel ferrules securely
rivetted for added strength and longer service.
The perfect balance built into "Artisan" forks
makes them easier on the hands, less tiring to
makes them easier on the hands, less tiring to
"Expert" quelity forks are similar in design and construction, with semi-polished times
and good, serviceable handles. Both "Artisan"
and "Expert" are assurance of top quality
and workmanship.

(A) 5-Tine Barn Fork

(A) 5-Tine Barn Fork
"Expert" Quelity—32-in, bent "D"
handle; five 16-in, oval polished
times. Rivetted tubular ferrule han-

ule. B36-3524P—Price, each 3.29 6-Tine Barn Fork "Artisan" Quality — 32-in, "D" hardle; six 13-inch semi-polished tines. B38-3520P—Price, each 2.85

B38-3520P—Free.

(B) Barley Forks

"Expert" Quality—4 ½-ft. handle,

"Expert" Dished 18-in. tines

each 3.25
"Artisan" Quality—6 ½ ft. hardwood handle; tubular ferrule. Five 18-in, polished oval tines 3.75

(C) Fesder or Bundle Forks
"Artlsan" Quality — 4 ½ -ft. h
wood handle, rivetted tuhular
rule. Three 12-in. polished 1008. B38-3439P—Price, each 2.49 Expert" Quality—4 ½-ft. handle, 3 semi-polished 12-in. times 1.98 (D) 4-Time Street

(D) 4-Tine Straw Forks
"Artisan" Quality—4 ½ ft. handle,
rivetted tribular ferrule, 16-in, oval
polished tines.

B38.3459P—Price, each
3.15

"Expert" Quality—4½-ft. handle, semi-polished 16-in, tines. B38-3469P—Price, each 2.89 (E) "Expert" Manure Fork

Five 16-in. semi-polished times, 4-ft. handle as illustrated.

B38-3489P—Price, each

2.49

STEEL LOG CHAINS Complete With Swivel

Electrically welded cbain; fitted with swivel, one grah hook and one round hook. Size 5/16-in. x 14-ft. Size %-in. x 14-ft. Weight 23-lbs. B15-1872P— B15-1872P— Price, F.O.B. Winnipeg 5.45 Winnipeg 7.30 Winnipeg 5.45 Winnipeg 7.30

Size 5/16-in. x 14-ft. | Size %-in. x 14-ft.

COLD SHUT REPAIR LINKS
For quick easy repairing
of link chains,
Cold Shut Link, 5/16-GRAB HOOKS AND SLIP HOOKS in. B15-1703—Each · 09 Cold Shut Link, %-in. B15-1704—Each · 10 Cold Shut Link. ½-in.

Grah Hooks, 5/16-inch. 22 Grab Hooks, %-inch. B15-1728—Price each.... 32 Grab Hooks, ½-inch 55 67ab Hooks, ¼-inch
815-1730—Price each....
81ip Hooks, 5/16-inch
815-1761—Price each....
81ip Hooks, %-inch
815-1762—Price each....
81ip Hooks, ¼-inch
815-1764—Price each....
81ip Hooks, ¼-inch
815-1764—Price each....
815

STEEL REPAIR CHAINS

3/16-in. over size welded steel B15-1880P—Per foot.... .14

10-FOOT FARM CHAIN

Chain 10-ft. by 5/16-in. Breaking strain over 5,000 lbs. Shipping

weight about 12-lbs.

Carried State

D-9-0-9-0-0-0-0-

11/64-inch utility coil chain. B15-1692P— .12 Per foot

> General Purpose Load Binder

Electrically Welded

Easy operating! Permits loading trucks, trailers, wagons to full capacity. Keeps load from ahifting; cuts loss or damage to cargo. Forged steel constructed. %-in, grabhooks, electric-welded links. Has a slack take-up of 5½-ins, for 5/16-in, and %-in, clain. Shipping weight about 7-lbs.

B15-1600—Price,
F.O.B. Winnipeg. 3.95 3.95

B15-1708—Each .15

WROUGHT IRON REPAIR LINKS

Steel Coil Chain

00000000000000

B15-1685P— ¼-in. Per foot .23 B45-1886P—5/16-in. Per ft. .33 B15-1687P— %-in. Per foot .48

B15-1664P—Price F.O.B. Winnipeg **3.65** F.O.B. Winnipeg ... RETAIL STORES: In addition to our mail-order eatalogue service we have retail stores "all over the West." These retail stores further emphasize our desire to give complete and satisfactory service.

Straight Pattern Fork Handles

High quality Fork bandles to fit hay, straw and manure forks. Straw Fork Handle, 4 ½-ft.; tubular ferrule, B38-3973P— B38-3973P— 1.19
Price, each 1.19
Straw Fork Handle, with tubular ferrule, length 5-B38-3974P--B38-3974P— 1.35
Price, each 1.35
Hey Fork Hendle, with tubular ferule, length 4feet. B38-3949P---Price, esch

Hay Fork Handle, with tubular ferrule length 4 ½-ft. Price, each 1.19

Manure Fork Handle, "D" top, with tubular ferrule.

B36-3986P B38-4070—Each45

Dee Pattern Shovel Handles

Sturdy "D" style shovel handles of seasoned straight grained hardwood. Spade grip, reinforced with steel side plates.

"D" Style Shovel Handle. B36-4014P-Each.... "D" Style Shovel Handle. Length about 24-ins. B38-4050—Each..........95

STRAIGHT PATTERN SHOVEL HANDLE Straight Pattern Long Shovel Handle. Length about 48-ins. B38-4041P Price, each... .99

Garden Fork

—Four 11inch tines
wit b easy
cleaning angular b a c k s.
Tubular s t e e l
ferrule riveted
hardwood bandle.
"D" style handle

"D" style landle grip. Length overill, about 41-inches.
B36-33-11P—Price,
F.O.B. Winnipeg.... 2.19

Clay Pick
Forged steel, heat treated and hardened. Chisel point at one end, pick point at other end. About 2-feet in length. Weight about 6-lbs.


B13-2635—
Price.

less handle 2.25 Pick Handle only, to fit above. Selected hickory, length 36-inches Weight 2-lbs.

B13-2092-each 1.15



Popular "Maple-Leaf" non-spill grain scoop. Heavy gauge galvanized iron; reinforced blade. Half bushel capacity, riv-etted handles. F.O.B. Wpg..... 3.45



'ARTISAN" AND "EXPERT" QUALITY

"Artisan" is highest quality, no finer shovel made at any price. Blade, shank and socket forged from one solid har of heat treated, high carbon steel and perfectly balanced. Finest Northern Ash handle, waxed and polished. "Expert" quality gives the service you want. Hollow back socket shank. Socket shank and hlade forged from high carbon steel. Selected Northern Ash handle, waxed and polished.

carbon steel. Selected Northern Ash handle, waxed and poissed.

(A) "Export" D-Handle Garden Spede, size of hlade 7x12-ins. 2.75

(B) "Export" D-Handle Shovel, Round Blade aize 10x12 ½ ins. B38-7603P—

776

Shipping weight about 4-lbs. Shipping weight about 4-lbs. "Artlsan" D-Handle Shovel, Round Blade size 9x12 ½ -ins. 3.35

B38-7604P—Snipping weight about 4-lhs.

(C) "Expert" Long Handle Round Blade Shovel, size of hlade 10x12 ½-in. Shipping weight about 4-lhs.

B38-7611P—Price
"Artlsen" Long Handle Round Blede Shovel, size of blade 9 ½ x12 ½-ins. Shipping weight about 5-lhs.

B38-7612P—Price

(D) "Expert" Long Handle Square Blade Shovel, size of hlade 10x12 ½-ins. Shipping weight about 4-lbs.

B38-7580P—Price

(E) "Expert" Long Handle Square Blede Shovel, size of blade 9 ½ 12 ½-ins. Shipping weight about 4 ½-lhs.

B38-7559P—Price

2.75

(F) "Expert" D-Hendle Grain Scoop
"Expert" Featherweight, heat treated; 18x13 ¼-in. blade.
B38-6865P—Size 8. Price
"Expert" Featherweight, heat treated; 19x13 ¾-in. blade.
B38-6866P—Size 10. Price
Aluminum, blade 19x14-ins. Size 10; about 4-lbs.
B38-6862P—Price
5.89



Winnipeg....

B13-2016—

nis, long. **B13-1978**—

Price, each.....

Price, each

HICKORY

AXE HANDLE

36-in, selected second growth hickory,

Boys' Axe handle 28-

and raker blade.

1.19

"MONTREAL PATTERN"
"Artisan" quality, full size axe.
Straight grained 36-in, hickory
handle: 3 ½ ib. bead.B13-100—Price, 3.85 F.O.B. Winnipeg......

"Expert" Quality full size exe. Choice of weight of heads, 3, 3% or 4-ibs. State weight wanted, 36-inch handle.

B13-85—Price, F.O.B. Winnipeg 3.85

SWEDISH BUCK SAW

Swedish Steel — adjustable to take 42 to 48-in. blade. Genuine Swedish buck saw. Tubular steel frame, adjustable from 42 to 48 inches, Complete with 48x1-inch geuuine Swedish steel four-



50 MACLEURS



With Instant Lock Release and Capacity Indicator

An improved hand tool of a thousand uses. Use as a piler...a wrench . . . a clamp or vise. Made of beavy gange pressed steel with hardened tool steel jaws. Swivel jaw will grip irregular shaped pieces. Capacity indicator shows exact extent of jaw opening. Easy one-finger squeeze unlocks jaws immediately.


7-inch length

B13-2813—Price each

2.85



1.59 B13-2817—Price each
Length overall 10-incbs, jaws open to 1½-inches,
B13-2818—Price each





Square tubular track in 6-foot, 8-foot and 10-foot lengths—order correct length required. Price is less brackets.

B15-8582F-F.O.B. Winnipeg 816-8582F—F.O.B. Winnipeg 2.75 815-8583F—F.O.B. Winnipeg 3.40

B15.8584F—F.O.B. Winnipeg 3.40

Barn Door Hangers

For use with square tubular track as above. Flexible hanger with tandem tracks; apron is 6-ins. long, 3-ins. wide and hinged—for doors 2-in. thick. Set complete for door consists of two hangers and carriers with end caps, bolts, Non-adjustable roller hearing. Barn Door Hangers, set for 1 door. 3.39

Adjustable Barn Door Hanger, as above except with adjustment for raising, lowering doors. Set for 1 door. 4.19

Barn Door Brackets

B15.9535—Brackets for above track, complete with lag screws. Use one bracket .35

RETAIL STORES: In addition to our mail-order catalogue service we have retail stores "all over the West." These the West." These retail stores further emphasize our desire to give complete and satisfactory service.



(A) FLAT STEEL CLEVISES

Plow ring, size opening % x2 ¼ -in. About 10-028.
B39-8883—Each23







Strong malleable iron ¼-inch books and eyes for banging truck box gates. Drilled for ¼-inch bolts. Order for right and left sides by catalogue number. Weight about 1 ½-jbs. Truck Box Hooks and Eyes

1 ½-lbs.
Right Hand Hook and Eye.
B39-8867—F.O.B. Wpg. 49
Left Hand Hook and Eye.
B39-8886—F.O.B. Wpg. 49



Truck Box

pockets made of

2x 1/4-inch flat-lron, Stake opening 1/4 x 3-inches. Drilled for 5/16-inch bolts. B39-8878—F.O.B. Wpg. . . 34

D

NAILS and STAPLES Sizes for Every Type of Job.

Order from Winnlpeg only. Shipping weight of 5-lbs, is 5-lbs, 4-oza of 100-lb. keg is 108-lbs. State catalog number, size and quantity.

(A) COMING	M PAINE !	MAILS. PIEL I	reaus.	
Catalog No.	Length Inches	Approx. No. per lb.	Price 5-lbs.	Price 100-lbs
B15-5505F B15-5451F B15-5453F B15-5455F	1 1/4 1 1/4 2 2 1/4	713 536 196 104	.85 .80 .70	13.95 13.50 12.80 12.30
B15-5457F B15-5481F B15-5464F B15-5470F B15-5473F	3 1/2 3 1/2 4 5	104 87 40 25 18	.70 .70 .70 .70 .70	12.30 12.25 12.10 12.10 12.10

(B) FINISHING NAILS. Easy to Approx. No. per lb. Catalog Length Inches Price 100-lhs 1 1/2 2 1/2 13.80 13.25 12.70 B15-5520F .80 B15-5521F B15-5523F

(C) COATED BOX NAILS. Fast driving, greater holding power. Catalog No. Length Approx. No. per lb. Price 5-lbs. Price 100-lbs. .85 .85 .80 14.40 13.95 13.50 13.25 1 1/2 B15-5411F B15-5413F B15-5414F 2 1/2 158 107

D) LARGE HEAD ROOFING NAILS. Galvanized, head Ideal for prepared roofing and asphalt shingles.

Catalog Length Approx. No. Price No. Inches per lb. 5-lbs. (D) LARGE 7/16-Inch Price 100-lbs. 1 1/4

FLAT HEAD WOOD SCREWS

With so many jobs always demanding attention it is wise to have a selection of wood screws on band. Price per gross (144screws) or by the dozen.



	Size	Number	Price Per Gross	Per Dozen
B15-7821	½ -in.	6	.59	.07
B15-7822	% -in.	6 8 8	.82	.07
B15-7834	% -in.	8	.73	.08
B15-7836	1-in.	8	.83	.09
B15-7842	1-in.	9	.82	:10
B15-7848	1-in.	10	1.00	.10
B15-7837	1 ¼ -in.	8	.93	.10
B15-7843	1 ¼ -in.	9	1.00	.10
B15-7850	1 ¼ -in.	10	1.10	.12
B15-7838	1 ½ -in.	8	1.05	.11
B15-7844	1 ½ ·m.	9	1.15	.12
B15-7851	1 1/2 -ln.	10	1.25	.13
B15-7881	1 ½ -in.	12	1.49	.15
B15-7853	2-ln.	10	1.49	.15
B15-7863	2-in.	12	1.83	.16

Fiat Head Wood Screw Assortment
Assortment of 144 flat bead bright steel wood screws in useful sizes.
Smallest size: ½-inch No. 4; largest size: 2½-inch No. 12.
1.49

SERVING THE WEST: In the important consideration of Quality Valne Service Macleed's Limited, today, as always in the past, is building for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the successful growth and continued expansion of this company can be built.



They automatically lock and hold the load at any point. Heavy frame with chain guide. Strong steel chain of sufficient length to lift heights given below. Capacity ½-ton; 7-ft. lift. Shipping weight 35-lbs.

E15-3881P—F.O.B. Winnipeg. 20.95

Capacity 1-ton; 8-ft. lift. Shipping weight 59-lbs. B15-3682P—F.O.B. Winnipeg 26.95

Sturdy Screw Jack

Dear Sirs:—
Through the years I have purchased from Macleod's—wagons, harrows, plow shares, fractor parts, numerons hardware articles and clothing. I am now using my second Macleod Arcadia Radio, a 5-tube set which is the best radio I have ever bad—(Name on request) Wembley, Alta.



.141/2



ASSORTED MACHINE BOLTS WITH NUTS 10 DIFFERENT SIZES, $\frac{1}{4}$ x2 to $\frac{3}{4}$ x5-INCH

Boxed assortment of 50 machine bolts, of each size ¼x2, ¼x2½, ½x2, ½x2½, ½x3, %x4, ½x5-in. sizes. Every bolt carefully selected, perfect threads; complete with nuts. A big value and a big saving. Weight about value and a big saving. 54-lbs.

Box of 50 Assorted Machine Bolts. Order from Winnipeg.



Plow Bolts

(A) KEY HEAD PLOW BOLTS

Cat. No.	Size in Inches	Price Each_
B15-852	% x1 ¼	.05
B15-853	% x1 ½	.05
B15-855	7/16x1 ¼	.09
B15-856	7/16x1 1/2	.06
(B) ROUND	HEAD PLOW BOLT	s
B15-890	%x14	.05
D4E 004		
B15-891	% x1 ½	.05
B15-891 B15-863 B15-894	7/16x1 ½ 7/16x1 ¼ 7/16x1 ¼	.06 .09

Round Head Stove Bolts

Order from Winnipeg only.
Order from winnings only.
Cat. No. Size in Inches Price per Doz.
B15-820 3/16 x ½ .11
B15-821 3/16 x ¾ .12 B15-822 3/16 x 1 .13
B15-827 3/16 x 1 ½ .13
B15-823 3/16 x 1 ½ .14
815-824 3/16 x 2 .17 815-835 4 x 4 .15
815-835
B15-837 ½ x 1 .17
B15-838
B15-839

	Flat	Head	Stove	Bolts og numbe		
V	hen or	dering gi	ve catalo	og numbe	r. WW W	HHARITHE .
	Orde	er from '	Winnipeg	only.	178	1
	1 6004	N*o 1	Sire in	Inches	1 Deice	nos Da

Order from	winnipeg only.	(7)
Cat. No.	Size in Inches	Price per Doz.
B15-751	3/16 x ½	.11
B15-752	3/16 x %	.12
B15-753	3/16 x 1	.13
B15-754	3/16 x 1 ½	.14
B15-755	3/16 x 2	.17
B15-779	14 x 1/2	.15
B15-777	1 4 x 34	.18
B15-778	1/4 x 1	17
B15-779	1/4 × 1 1/2	,19
B15-780	1/4 x 2	.22
B15-788	5/16 x 1 ½	.31

Box of 16 Assorted Round Head Stove Bolts

Round bead stove bolts only. This 16-piece assortment contains useful sizes 5/32x ½-inch to ¼x 1 ½-inches. B15-318—Per Assortment



For S.A.E., U.S.G. and A.S.M.E.
Threads '4-inch to 1-inch
Restores damaged and rusted
bot' threads to original condition so that nuts can be removed or put on with case. If damaged threaded part is in an assembly, dismantling and reassembling can often be avoided.
Will fit all right and left
hand U.S.S. S.A.E. and A.S.
M.E. threads, ½-inch to 1-inch
diameter. (Not suitable for
Buttress, Acme, Square and
other special threads).
To operate the Tbread Restorer simply slip the tool over
the bolt, tighten the cutting jaws into the
threads, then turn threader until it runs off
bolt. When used on study or bolts with cotter pin holes, the holes should be plugged
with wood to avoid breaking teetb.

Thread Restorer, for use with right and
oft heard U.S.S. S.A.E. and A.S.M.E.

Thread Restorer, for use with right and left hand U.S.S., S.A.E. and A.S.M.E. thread, %-inch to 1-inch diameter, Shipping weight about 1-ib, B13-4900—Price, DELIVERED 9.95



Catalog No.

100 Bolts Complete with Nuts 20 Sizes, 1/4x2 To 38x6-Inch

Every man on a farm knows bow necessary it is to have holts of the right size always on band. This box of 100 assorted machine and carriage bolts contains 5 each machine bolts and 5 each carriage bolts in ¼ x2. ¼ x 2 ½ ¼ x 3. 5/10x2, 5/16x2 ½, 5/16x2 ½, 5/16x2 ½, 5/10x2, % x 3. % x 4. % x 6-inch sizes. Complete with nuts.

Box of 100 assorted Machine and Carriage Boits.
Weight about 10-lbs.
B15-307—



Every Bolt Carefully Selected-

315-530	-4 X2	.40			
315-531		.22	Perfect	Threads.	
315-532-		.24		Size in	10
315-534		.32	Catalog No.	inches	Bolts
315-555		.29			,18
315.556-		.31	B15-330	14 x2	
815-557 815-558		37	B15-331	¼ x2 ½	.20
315-559		.41	B15-332—	¼ x3	.22
315-561-		.47	B15-334	¾ ×4	.30
315-578		.37	B15-355	5/16x2	.27
315-579-		.41	B15-356	5/16x2 ½	.30
15-580-		.44	B15-357	5/16x3	.33
315-581		.48	B15-359	5/16x4	.39
315-582-		.52	B15-361	5/16x5	.48
15-584-		,61	B15-379	% x2	.33
815-586 815-627		.67 .70	B15-380—	% x2 ½	,37
315-627-		.72		% x3	.40
315-629		:77	B15-381—		
315-631—		.85	B15-382-	% x3 ½	.44
315-633		.99	B15-383—	% x4	.47
15-635	½ x6	1.05	B15-385	% x5	.59
15-639		1,92	B15-387	% x6	.94
315-653-		1.28	B15-427-	½ x2	.61
315-654-		1.36	B15-428	½ x2 ½	.69
315-655		1.50	B15-429	½ x3	.72
815-656— 815-676—	% x5 % x2	1.62	B15-431-→	½ x4	.80
315-878—		1.96	B15-433	1/2 x 5	.92
315-679-		2.13	B15-435-	₩ x6	1.01
ALC MANAGEMENT	1/4 41		The state of the s		7



1-in. 1 ½-in. 2-in. 2 ½-in. 3-in. 3 ½-in. ••••32 .35 .39 .42 .25

State if bolt (U.S.S.) thread automotive (S.A.E.) thread want Nuts For Cap Screws

									U.S.S. T	hrea
							Cat. No.	Each	Cat. No.	Ea
	To	fit	¼ -in.	cap	screws.		B15-5830	.02	B15-5855	.0:
	To	fit	5/16-in	. car	screws		B15-5831	.02	B15-5856	.0:
	To	fit	% -in.	cap	screws		B15-5832	.03	B15-5857	.0:
	To	fit	7/16-i	n. c	ap sere	VS	B15-5833	.04	B15-5858	.04
	To	fit	½ -in.	cap	screws		B15-5834	.05	B15-5859	.0!
	To	fit	5/2 -ill.	can	screws		B15-5838	.09	B15-5891	.09
	To	fit	¾ -in.	cap	screws		B15-5837	.13	B15-5862	.13
•	_	_		_			بارافالكات	كالشناك	البخفضا بخاصا	



LENGTHS Order Flat and Bar Iron from Winnipeg only

FLAT IRON IN 16-FOOT

		7 140	1					1100
Catalog	Size In	Appr		Price 19-ft.	Catalog Number	Size in Inches	Approx. Weight	19-ft. Length
Number	Inches	Weig	iht	Length	B39-3814F	3/16x1 -in.	10 lbs.	1.23
B99-3831F	¼ -in.	2 1/2	lbs.	.42	B39-3816F	3/16x1 1/2-in.	15 lbs.	1.89
B39-9832F	5/16-in.	4 1/2	1bs.	.61	B39-9819F		14 lbs.	1.45
B39-3833F	% -in.	6	lhs.	.63	B39-9820F		17 lbs.	1.89
B39-3834F	7/16-in.	8 1/4	lbs.	.85	B39-3821F	14 x1 ½ -in.	20 lbs.	2.09
B39-3835F	½ -in.	10 1/2	lbs.	.93	B39-3823F	1/4 x2 -in.	27 lbs.	2.79
B39-3839F B39-3837F	% -in.	17	lbs.	1.65	B39-3826F B39-3827F	% x1 ¼ -in.	25 lhs, 31 lbs.	2.95
B39-3838F	% -in. % -in.	24 33	lbs.	2.30 3.20	B39-3829F	% x1 ½ -in. % x2 -in.	41 lhs.	4.19
B00-3030F	/8 -111.	, 13.13	IDS.	3.20	- D00-00231	78 AZ *III.	1 2 4 1115.	7.10

BAND IRON IN 16-FOOT LENGTHS B39-3807F 1/2 x2-in,

.64

Size Price, 16-ft. length

B39-3803F 1/8 x1-in. .77 B39-3805F % x1 ½ -in. 1.17 B39-3809F 1/8 x2 1/2 -in. 1.78



ASSORTED CARRIAGE BOLTS WITH NUTS 17 DIFFERENT SIZES 1x1 to 3x5-INCH

Popular farm assortment. Box contains 100 carriage bolts. 6 each of 4x1½, 4x1¾, 4x2, 4x2½, 4x3, 4x1½, 5x2, 4x3, 4x2½, 4x3, 4x3½, 5x2½, 3x4, 3x2½, 5x2½, 3x3, 3x3½-inch sizes. Every holt carefully selected, perfect threads, complete with nuts. Weight about 9½ lbs.



Square, Threaded Nuts

Fit carriage bolts or machine bolts—square pattern, with well cut thread. It pays to keep a supply of most used sizes on hand,

Catalog Number	Bolt Size	Quantity per lb.	Price per lb.
B15-5890 B15-5891 B15-5892 B15-5893 B15-5894 B15-5896 B15-5898	¼ -inch 5/16-inch % -inch 7/16-inch ½ -inch % -inch ¼ -inch	approx 140 approx. 62 approx. 27 approx. 25 approx. 15 approx. 45 approx. 5	.47 .42 .34 .93 .83 .33



Assorted Cotter Pins

About 50 pins for tractors and all farm muchinery. Sizes 3/32x\(\frac{3}{2}\) to 5/16x 2\(\frac{3}{2}\) ins. This assortment contains sizes you want. B15-6405—20

C .ter Pins (Straight Sizes)

$\begin{array}{llllllllllllllllllllllllllllllllllll$.03 .04 .04 .05 .04 .05 .09 .08
B15 -6447 $-3/16x1\frac{1}{2}$ -in. Doz	.12



Box 75 Assorted Washers

Wrought Steel Washers, best sizes in proper proportions for $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$ -in, bolts. B15-9537—

Wrought Steel Washers

Catalog	Bolt	Quantity	Price
Number	Size	per lb.	oar lb.
B15-9562 B15-9563 B15-9594 B15-9599 B15-9568 B15-9570	% -inch ½ -inch % -lnch	approx. 175 approx. 120 approx. 75 approx. 28 approx. 12 approx. 10	

Handy Assortment of 12 Narrow Rim Steel Washers Wrought Steel Machinery Washers with Nar-row Rim. Assortment of 12 includes 4 each of following sizes: 1-1/16-in. hole. 1-5/16-in. hole. B15-9524

.59 Price, per doz....





BOX OF 40 ASSORTED LOCK WASHERS
Strong, plain pattern, lock washers, averaging 40 to the box in sizes to fit: 4, 5/16, 4, 7, 716, 14, 5, and 4, -inch holts. Shipping weight about 10-ozs. 19

	Lock	Wash	ers	S.A.E.	
B15-951	101/4	-inch.	Per	dozen	.03
B15-951	11-5/	16-inch	ı. Pi	er dozen	.05
B15-951	2 %	-inch.	Per	dozen	.06
B15-951	37/	16-inch	. P	er dozen	.09
B15-951	141/2	-inch.	Per	dozen	.12
B 15-951	15 — 🐐	-inch.	Per	dozen	.19
R15-954	7- %	-inch.	Per	dozen	-25



Hand driven with adjustable crank or power driven with 1750 R.P.M. motor, 12x1½-in. flywheel takes: "or flat belt. Mschined drill table bas 9-in run on solid steel post. Chuck holds ½-in.

Chuck holds %-in.
post drill bits.
Drills to 12-inch centre
with vertical run of 3-ins.
Two speeds on band drill;
automatic feed adjustable to four speds. Overall height 32-inches. Shabout 60-lbs. Shipping weight

B13-2871F— F.O.B. Winnipeg 30.95

RETAIL STORES:

In addition to our mail-order catalogue service we have retail stores "all over the west." These retail stores further emphasize our desire to give a complete and satisfactory service.



Power Sickle and Tool Grinder

High speed, enclosed mechanism. Fitted with 'Vitriffied' '4 ½ 3 ½ ½ 1.nch sickle cone and 5x1x ½inch tool grinding wheel. Shaft ½ 1.nch diameter,
threaded end ½ 1.nch diameter, 2.inch "'" pulley
Remove sickle holding clamp and the cone shaped
sickle wheel and you have a general, purpose tool
grinder. Grey enamel finish. Shipping weight about
10-1bs.

B13-1799P—Price, F.O.B, Winnipeg 9.65
EXTRA STONES TO FIT ABOVE GRINDER
Vitrified Sickle Cone,
Vitrified Sickle Cone,
Vitrified Sickle Cone,
Solven Sylva ½-inches.
B13-1855—
B13-1855—
B13-1855—
F.O.B Wpg.

2.59 Power Sickle and Tool Grinder

Mower Knife and Sickle File SOLID STEEL HANDLE

B13-1926-Dellvered

Carborundum Tool Sharpener

Knife and Sickle File.

Has two berel safe edges solid steel handle.

Puts a keen edge on Mower Knivcs, Scythes, Hoes, Tools, Knives, etc. Made of very hard abrasive. Weight 2-lbs. .62 abrasive. Weight Z-10s,
B13-4917—Delivered

General Purpose 9 1/2 - Inch Sharpener

Brass Tank Blow Torch One Quart Size Seamless. heavy tank, built-in pump. Replaceable self - cleaning needle valve. Concentrated con-trolled heat at any setting. B13-5162- One Quart Blow Torch. Each ... 8.98

One Quart Blow Torch, similar to above, only better quality. Filler plug in bottom for convenient filling, B13-5167—Price, each 9.85

HEAVY DUTY SWIVEL BASE BENCH VISE



Heavy Duty bench vise with floating swivel, operating on a stationary hase . . . swings in a circle locks in any position. Heavily built, all machined parts are accurately fitted and finished. Replaceable pipe jaws. Constructed with three holes for attaching to work bench. Width of jaws 4-ins. Shipping weight about 20-lbs.

B13-5238F—Price, F.O.B. Winnipeg..... 11.75

Swivel Base Bench Vise Swivel Bench Vise, similar to above except lighter in weight. Sturdly constructed cast fron body with 4-inch flat jaws. Swivel base turns in complete circle, locks in any desired position. Accurately machined steel screw assures smooth, easy action. Shipping weight about 1314 libes.

-Price, F.O.B. Winnipeg 6.95



MECHANICS' BENCH VISE

Dependable and serviceable farm vise. High quality steel screw; 4-inch replaceable oil tempered ofteel jaws have sure-grip ma-chine cut diamond shaped teeth; stationary base. Weight about 33-lhs.

33-lhs. B13-5218P—Price 10.75 F.O.B. Winnipeg....



(F) "ARTISAN" QUALITY COLD CHISELS



Order from Winnipeg only (A) DOUBLE END E-Z HORSE RASP

B13-1930-Length 14-inch. Weight 2-lbs. Price each (B) "EXPERT" QUALITY MILL BASTARD FILE 8 10 12 .39 .49 .63

Size in Inc. Drop Forged Blacksmith's Hammer Straight grain hickory handle; 3-lb. head. B13-1949 2.25

MACHINIST'S HAMMER Ball Peln 2-lb Head

Best quality drop forged ball peln Machin-ist's Hammer with 2-lb. head (head meas-ures 5-ins.). Strong hickory handle, Length overall 15 % inches B13-1911—Price, F.O.B. Winnipeg.... 2.15 1-lb, head. 1.59 Machinist's Hammer, as above, 1-lb. head B13-1908—Price, F.O.B. Winnipeg.....



-Length 7-inches 1.79 10-inches 2.39 12-inches 3.09 B13-4717—Length B13-4719—Length

Drop Forged Punch and Chisel Set

Set drop forged tools, One %-in. punch, one 3/16-in., one centre punch, one %-in. cold chisel, one %-in. cold chisel. B13-4132-5-lh. box. B40-8611—Price 1.53 Price Per Set 1.15

Copper Head Soldering Irons - Less Handles

(B) (A) SOLDER ...

(A) Bar Solder, Acid Core Solder, Etc.

(B) Electric Soldering Iron 100-watt electric soldering iron, for 110-120 volt current. Smooth hardwood han-dle. Complete with 6-ft., cord and plug, also metal stand Shipping weight about 1-lb.

B13-2216—Price 2.65

(C) Welding Compound The best flux for general purpose welding. 1-lh. box. 840-8610—Price.... .39

(D) Babbit Metal For use on light machinery, Medium priced habit. 37 B13-101—Per lb.... A high grade babbit for farm machinery. B13-102—Per lb..... .52

(C)

2.65



Standard Quality Hack Saw

Serviceable, well balanced standard hack saw that will give lengthy service. Straight wooden handle with comfortable grip. Adjustable frame will take blades from 8 to 12-inches. Complete with one 8-inch blade, B13-4350—Price, each..............83

Pistol Grip Hack Saw

Pistol grip handle. Strong steel frame is adjustable to take 8, 9, 10 or 12-inch blades in three positions. Complete with one 8-inch blade. .95 B13-4355-Each....

Safety-Grip Hack Saw
Butcher style handle of red plastic
. practically unbreakable. Highly
polished nickel-plated steel frame is
adjustable to take 8, 10 or 12-inch
hlade and saw in three positions,
Complete with one 10-inch carbon
steel blade.
B13-4357—Price, each 2.59

High-Speed

TUNGSTEN ARTISAN



Tension File Adapter Links



Links to attach tension file to back saw frame. 813-1713---Price Per Pair Dallvered

Bastard Cut, Rough.

—Each, Delivered.... 24 | Bastard Cut, Rough.

—Each, Delivered.... 24 Cut B13-1710-



and the state of t

A wide selection of soc-A wide selection of sochets, handles, extensions, ratchets, universal joints and universal joint sockets in '4-in., '4-in. and '4-in. square drives of finest steels

square crives of linest sixels obtainable, accurately machined to close tolerances, beat treated and bardened to provide strength and long wear, chrome plated and polished for protection against rust.

Chest is heavy gauge steel, with piano type hinges and handy lift-out tote tray. Heavy corner irons, padlock hasp and side catches are nickel plated, Chest measures 20x8x9%-inches. Set contains:

1/4 -Inch Squere Drive Parts Three 6-point sockets, 1/4, 9/32 and 5/16-in.

Three 12-point sockets, 11/32, 3/8 end 7/16-in. Three 8-point sockets, 1/4, 5/16 and 3/8-in. 5 1/4 Inch flex. handle. 4 1/2 Inch cross bar.

4 ½-inch cross bar.

%-inch Square Drive Parts
Three 6-point sockets, % to
½-in.
Four 12-point sockets,
9 16 to %-in.
7 ½-in. flex. handle; 6-in.
cross bar; 16 ½-in. speeder
Reversible retchet.
Two extensions 6 and 11.

Two extensions, 6 . end 11-

(A) "Artisan" 16-Piece Midget Socket Set
"Artisan" quality, obrome-alloy steel. Set consists of
the square drive reversible ratchet; 2-luch and
clinch extensions, flexible handle; cross bar; five 6-point
sockets, 3/16, 7/32, 1/4, 9/32, 5/16-inch; three 8-point
sockets, 1/4, 6/16, 3/8-inch; three 12-point sockets,
11/32, 3/8, 7/16, In steel box, about 2-lbs.
B13-9035—Price F.O.B. Winnipeg.
"Artisan" 11-Piece Midget Socket Set
4-inch square drive set as above except 11-

'Artisan' II-Piece Midget Socket Set 4: inch square drive set as above except 11-pieces consisting of three 6-point sockets, 1/4, 5/16, 3/8-inch: three 12-point sockets, 1/4, 5/16, 3/8-inch: three 12-point sockets, 11/32, 3/8, 7/16-inch; flexible handle and cross bar. In steel box, about 2-bs. B13-9026—Price F.O.B. Winnipeg 389

(B) "Artisan" 7-Piece Universal Joint Socket Set

(C) "Artisan" 7-Piece Extra Deep Socket Set

"Artisan" quality 7-piece extra deep chrome-alloy sockets, 3/8-inch square drive. The extra deep sockets make it easy to get at those hard-to-reach places and hold nuts and bolts tighter. Set consists of seven 12-point sockets for hexagonal nuts. 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4-inch. Complete in steel enamelled box. Shipping weight about 1½-lbs.

B13-9039—F.O.B. Winnipeg 5.85

(D) "Artisan" 10-Piece Spark Plug Set



Heavy Duty 11-Piece Tractor Wrench Set

Thin, taper wall 12-point sockets with %-inch square drive. Specially designed for heavy duty truck, tractor and farm machinery work. Set consists of seven sockets 1-1/16, 1-1/8, 1-1/4, 1-3/8, 1-7/16, 1-1/2, 1-5/8-inch diameter; one 8-inch extension and one 16-inch extension, slide tee wrench and reversible ratchet. Packed in a wrinkle finish metal case. Shipping weight about 25 ½-ibs.

35.50

"Artisan" 32-Piece Socket Wrench Set

"Artisan" quality, 32-piece 4 and 42-inch square drive socket wrench sets. Contains 17-inch flexible handle, cross bar, long speeder, reversible ratchet, 5-in. and 10-in. extensions, slide tee wrench and fourteen 12-point polished sockets in sizes 7/16 to 1-1/8-inch in 42-inch square drive and a flexible handle cross bar; three 6-point sockets: 1/4, 9/32, 5/16-inch diameter; three 12-point sockets: 11/32, 3/8, 7/16-inch diameter; three 12-point sockets: 1/4, 5/16 and 3/8 in the 4-inch square drive, complete in a steel, wrinkle finish chest with lift-out tray. Weight about 24-lbs.

lhs. B13-9030— F.O.B. Winnipeg.... 32.95



"Artisan" 12-Piece Socket Set



Cadmium Plated 28-Pce. Socket Set Cadmium Plated 28-Pcc. Socket Set 28-piece, ½-inch square drive set for ordinary utility service. Handles have ½-inch square ends with ball and spring snap. Sockets are cold rolled steel, beat treated and hardened. Consists of fourteen 12-point sockets: 5/16, 3/8, 7/16, 1/2, 17/32, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 31/32, 1-inch diameter; eight 8-point sockets 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 and 7/8-inch diameter; long speeder handle, ratchet handle, heavy offset "L" handle, long and short extension, single end 13/16 spark plug socket Complete in steel enamelled box. Weight about 12 ½-lbs.

B13-9106—F.O.B. Winnipeg...... 10.75

"Artisan" 14 Piece Socket Set

"Artisan" 14 Piece Socket
Chrome alloy socket wrench set
with %-inch square drive. Consists of three 6-point sockets,
%, 7/16, %-inch diameter and
four 12-point sockets 9/16, %,
11/16, %-inch diameter; 1 flex
handle, 1 cross bar, 1 speeder,
1 reversible ratchet, 1 6-in. extension, 1 II-in. extension, 1 universal joint.
14-Piece "Artisan" Socket Wrench Sot,
complete In steel enamolled box. Shipping weight about 9-lbs.
B13-9040—F.O.B. Winnipeg 16.25

Chrome Alloy

"Artisan" 29-Piece Socket Set

Chrome alloy socket set with \(\frac{4}{3}\)-ln. square
drive. Set consists of six 6-point sockets
\(\frac{4}{3}\) to \(\frac{4}{3}\)-ln., four 12-point sockets 9/16 to
\(\frac{4}{3}\)-ln., seven extra deep sockets and seven
universal sockets \(\frac{4}{3}\) to \(\frac{4}{3}\)-in. ross bar; 16\(\frac{4}{3}\)-in. speeder;
reversible ratchet; 2\(\frac{4}{3}\), 6 and 11in. extensions; universal joint.
In steel box. Weight about 9-

RETAIL STORES: In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete satisfactory service.

"Artisan" 21-Piece Socket Wrench Set

"Artisan" 56-Piece Socket Wrench Set



Fourtsen 12-point sockets 7/16 to 11/8-in. 17-in, fiex, handle; 10-in, cross bar; 18-in, speeder; Reversible ratchet. Two extensions, 5 and 10-in, Universal joint. 10-inch slide tee wrench.

450 ANGLE BOX END WRENCHES
Three short box end wrenches— 3/2 x 7/16-in., 5/8 x 11/16-in.
Six long box end wrenches— 3/8 x 7/16-in. to 15/16
x 1-in.
Universal joint.

B13-9136P—"Artisan" 56-Piece Socket Wrench Set, complete in metal 58.75 tool cbest. Shipping weight about 37-lhs. Price, F.O.B. Winnipeg MONTHLY PAYMENT PRICE—\$18.50 Down and \$8.50 per month for 6 months. -Metal Tool Chest Only, as illustrated. Weight about 15-lbs. 9.95 Price, F.O.B. Winnipeg

Chrome

8888888



"Artisan" Giant 88-Piece SOCKET WRENCH SET

Super-service set for mechanics, with a giant selection of sockets, handles, extensions, ratchets, universal joints and universal joint sockets in ½-in, zervin, and ½-in, square drives, also spark plug wrenches and box end wrenches. Heavy duty metal tool chest bas side carrying handles. Just see what it contains:

1/4-INCH SQUARE DRIVE PARTS V4-INCH SQUARE DRIVE PARTS
Five 6-point sockets, 3/18 to 5/16-inch.
Three 12-point sockets, 11/32, % and 7/16-in.
Three 8-point sockets, ¼, 5/16 and %-inch.
5½-inch flex handle.
4½-inch cross bar.
Revorsible ratchet.
Two extensions, 2-inch end 6-inch.
%-inch SQUARE DRIVE PARTS

78-INCH SQUARE DRIVE PARTS
Seven 12-point sockets, % to %-inch.
Seven extra deep sockets, % to %-inch.
Seven universal joint sockets, % to %-inch.
7½-inch flex handle.
6-inch cross bar.
16/2-inch speeder.
Reversible ratchet.
Three extensions, 2%a, 6 and 11-inch.
Universal Joint.

1/2 -INCH SQUARE DRIVE PARTS Fourteen 12-point sockets, 7/16 to 11/6-

17-Inch flex handle.
10-Inch cross bar.
18-Inch speeder.
Reversible ratchet.
Two extensions, 5-Inch and 10-Inch.
Universal joint.
10-Inch slide Tee wrench.
8/16-Inch Ford V8 rod socket.
Drag link socket.

SPARK PLUG SOCKETS Nine spark plug sockets, 8/16 to 11/8-inch; "L" handle.

45° ANGLE BOX END WRENCHES Three short box end wrenches— $\frac{3}{2}$ x7/16-Inch; $\frac{1}{2}$ x9/16-Inch; $\frac{5}{2}$ x11/18-Inch.

Six long box end wrenches— 1/2 x7/16-inch to 15/16x1-inch.

MONTHLY PAYMENT PRICE: \$29.15 Down and \$9.00 Per Month for 10 Months


B13-689P-Metal Tool Chest Only, as illustrated above. Weight about 40-lhs. F.O.B. Winnipeg 21.45

"Artisan" Combination Wrench Set



B13-8805]	Price, per set		. 0
Individual	Wrenches a		
Cat, No.	Openings	Length	Price
B13-7421	7/16-ins.	5 % -ins.	.79
B13-7424	½-in.	6-ins. 6 34 -ins.	.89 .98
B13-7427 B13-7430	9/16-in. % -in.	7 5% -ins.	1.09
B13-7433	11/16-in.	8 ½ -ins.	1.15
B13-7438	3/, .in.	9 1/4 -ins.	1.19
B13-7437	13/16-in.	10 ¼ ins.	1.55 1.65
B13-7438	% -in. 15/16-in.	11-ins. 12-ins.	1.89
B13-7439	19/10-m.	13-ins.	2.19

"Artisan" Adjustable End Wrenches



Cat No.	Openings	Length	Price Each
B13-6552 B13-8553 B13-6554	15/16-ins. 1 ½ -ins. 1-5/16-ins.	8-ins. 10-ins. 12-ins.	2.35 2.98 4.45

"Expert" Quality Adjustable End Wrenches
Dependable "Expert" Standard quality. Drop forged,
heat treated steel. Natural finish head, red enamel
finish handles.

Cat No.	Openings _	Length	Price Each
B13-6531	% -ins.	6-ins.	1.15
B13-6532	15/16-ins.	8-ins.	1.35
B13-6533 B13-6534	1 % -ins. 1-5/16-ins.	10-ine. 12-ins.	1.75 2.59

7-Piece Allen Wrench Set in Plastic Case



"Artisan" Quality, genuine Allen set-screw wrenches. Sizes: 5/64; 3/32; ½; 5/32; 3/16; 7/32, and ½-ins. B13-6701—Price F.O.B. Winnipeg...



5-Piece Box End

6-Piece Box End Wrench Set

Positive grip 12-point box end wrenches exactly as described and illustrated above. Long pattern, 45 degree offset. Note good range of openings— %x7/16; %x9/16; %x11/16; %x25/32; 13/16x1-ins.

12 Point Box End Wrenches

Exactly as illustrated and described above.

Cat. No.	Size of Openings	Price
B13-7101	%-in. and 7/16-in	.39
B13-7105	1/2-in. and 9/16-in	.49
B13-7114	% -in. and 11/16-in	65
B13-7116	%-in. and 25/32-in	.72
	13/16-in. and %-in	.77
B13-7121		1.07
	1-1/16-in. and 1 %-in	1.35
B13-7131	1 % -in. and 1 % -in	2.10
B13-7135	1 1/4 -in. and 1-7/16-in	2.25

'Artisan" 12 Point Box End Wrenches Our finest quality. Drop forged alloy steel, heat treated and hardened. Accurately broached 12-point openings give perfect non-slip fit. Polished ends and panel, satin chrome finish.

Cat. No. Openings B13-7051 B13-7055 B13-7084 B13-7066 B13-7067 B13-7071 1 7/16-in. 1 9/16-in. 1 11/16-in. 1 11/16-in. 1 25/32-in. and %-in. and 1-in. % and ½ and % and 34 and 13/16 15/16 7 % -ins. 8 % -ins. 9 % -ins. 11 % -ins. 12 % -ins. 14 % -ins.



Guaranteed best quality drop forged steel, highly re-forced to prevent breakage. Red enamelled steel

Cat No.	Overall Length	Price
B13-7705	8-inches	1,59
B13-7707	10-inches	1.85
B13-7709 B13-7711	14-inches	2,39
B13-7713	18-inches	3.45



NOTE: All "Artisan" sockets, wrenches and replacement parts will, fit any make if they are ¼, %, ½, or ¾-inch square drive.

(A) "ARTISAN" SOCKETS Chrome plated and polished. Thin taper wall.

run taper	wan.	
Catalog Number	Diemeter, Inches	Price Eech
%-Inch Squ B13-8326 B13-8329 B13-8332 B13-8335 B13-8335 B13-8344 B13-8353 B13-8353 B13-8353 B13-8353 B13-8353 B13-8371 B13-8371	are Drive, 7/16 9/16 19/32 11/16 25/32 13/16	12-point55 .55 .58 .59 .65 .75 .75 .89 .89 .89 .109 1.15
%-Inch Sq B13-8201 B13-8204 B13-8207	7/16	.45 .45 .45
%-Inch Sqt B13-8210 B13-8213 B13-8216 B13-8219	1are Drive, 9/16 5% 11/16	12-point .45 .45 .57
%-Inch Squ B13-8479 B13-8482 B13-8485 B13-8485 B13-8494 B13-8494 B13-8500 B13-8503 B13-8509 B13-8513 B13-8518	are Drive, 1-1/16 1-3/16 1-3/16 1-3/16 1-3/16 1-3/16 1-5/16 1-7/16 1-9/16 1-1/16 1-1/16 1-1/16 1-1/16 1-1/2 1-13/16 1-1/2 1-13/16	12-point 1,28 1,39 1,55 1,55 1,55 1,79 1,95 2,18 2,29 2,89 2,89 3,19 3,49 3,59 4,19

(B) SPARK PLUG SOCKETS
"Artisan" quality 12-point openings; chrome plated and polished; thin taper wall. \$\lambda_2\$-inch square drive, SPARK PLUG SOCKETS

Catalog	Diameter.	Price
Number	Inches	Each
B13-8428 B13-8429 B13-8432 B13-8437 B13-8441 B13-8444 B13-8447 B13-8450	9/16 58 11/16 13/16 76 15/16	1.17 1.17 1.17 1.17 1.22 1.45 1.55 1.68

Female end has ½-in. opening Catalog Length Price Each Wa-Inch Square Drive E13-7914 2-ins. .82 E13-7914 2-ins. .82 E13-7914 2-ins. .82 E13-7921 2-ins. .89 E13-7921 2-ins. .89 E13-7927 E1-ins. .1.23 .92 E13-7930 5-ins. 1.17 E13-7933 10-ins. 1.45 34-inch Square Drive E13-7936 8-ins. 2.29	(U) SUU	NEI EXII	MOIGN
Number Length Each	Female end	has 1/2 -111	. opening
Number Length Each	Catalog	1	1 Price
B13-7914 2-ins82 B13-7917 6-ins79 %-Inch Square Drive B13-7924 2-ins89 B13-7924 6-ins. 1.09 B13-7927 11-ins. 1.23 //-Inch Square Drive B13-7930 5-ins. 1.17 B13-7930 10-ins. 1.45		Length	Each
%-Inch Square Drive B13-7921 2%-ins. .89 B13-7924 6-ins. 1.09 B13-7927 1-ins. 1.23 ½-Inch Square Drive B13-7930 5-ins. 1.17 B13-7931 10-ins. 1.45 ¾-Inch Square Drive	1/4 -Inc	ch Square I	Drive
%-Inch Square Drive B13-7921 2%-ins. .89 B13-7924 6-ins. 1.09 B13-7927 1-ins. 1.23 ½-Inch Square Drive B13-7930 5-ins. 1.17 B13-7931 10-ins. 1.45 ¾-Inch Square Drive	B13-7914	2-ins.	.82
813-7924 2 % -ins. .89 .89 .813-7924 6 -ins. 1.09 13-7927 11-ins. 1.23 .7927 11-ins. 1.23 .7933 5 -ins. 1.47 13-7933 10-ins. 1.45 .45	B13-7917	6-ins.	.79
B13-7924 6-ins, 1.09 B13-7927 11-ins, 1.23 ½-luch Square Drive B13-7930 5-ins, 1.17 B13-7933 10-ins, 1.45 ¾-Inch Square Drive	%a - Inc	ch Square E	Orive
813-7927 11-ins. 1.23 ½-Inch Square Drive 813-7930 5-ins. 1.17 813-7930 10-ins. 1.45 ¾-Inch Square Drive	B13-7921	2 % -ins.	.89
813-7927 11-ins. 1.23 ½-Inch Square Drive 813-7930 5-ins. 1.17 813-7930 10-ins. 1.45 ¾-Inch Square Drive	B13-7924	6-ins.	1.09
B13-7930 5-ins. 1.17 B13-7933 10-ins. 1.45	B13-7927	11-ins.	1.23
B13-7933 10-ins. 1.45	1/2 -1110	h Square D	Prive
3/4-Inch Square Drive	B13-7930	5-ins.	1.17
54-Inch Square Drive B13-7936 8-ins. 2.29	B13-7933	10-ins.	1.45
B13-7936 8-ins. 2.29	3/4 - Inc	h Square D	Prive
	B13-7936	8-ins.	2.29

(D) FLEXIBLE HEAD

Held in any desired position by concealed spring. Knurled handle is drilled for use with crossbar, Has a female square broached into end of handle for slide tee or re-versible ratchet.

7 ½ -ins. long, % -in. B13-7965—Price, each 2.45
17-ins. long, 1/2-inch square B13-7978—Price, each 3.65

19-inches long, %-in. square drive. B13-7982—Price, each 6.98

(E) REVERSIBLE RATCHET
WRENCH
Close acting positive type reversible ratchet wrench. Close action in tight places assured by 50-tooth mechanism. Drop forged, precision machined.

(F) SPEEDER HANDLE Removes nuts quickly. Com-fortable knurled handle. Strong spring hehind ball in drive end prevents sockets slipping.

16 1/2 -in. long, % -in. square arive. B13-8576—Price, each 1.83 18-inches long, ½-inch square drive.

B13-8580—Price. each 1.65

(G) UNIVERSAL JOINT

Chrome plated and polished, %-inch square drive, Friction spring type; double hexagon, Thin taper wall; 12-point opening.

	s Each
B13-8276 B13-8279 B13-8282 B13-8285 B13-8288 B13-8288 B13-8294 B13-8294	2.15 2.15 2.15

(H) UNIVERSAL JOINTS degrees to reach bard-to-get-at

Universal Joint, %-in. drive.
B13-8581—Price, each 1.98 Universal Joint, 1/2 -in square B13-8596—Price, each 1.98

SLIDE TEE WRENCH
Used as a T or an offset handle
(Not illustrated)
%-in. square drive

%-in. square drive, B13-8046— Price, each 1.69 %-in. square drive, B13-8051—Price, each 3.29

'ARTISAN" 6-PIECE OPEN END WRENCH SET



"Artisan" Quality. This pear-shape heads, made to reach those hard-to-getat nuts. Drop forged steel, heat treat-ed and hardened for added strength. chrome-plated polished ends. Openings: %x7/16-in.; %x%-in.; ½x%-in.; 19/32x11/16-in.; and 15/16x1-in. Complete with strong plastic hag B13-8986-Price per set

11-inches

Individual Wrenches as Illustrated Above

"Artisan" Quality Open End Wrenches, exactly as described and illustrated above. State number and size when ordering.

Openings Length Price Openings

% x7/16-in.
% x9/16-in.
19/32x11/16-in.
% x ¼ -in.
25/32 x 13/16-in. B13-7603 B13-7609 B13-7817 B13-7621 B13-7637 B13-7641 B13-7649 .89 .79 .89 1.09 1.49 1.29

15/16x1-in. "Expert" 6-Piece Open End Wrench Set

A practical, handy set of six open end wrenches of the most nsed sizes. Nickel finish, drop forged earbon steel. Opening sizes \% x7/16-inches; \% x \% -inches; \% x \% -inches; \19/32x11/16-inches; \% x \% -inches; \25/32 x \% -inches; \15/16x1-inches. Complete in metal clip. B13-8981-

ARE HIGHEST QUALITY **EXTRA**

YOU CAN BUY A VARCON BATTERY FOR AUTO, TRUCK OR ANY USE WITH COMPLETE CONFIDENCE AND SATISFACTION.

GUARANTEE

WE GUARANTEE EVERY VARCON BATTERY TO BE OF HIGHEST QUALITY MATERIALS AND WORKMANSHIP AND TO GIVE EQUAL OR GREATER SERVICE COMPARED TO ANY OTHER BATTERY OF SIMILAR TYPE AND AMPERE CAPACITY, REGARDLESS OF PRICE.

HARD RUBBER CONTAINER

Shockproof, withstands vibration. Stronger partitions between cells.

NEW HIGH ACID LEVEL

Doubles the amount, of acid solution over top of plates; reduces danger of battery running dry.

S. A. E. RATING

Each battery is stamped showing manufactur-er's rating on tests that are approved by the Society of Automotive Engineers.

NEW DESIGN AIR VENTS

New type filler neck prevents filling above proper level.

SEALING COMPOUND

Double coating of special sealing compound not affected by extreme changes of temperature.



A DELUXE 24 Month Guarantee A ALL PURPOSE

Built With the New Plastic Fibre Separators . . .

Built With the New Bonded Glass Separators . . . **± SUPER ACTIVE** 30' Month Guarantee **± TRUCK - TRACTOR** Heavy Duty For All Types of Motors

21 Month Guarantee

A RELIABLE

15 Month Guarantee

∧ New Combination Plastic and Bonded Glass Separators —used in Varcon Super-Active and Truck-Tractor heavy duty batteries. This new combination double-insulated separator is the newest proven separator known in the battery industry , lengthens the life of the battery materials, gives less electrical resistance, more power in cold weather starting ... resists over-charging and vibration longer. We strongly recommend bonded glass separator batteries for heavy duty and commercial uses.

‡ New Plastic Fibre Separators

—used in Varcon Deluxe, All-Purpose, and Reliable batteries. Macleod's guarantee this new plastic separator to withstand internal heat caused by over-charging and high underthe-hood temperatures... its tough fibre will withstand vibration... reinforced for added strength. This new separator gives more power, and longer stronger life to each Varcon battery.

There is no other battery made in Canada, of similar size, type and amperage, that is built better than a Varcon Varcon specifications incorporate the latest features in battery construction . . . highest quality separators plus precision workmanship with over 50 factory inspections guarantee longer life, extra power and satisfaction. For longer service we recommend a battery of higher ampere hour rating than original acculting the size.

Compare Varcon ampere hour capacity and price with other batteries and save. Should any battery prove defective during its guarantee period, it will be repaired free of charge or replaced, charging only for the period elapsed since battery was sold. Batterics damaged by overcharging, short circuit in wiring or starter, running dry, freezing when discharged, or cracking the box, are not defects and cannot be covered by guarantee.

			l A	Price DELIVERED				1					Approx.
Group	Catalog Number	* Type of Battery	Hour	From Winnipeg,	GUAR	ANTEE	Volts	No. of Plates	Plates Per Cell		Dimension Width	Height	Shipping Weight
Group	Iddinger	Type of Battery	20-hour	Rogina, Saskatoon, Calgary, Edmonton	Passenger	Truck-Tractor				in Ins.	in Ins.	in Ins.	in lbs.
‡1	B3-392F	Varcon Super Active	120	20.35		15 Months	6	51	17	9	7	83/4	_48
۸1	B3-313F	Varcon Deluxe	110	17.75		12 Months		51	17	_9	_7	_ 85/8	42
^1	B3-311F	Varcon All Purpose	100	14.95	21 Months	11 Months	6	45	15	9	7	85/8	41
1	B3-306F	Varcon Reliable	80	12.65		8 Months		39	13	9	7	85/8	40
‡1	B3-410F	Varcon Truck - Tractor	100	17.45		12 Months		45	15	9	7	85/8	41
∧2	B3-338F	Varcon Deluxe	115	17.65	21 Months	11 Months	6	51	17	_10.5 _R	7	85/8	_46
‡2L	B3-394F	Varcon Super Active	110	20.25	30 Months	15 Months	6	_57	19	10½	7	73/4	42
∧2L	B3-341F	Varcon Deluxe	100	15.40	21 Months	11 Months	6	_51	17	10½	71/4	73/4	42
∆2F	B3-340F	Varcon Deluxe	120	17.85	21 Months	11 Months	6	_ 51	17	10½	$-7\frac{1}{16}$	91/4	53
∧2E	B3-318F	Varcon Deluxe	110	18.45	21 Months	11 Months	6	51	17	193/8	_ 4	8 1/8	49
∧3	XB3-351F	Varcon Heavy Duty	130	27.95		15 Months	6	63	21	115/8	_7_	87/8	54
‡3	XB3-350F	Varcon Heavy Duty	136	32.95		24 Months	6	51	17	115/8	7	91/2	56
٨4	XB3-355F	Varcon Heavy Duty	145	33.35		15 Months	6	69	23	125/8	7	87/8	62
‡4	XB3-353F	Varcon Heavy Duty	153	36.45		24 Months	6	57	19	125/8	7	91/2	63
^12	B3-380F	Varcon Deluxe	55	22.35	21 Months	11 Months	12	54	9	113/4	7	8 1/8	53
‡7-7D	XB3-369F	Varcon Heavy Duty	200	51.65		30 Months	6	75	25	16 16	$7\frac{1}{32}$	91/2	93
‡2B	XB3-364F	Varcon Heavy Duty	120	79.95		30 Months	12	78	13	20 1/8	811	91/4	140
‡4B	XB3-365F	Varcon Heavy Duty	160	102.25		30 Months	12	102	17	203/8	11	91/4	179
‡8D	XB3-375F	Varcon Heavy Duty	200	98.45		30 Months	12	150	25	20 3/8	11	91/4	190

Varcon Standards Of Construction Assure Dependable, Long-Lived Power

Macleod's bave a Varcon hattery to fit every need. The Macleod guarantee assures complete satisfaction, Each battery is individually inspected at each atep of being built—thia is assurance of precision workmanable...a guarantee of longer life and dependable service. Regardless of price, on corresponding size and type of other batteries, you cannot buy a better batter; than Varcon.

HOW TO ORDER CORRECT SIZE BATTERY

Find your car, truck or tractor in listing helow. Note the group number it takes, then order from the price list on the opposite page. If your car is not listed, neasure your old battery for length, width and height and order according to old case size and ampere capacity wanted by simply giving catalogue number. Always select a battery with equal or greater ampere capacity than the one that came with your car. Larger ampere-hour capacity gives better cold weather starting. Modern cars also require additional current for increased electrical accessories.



TO FIT Allis-Chalmers GF 1941-49—K. B. C. G. WD. WF. WK	OUPI
1941-49—K, B, C, G, WD, WF, WK(2)	1
1946-49—II-3, LL, C. 18, WF, WC	1
1948-1952	1
Austin	·
1948-1952—All Models	12
Rulck	
1936-37-60, 80, 90	2
1938-52—All	2E
Case Tractor	a
1941-52	4
VAIW, VAD	1
1946-52—D. DC. DI, DO, DS, DV	2
Case Tractor 1941-52—LA, LAH, LAHH, LAI 1941-52—S, SC, SO, S1, VA, VAC, VAH, VAI. VAIW, VAD 1946-52—D, DC, DI, DO, DS, DV Combines SP9, K2 Combines SP9, K2	1
Contonics of the	- 1
1941.49 D9 D4 D6 D7 D8 DW10	2
Caterpillar 1941-49—D2, D4, D6, D7, D8, DW10 Chevrolet Passenger & Trucks	_
	1
1937-39	2L
Chrysler 1937-52—All	2
Cletrac Tractor	-
AG	2
DG, FG	2 2B
Cockshutt Tractor	
20, 30, 40, 60, 70, 80, and All Combines	1 2
90, 99	4
Co-on Tractor	1
E3, E4, and All Combines	1
E4 Diesel(2)	4
DeSoto Passenger	_
1935-52	2
Diamond T 1936-50-—509, 612, 312, 313, 351, 614	2
Dodge-	~
1934-39—Equipped with radio	2
1934-39—Equipped with radio	1
Dodge & Fargo Trucks	
1940-53—All up to I ½-ton (inclusive)	1 4
1940-53—2-ton and over	2
Fodoral Truck	1
1936-50—16M, 15M, 25, 28, 29, 30, 36, 50, 62, 85, 89, 252 1948-50-—35M, 45M, 55M	_
62, 85, 89, 252	3
Ford Presenter & Tauch	-7
Ford Passenger & Truck	4
1933-40 and 1941-48 Special	2L
1933-40 and 1941-48 Special	2F
Delake	21
All Models	4
Frazer	1
1946-52—All	1
at the	

	TO FIF O M O T	
ı	TO FIT G.M.C. Trucks 1938-51—Series 93, 94, 95, 96, 97, 98, 450 1945-50—Series ACR520, HC 1939-50—ADC Model 500 tbru 900, HDCR 640 tbru 650, 740, 750	GROUP
•	1998-91—Series 99, 94, 99, 90, 97, 99, 490	1 2
ľ	1020-50 ADC Model 500 thru 900 HDCD 640	~
ı	thm 650 740 750	80
ı	1940-50-ADF Model 500 thm 850	7
ı		-
ı	1948-52—Minx'	12
ł	Hudson	
ı	1935-52—6 Cyl. and Model 112	2L
ı	International Truck	
i	1929-46—All Model S. (S. SD, SF) C300, C40,	
ı	C35B, D35, D35B, D40, K6, K86, K7,	
ı	1000 40 KB0, KB7	3
ı	1929-49—K8 to K11, inclusive	4
ı	1020-40 VD9 to L D11 inclusive	7
ĸ	1 H C Teactor	
ł	1940-47—Farmall (Ltg. only) M MV MD	
ı	MDV. W-6. O-6. OS-6	4
ı	1940-50-Farmall A. AV. B. BN. C. CH. HV.	•
ŀ	Super A, Super AV, W-4, O-4, OS-4	1
ı	1940-50-(Stg. & Ltg.) W-6, O-6, OS-6, Farm-	
ĸ	ail M, MV, TD9, WD9, WDR-9	3
ı	1942-47—(Stg. & Ltg.) TD-14	(2) 7
ĸ	1946-50 (Stg. & Ltg.) W-9, WR-9	4
ľ	1942-50—123 H.T. (Stg. only) Combines	3 1 (2) 2 (2) 3
ı	1949-50 — Farmail Cub	(0)
Į	1941-47 (Stg. & Ltg.) 1D-0, TD-0, UD-0	(2) 2
ı	1949.47 (Ita only) T. R. T. Q. TD. R. TU. Q.	(2) 3
ı	John Doore	~
ł	1929-46—All Model S. (S. SD, SF) C300, C40, C35B, D35, D35B, D40, K6, K86, K7, 1929-49—K8 to K11, inclusive 1947-49—K8 to K11, inclusive 1924-49—K8 to K11, inclusive 1929-49—K8 to K11, inclusive 1929-49—K88 to K11, inclusive 1929-49—K88 to K11, inclusive 1940-50—Farmall (Ltg. only) M, MV, MD, MDV, W-6, O-6, OS-6 1940-47—Farmall (Ltg. only) M, MV, MD, MDV, W-6, O-6, OS-6 1940-50—Farmall A, AV, B, BN, C, CH, HV, Super A, Super AV, W-4, O-4, OS-6, Farmall M, MV, TD9, WD9, WDR-9 1940-50—K8tg, & Ltg.) W-9, WR-9 1942-47—(Stg, & Ltg.) W-9, WR-9 1942-47—(Stg, & Ltg.) W-9, WR-9 1942-47—(Stg, & Ltg.) U-9, TD-9, UD-9 1941-47—(Stg, & Ltg.) U-9, TD-9, UD-9 1941-47—(Stg, & Ltg.) 1D-6, TD-6, FD-9 1941-47—(Ltg. only) T-6, T9-7D-6, TD-9 1940-47—Ltg. only) T-6, T9-7D-6, TD-9 1940-47—(Ltg. only) T-6, T9, TD-6, TD-9 1940-47—(Ltg. only) A, D, GM	
i	BWA. HN. HI	1
K	1940-47—(Ltg. only) A. D. GM	i .
В	1940-47 — (Stg. & Ltg.) A	2
ı	1940-47—(Stg. & Ltg.) D, GM	(2) 1
ı	1946-51—A. AN, AW, D, GM, DG, GN, GW	1
ľ	1948—AR. AO	1
ı	1949-50-K. Diesel Starting	. 1
ŀ	All Combines to 1040	(2) 1
1	1949-50 —Combines	(2) 1
1	1946-51—A, AN, AW, D, GM, DG, GN, GW 1948—AR, AO 1948—AR, AO 1949-50—R, Diesel Starting 1949-50—D, AR, AO, A, AN, AW ABI Combines to 1949 1949-50—Combinea 1946-52—All Kaiser	
1	1946-52—All	- 4
ı	l afavotto	•
1	1934-40—All	1
1	Massey-Harris	
1	1936-42—All Models	1
Ä	1046-0122, 30, 44, 44-6	1
ı	1936-42—All Models 1946-51—22, 30, 44, 44-6 1946-9-5 1949-51—44C Diesel 1949-51—55C Diesel 1946-48—55, 44C	4
ı	1949-51_55C Dissel	(2) 4 (2) 7D
ı	1946-48-55 44C	(2) 10
1	1946-48—55, 44C 1946-48—All except 55 & 44C	4
١	All Combines	1
1	Mania Last	
1	1932-52—All	1
1	Mercury Cars	
ı	1939—All	2L
ı	1940-49—All	_ 2F
1	1940-49—All 1950-52 Mercury Trucks 2	For 2L
J	1946-52-All Mercury Trucks	0
į	1010-02 All	2F
ĺ	1 1 90 11 00 1 100	
	The state of the s	

>	TO FIT Meteor G	ROUP
	1950-52—All	
	Minneapolis-Moline 1941-49—GTD, UT1, UTU, UTS, FTA, GT, GTA, U, F, G	2E
	1941-47—UDLX, ZTI, ZTN, ZTS, ZTU, RTR,	2
	Minneapolis-Moline GTA, U. F. G. GTA, U. F. G. 1941-47—UDLX, ZTI, ZTN, ZTS, ZTU, RTR, RN, RTI, RTN, RTS, RTU, R. Z. 1946-50—R. U. F. G. RTU, RTN, RTS, RTE, U.T. UTC, GTB, RTI, UTI, UTIL, Z, ZAU, ZAS, ZAN, ZAE, S.	2L
	Monarch	1
	1946-49 1950-52	or 2L
	Morris	12
I	1948-52—Minor, Oxford. Imp. 6	
	1933-42—Adv. 8 and Amb. 8	2
i	Oldsmobile	-4
i	1924-37—All 6 cyl. and 1949-52	2 2 E
۱		
ı	60, 66, 70, 77, 80, 88	2
ı	No. 80 Industrial	2
ł	66, 77, 88, 99, Diesel	' i
	Plymouth	4
	1928-53—All without Radio 1937-40—With Radio Pontlac	2
	1926-37—All 6 Cylinder 1933-37—All 8 Cylinder 1939-40—25 and 26 Series	1
	1939-40—25 and 26 Series	2E
	1941-48—All	2 E 2 E
	1939-40—25 and 26 Series 1941-48—All 1944-52—All 8 Cylinder 1949-52—All 6 Cylinder Prefect Pre	1
	1948-52—All	1
	Reo 1949-50—B30, B31, 306, 316) 4
	1949-50—B30, B31, 306, 316(2 1949—D23, E228, 23, 236	4 3
ł		
i	1933-36—Commander 8, Dictator 6	1 2
	I I 939-52 All Models	1
	1936-51—200 Series, 600 Series	1
	Studebaker Trucks 1936-51—200 Scries, 600 Scries 1937-40—All K Scries except K20D 1938-40—K20D (4	4
	Vanguard	
	1938-40—K20D Vanguard 1948-52—All Vauxhall	12
	Vauxhall 1948-526 Cyl. Willys	12
	1933-41—All	1
	Overland 1946-52Jeep Station Wagon and Pass. Cars	1



(A) CONE SHAPED HYDROMETER—accurately indicates the strength of battery acid. Parts can be replaced. 85 P358—Price each (B) FLOAT STYLE HYDROMETER—Rubber bulb. (B) FLOAT STYLE HYDROMETER—Rubber bulb.

B7-361.—Price each
(C) BATTERY FILLER—Moulded rubber hulb. 6-fluid ozs., hard rubber stem. Overall length 10½-inches

B7-344.—Price each
(D) BATTERY TERMINAL PULLER—Battery cables come off easily without damaging battery. Hardened steel jaws accurately machined to fit under close fitting terminals and around battery post. Screw and wing nut hold jaws together preventing puller from slipping off terminal.

14798—Price each


2.98

(E) DELUXE BATTERY CARRING STRAP—Made of heavy rubber-like plastic which is acid resistant, non-stretching. Strong non-slip post clamps assure positive lift.

45

B7-316—Price each STRAP—Heavy web; metal hook ends Length about 13-inches.
B7-320—Price each 29





(A) 4-Ampere Battery Charger



1.09 1.29 1.49 1.65 1.95

We supply ground straps and battery cables for all makes and models. State length of strap or cable required.

(F) 12-Gauge Single Primary Conductor, to be used from ammeter to fuse block; battery to ammeter; generator to ammeter; horn to horn relay and battery; light switch to fuse block; sealed beam lighting. Lacquered.

87-9094—Per foot

(F) 14-Gauge Single Primary Conductor, for use from ammeter to switch; gas gauge to coil; headlights; horn button circuit radio to fuse block. Lacquered.

87-9100—Per foot

.05

B7-9100—Per foot

(F) 16-Gauge Single Primary Conductor, to be nsed from dome light; gas gauge to tank; generator to starter relay; heater fan to animeter; parking lights; starter to relay switch; stop and tail lainps. Lacquered.

B7-9097—Per foot

(G) B-9126—High Tension Cable, for spark plug of heating in the conductor of the



9 MONTHS GUARANTEE

"Crest" Traveller is ruggedly built to the latest scientific developments of the rubber industry. The wido, fiat, tough tread, specially compounded, provides prevention against skidding because it puts more rubher and more gripping edges on the road—note the seven row continuous block design and ventilated shoulders which help to dissipate internal heat, "Crest" Traveller is ruggedly built to the

Use "Crest" Traveller for all-round scrvice, long trouble-free mileage and dependable sat-isfaction at lower cost. It's an all-road tire at an economy price...every "Crest" tire is backed with the "Crest" lifetime guarantee.

SIZE	4-PLY Each. Price DELIVERED	TUBE Eech. Price DELIVERED
Extra Low Pressure 6.70/15	17.50	3.75
6.00/16	15.95	3.15
6.25-6.50/16	19.95	3.80
5.25-5.50/17	18.35	3.35
4.75-5.00/19	14.60	2.95
4.50-4.75-5.00/20	15.60	2.35
4.40-4.50/21	13.80	2.35
30x3½ (See Guarantee)	14.30	1.85

12 MONTHS GUARANTEE

"Crest" DeLuxe gives the utmost in mileage. Here is assurance of peak performance dayin and day-out, through all kinds of weather. on good roads and bad roads. Don't let these lower prices confuse you as to "Crest" DeLuxe quality... you may pay much more than our price but you cannot huy a better tirc.

Note these features: 100% live rubber tread; new, safety-grip tread design . . . wider, more tread wear area, flatter to the road, more nonskid angles protect against skidding and sideslip; 140 tough sidewall buttresses dissipate heat; every cord in every ply is individually rubber coated for greater protection. No doubt about It: If It is mlleage, safety and riding comfort you want, then "Crest" DeLuxe is tho

	4 - PLY	6 - PLY	TUBE
SIZE	Each. Prics DELIVERED	Each. Prico DELIVERED	Each. Price
6.00-16	18.95	25.75	3.15
6.25-16 \ 6.50-16 \	*********	29.95	3.75

Tire and Tube prices include delivery charges from Winnipeg, Regina, Saskateon, Calgary or Edmonton — prices at any of our retail stores.

12 MONTHS GUARANTEE

Crest "Easy Ride" design provides more air, at lower pressure . . . that means you ride on a bigger and softer air cushion that absorbs the bumps on rough, tough roads. It's a bigger and wider 4-ply tire with a special design flatter, narrower tread that brings new ease in driving; finger-tip steering; safer, instant braking response and easier parking.

This new "Crest" 4-ply extra low pressure tire is so revolutionary in construction and design that it is not suitable for one wheel resign that it is not suitable for one-wheel re-placement on cars other than equipped with extra low pressure thres. For a luxury ride use Crest "Easy Ride" tires. The correct air pressure for Crest Easy Rido 6.70-16 thres is 2-1bs, less than used on conven-tional 4-Inch width regular 600-16 rims; air pressure for 6.70-15 and 7.10-15 thres is 24-lbs.

SIZE	TIRE	TUBE
	DELIVERED	DELIVERED
6.70-15 (flts 6.00-15 rim)	21.25	3.75
7.10-15 (fits 15-inch rlm)	25.95	3.85
6.70-16 rim)	23.90	3.80

ented TU

SAFETY VENTED—"Crest" tubes are made with a series of rihs or venting . . . allows the release of the air trapped hetween tire and tube, helps prevent the tire having sidewall blisters and tread separation.

TOUGHER-"Crest Tubes are more when an object is forced through the tube the rubber clings around it; this means slow deflation and greater safety when driving. The valve stem is heat cured into the tube.

Crost Tubes are heat resistant, tear resistant and will retain their shape through miles and miles of service. The wise ear or truck owner replaces the tube when he buys a new tire. With "Crost" on your wheels there's satisfaction on your mind and you get all this value for less than nationally advertised tubes of comparable quality.



"CREST" TIRE AND TUBE GUARANTEE

All Crest tires, except 30x3 ½, are guaranteed in non-commercial ordinary wear or injuries due to bruises, blowouts, cuts as follows: Crost Traveller, 9 months; Crest Deluxo. Easy Ride, and Mud and Snow, 12 months; Crest Truck. 8 months. Truck tires are not guaranteed against overload.

In addition, all Crest tires and tubes are guaranteed against defects in material and workmanship during their life.

See written guarantee issued with each tire for further particulars.

TIRES AND TUBES SOLD ON MONTHLY PAYMENT PLAN IF TO THE AMOUNT OF \$20.00 OR MORI

-Only one third down, the halance, with equitable service charge added, in 5 monthly payments (if for commercial or taxi use payable in 2 monthly payments). Minimum monthly payment is \$3.00.

58 MACLEURS Order Tires and Tubes From Winnipeg, Regina, Saskatoon, Calgary or Edmonton—and are the prices at our retail stores.



12 MONTHS GUARANTEE

Mud, snow, dirt and gravel are all the same to these rugged Crest tires — THEY PULL THROUGH EVERY TIME! The deep rugged knob tread digs in on snow or mud and holds with the sure and certain grip of a cog wheel. Holds the road in all directions, gives equal traction going forward or backing up—will not slip sideways.

Note the "Crest" guarantee—it means every "Crest" tire is built to a rigid quality standard that is your assurance of satisfaction. You may pay more, but you cannot buy better quality, important: 600/16 tires may be ordered in 4-ply or 6-ply, see prices below.

	SIZE		TIRE Each Price Delivered	TUBE Each Price Delivered
Extra Low Pressure	6.70/15	(4-Ply)	24.85	3.75
	6.00/16	(4-Ply)	21.95	3.15
	6.00/16	(6-Ply)	27.95	3.15
5.25	-5.50/17	(4-Ply)	24.15	3.35
4.75	-5.00/19	(4-Ply)	17.90	2.95
4.50-4.75	-5.00/20	(4-Ply)	20.45	2.35
4.40	-4.50/21	(4-Ply)	18.95	2.35

Tire and tube prices include delivery charges from Winnipeg, Regina, Saskateen, Calgary or Edmenten and are the prices at any of our retail stores.

Tires and tubes sold on monthly payments, see page 58.

TRUCK TIRE INFLATION CHART

			Air Pressure Inflation				
		Maxlmum Load Per Tire		For All Service or Heavy Duty 110 Level Tire			
8.25-20	(8-ply) (10-ply) (10-ply)	2250-ibs, 2100-lbs, 2700-lbs, 2000-lbs, 3450-lbs,	70-lhs, 60-lbs, 75-lbs, 65-lbs, 65-ibs,	80-lhs, 70-lhs, 85-lbs, 75-lbs, 75-lbs,			

SERVING THE WEST: In the Important consideration of Quality . . . Value . . . Service Macleod's Limited, today, as always in the pact, is building for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the successful growth and continued expansion of this company can be built.

FOR HIGHWAY OR SOFT SIDE ROADS

110 LEVEL . . . Heavier Than First Line Tires 6 MONTHS GUARANTEE

"Super Crest Ail Service" track tires gire up to 50 per cent more inlicage because they have 20 to 30 per cent more wearing rubber, licavier construction in the carcaes, and thicker under tread to protect the carcaes from cuts, bruises and road shock.

and road shock.

The combination all-service tread is designed to give long mileage on hard surface roads as the tire rolls flatly across to outside edges on smooth highway driving; on dirt or mnd roads—or where the going is soft or heavy—the deep cleated self-cleaning lugs give maximum traction. The ravon cords are protected by layers of pure rubber; the tread is of toughest wear-resisting rubber.

"Super Crest All Service" tires are bullt heavier, stronger, ..., and provide more safe miles for all types of trucking under all road conditions. On dual wheel trucks these tires being larger in circumference should be used in pairs on the same dual wheel.

	SIZ	E		TUBE
			Each Price Delivered	Each Pric Delivered
7.50/17		(8-Ply)	64.75	6.25
7.50/20;	34x7	. (10-Ply)	85.75	7.75
8.25/20		(10-Ply)	104.50	8.65

100 LEVEL — FIRST LINE

Extra Heavy . . . Rayon Cord Construction Resists Internal Heat; Assures Longer Service.

6 MONTHS GUARANTEE

"Super Crest" extra heavy 10-ply balloon truck tires roll up big mileage on tough A truck tires roll up big mileage on tough trucking and heavy service. The deep-eut heavy tread gives pienty of traction for mud, snow or sand... and has sure grip and road holding qualities; the weight is evenly distributed over the face of the tire... rugged side buttresses give a wide tread and strengthen and protect the side walls. The fahrie is rayon cord, dissipates heat, makes a stronger constructed more serviceable tire. "Crest" and "Super Crest" are today's outstanding tire values—and backed by a guarantee that assures satisfaction.

SIZE	A2-3981F TIRE Each Price Delivered	
7.00/20; 32x6 (10-Ply)	64.45	5.95



"SUPER CREST"Speed Special

9.00-20 SIZE-10-PLY BALLOON

6 MONTHS GUARANTEE

"Super Crest" 9.00-20 heavy service tires have massive strength that assures utmost mileage . . They are tires for tough truck jobs . . rayon cord construction, these cords are specially spun to retain strength and elasticity; each cord is Latex dipped to give protection against internal heat . . extra wide breaker strips extend beyond the tread shoulders to provide extra layers of protection against blowouts caused by sbocks. Note the thick, fiat ribbed tread, specially designed for larger trucks and at high speed. "Super Crest" 9.00-20 heavy service tires

	SIZE		TIRE	A2-7439F TUBE Each Price Delivered
9.00-20		(10-Ply)	111.95	10.50

STURDY JACKS-For All Cars and Trucks



(4) (5) (6) (6) (6) (6) (6) (7) Rescribed in the lowest slung axic; lifts from 4½-ins, to a height of 14½-ins. Load lifting capacity 4000-lhs, with little effort, All steel construction; thrust ball bearing; wide concave top for added safety; base measures 7% x3%-inches; folding type 62-in. handle. Wt. ahout 14-lbs. 6.65 B6-63365—Price F.O.B. Winnipeg.

(4) Doublo Screw Axie Jack—Sliding handle screw type with one-piece malleable housing. Has ample range, 6 to 13-inches. Capacity 2,000-lbs; long folding bandle. Weight 6-lbs. 4.59 B6-6372—Price, F.O.B. Winnipeg.

(5) Axie Type Truck Jack—Slingle-lift action jack; 0000-lbs. capacity. Malleable iron sled base. Low height 9-ins; raised height 15½-ins. Hinged extension top adds 2-ins, to ralsed height. Long folding handle. Weight about 14½-lbs. 6.98 (6) Trlpod Bumper Jack—Tripod suspension supports car safely on any surface, requires no blocking or braking, cannot rock off jack. Constructed of channel and angle iron ball bearring action for easy operation. Low height 0-ins; bigh 30½-ins. Capacity 3,000-lbs. Weight about 15½-lbs 9.95 B6-6305P—Price, Delivered (7) Ratchet Bumper Jack—Lifting capacity 3,000-lbs. Sturdily built to give service and satisfaction—smooth acting and easy to operate. Low height 5-ins; high 30½-ins; base measures 7x7-ins.; 20-in. handle. Weight 10-lbs. 5.19

.59 7x7-ins.: 2

If it is service you want-and lowest price—you w find it pays to order from (8) Balloon Tire Pump. Built for heavy service: 1 3/4 x 20-in, barrel of heavy gauge, scanless tubing, Long heavy hose connection. Check valve built in heavy base.

B6-6007—Price 2.75 Medium Size Tire Pump (not illustrated)—1½x 17½-in, barrel; will inflate the largest tires with little exertion.

Sturdy Tire Pump (not illustrated) —Black enamelled barrel. A low priced 1 % x17-inch pump that has many of the advantages of a bigher priced B6-6002—Price

(6) Cross Rim Wrench—High carbon steel wrench with deep tapered sockets to give a firm, secure grip, Size of sockets: 5/8-in., 3/4-in., 13/10-in. and 7/8-in. Length 14-inches. Shipping weight about 2-lbs. 8-0z. 5.19 2-10s., 8-0z. Price, F.O.B. Winnipeg 1.15



n. Catgary, Edmonton.

B6-6355P—Capacity 1 ½ -tons, Low height 7-ins. 12.95

 ★ 86-6356P—Capacity 1 ½ -tons. Low height 7-ins.
 12.95

 ★ 86-6356P—Capacity 3-tons
 Low height 9-ins.

 ★ 18gh 17 ½-ins. Weight about 16-lbs. Price, each
 19.65

 ★ 86-6356P—Capacity 5-tons. Low height 9-ins.
 high 18 ½-ins. Weight about 18-lbs. Price, each

 ★ 86-6356P—Capacity 6-tons. Low height 9-ins.
 26.25

 ★ 86-6356P—Capacity 12-tons. Low height 9-ins.
 26.25

 ★ 86-6356P—Capacity 20-tons. Low height 9-ins.
 33.35

 ★ 86-6360P—Capacity 20-tons. Low height 10-ins.
 34.95

 ★ 86-6360P—Capacity 20-tons. Low height 10-ins.
 35.5

 ★ 86-6360P—Capacity 20-tons. Low height 10-ins.
 36.6360P—Capacity 20-tons. Low height 10-ins.

 ★ 86-6360P—Capacity 20-tons. Low height 10-ins.
 36.6360P—Capacity 20-tons. Low height 10-ins.

 ★ 86-6360P—Capacity 20-tons. Low height 10-ins.
 36.6360P—Capacity 20-tons. Low height 10-ins.

(A) Simoniz Liquid Kieener—Shines as it cleans in one casy, quick operation. Recommended for new cars and those in average condition. B6-7776—16-oz. size can.

B6-7776—16-oz, size can.

Price, Dellvered

(B) Simoniz Auto Pollsh—Nationally famous paste wax, gives that early hilliant finish. Keeps colors from fading.

B6-7775—7-oz, can. Frice, Dellvered

(C) Simoniz Paste Cleaner—Use before waxing to remove grease and read stains; assures an even polish.

B6-7777—12-oz, can. Frice, Dellvered

(D) Johnson's "Car Plate". Gives a "diamond-shine" in 20 minutes, Just spread it on, then wipe when dry—no rubbing necessary. Finish will last up to 6 montbs.

B6-7738—10-fluid ounce can. Frice, Dellvered

1.00



Price F.O. It. Wimipeg

Johnson's Carnu—Easy to apply—inst spread it on and wipe it off.

Gives a lasting, weather resisting lustre.

85



(A) "Cadle" Polishing Cloth—The polish is impregnated into the cloth; use on car hody or furniture—simply rub to a cleaning finish. In hardy pouce container. Cloth measures about 17x21-inches .65
86-2284—Price, F.O.B. Winniper .65
89 English Chamols—Good quality, remains soft and pliable. Be-1667—Size 17x18- 132 | B6-1664—Size 14x 15- inches, Price F.O.B. Wing. 1.39 | B6-1664—Size 14x 15- inches, Price F.O.B. Wing. 1.39 | B6-1067—Price F.O.B. Winniper .1.59
89 (C) Wash or Polishing Mitt—Soft rubon fleece on back and front, clasticized wrist band, Ideal for car or household use. 1.59
86-7067—Price F.O.B. Winniper .1.59
"Chamolsotte" Polishing Cloth—Brushed cotton with fluffy nap on both sides, Sevin edges, Size 18 x 17 % ins. 14
86-2240—Price F.O.B. Winniper .14
86-2240—Price F.O.B. Winniper .14
86-2256—Price per package, F.O.B. Winniper .25
86-2256—Price per package, F.O.B. Winniper .25









(E) (G)

B6-6194—To itt 4.750.007 to 2.19
B6-6167—To efit 6.00-6.25-6.50/16 tire. Each 2.16
B6-6190—To fit 6.70-7.101/15 tire. Each 2.69
Self-Vulcanizing Truck Tire Reliners—0-ply cord reliners with bevelled edges. About 14-lis, each B6-6193—To fit 7.50-7.00/16 tire. Each 5.10
B6-8185—To fit 7.50-7.00/17 tire. Each 5.10
B6-8185—To fit 7.50-7.00/17 tire. Each 5.10
B6-6199—To fit 7.50/20 tire. Price each 6.15
B6-6199—To fit 7.50/20 tire. Price each 7.95 AUTO WASHER MOP



AUTO WASHER MOP
Auto Washer Mop -Saft cotton
yarn wash mop with 10-in, detachable plastic handle. Brass couplings
to fit any standard ½-inch lose.
Water flows through centre of mop
Water flows through centre



B6-8528—standard valve colors.

Price, each
Handy Valve Tool—An ideal time and effort saver
when repairing nunctured tubes.

49

SERVING THE WEST: In the important consideration of Quality . . . Value . . . Service, Macleod's Limited, today as always in the past is building for the years ahead; we realize that the confidence of each customer gained through goodwill as a result of satisfaction is the main foundation on which the successful growth and continued expansion of this company can be built.



(A) Pencil Clip Type Tire Gauges
B6-5335—Registers 10 to 120 1.59
lis. Price
Balloon Pencil Type Tire Gauge—Registers 10 to 40-libs. Adaptable to extra
low pressure tires.

Air Water tractor tire gauge,
registers 3 to 50-lbs. Pencil
clip type, similar to illustration.
Order from Winnipeg, Regina
Saskatoon, Calgary, Edmenton.
T2560—
Price, each 1.79

Price, each 1.79

Price, each

(B) Tire Gauge with Key Chain.

An accurate, precision made esting instrument. Registers 12 to 40-lbs, pressure. Attractive, non-rusting chrome finish. Complete with head chain in end loop for hulding keys.

86-5337—F.O.B. Wpg. 89

Kriss Kross" TRACTOR TIRE CHAINS



For General Farm Work

Positive Lock-Ing Device.. operates like a jack knife; easy to close or open, stays locked when in service.

In service,

Fut on or
taken off by
one man Specielly designed
grip links provide treetion of
steel lugs, Pull
through snow,
iee, mud or soft
ground. Positive
type fastener,
Order from
Winnipeg, Sasketoon or Edmontou.

			Per Pair
	No.		Delivered
B6-7	67P	9-24 9-32; 10-30; 11-26; 9.00-28;	35.75
B6-7	76P	9-32: 10-30: 11-26: 9.00-28:	}
		11.25-24	42.65
B6-7	76P	11.25-24 9-34; 10-32; 11-28; 10.00-28;	
		10.50-28: I1.25-26	43.65
B6-7	66P	9-36: 10-34 9-40: 10-36: 9.00-36: 11.25-32	44.50
86-€	301P	9-40: 10-36: 9.00-36: 11.25-32	52.45
B6-7	775P	10-28; 11-24; 10.00-24;	
		10.50-24	42.60
	773P	10-38: 11-36	51.95
	77P	10.00-36; 10.50-36; 9.00-38	53.35
B6-7	74P	11-38; 9.00-40; 10.00-38;	
		11.25-36	54.50
B6-7	66P	12-26: 13-24	51.25
B6-7	783P	12-38: 12.75-32	62.65
B6-7	766P	13-28; 13.50-24	53.45
B6-7	187P	14-24	52.60
B6-7	64P	14-30	62.45
B6-7	796P	14-34 15-28: 15-30	69.60
B6-7	796P	115-28; 15-30	64.95
Cros	s Cha	aln with hooks, to fit 12-in., 12.7	5-in
13-in	n., 13	3.50-in., I4-in. tractor chains. 2	D-In., C
B6-6	866-	-Price each, DELIVERED 4	.09
Hool	s on	-Price each, DELIVERED 4 ly, to fit any tractor cross chains, -Price each, DELIVERED	4 67
B6-6	87-	-Price each, DELIVERED	.17 _
End	Leve	r Lock, to fit tractor chains	
Be-	712	r Lock, to fit tractor chainsPrice each, DELIVERED	.65
-0-1			1.
	-	11. C.1. P. OI 1	D

Twin-Grip Emergency Chains



Tractor grip, for emergency use to pull out of holes, snow drifts, etc. Twist link cross chains, case hardened side plates—the sturdy leather strap fastens easily. Tire size 6.00; 6.20; 6.50;

B6-516—Each F.O.B. Winnipeg 1.35

Tire size 6.75; 7.00; 7.50 pass, cer. B6-517—Price each, F.O.B. Winnipeg 1.39

Repoir Cross Choin Hooks Repoir Cross Choin Hooks
Order from Winnipeg Only
3/16-inch to fit regular weight
chains to 6.00.

B6-693—Price each, F.O.B. Winnipeg.....
%-inch to fit heavy-weight single or .08

truck chains, B6-664—Price each, F.O.B. Winnipeg...... .12 6.70. Length about 12-ins. Price each, F.O.B. Winnipeg.... .39 (A

These tire chains are built with case hardened alloy steel cross chains, heavy welded zinc-plated side chain, tough cross chain hooks.

Patented end lever locks. Macleod tire chains assure traction—safety—are equal to every road condition.

EXTRA HEAVY WEIGHT

	TIRE	SIZE		Catelog No.	Price Per Pair F.O.B. Winnipeg	Price Per Pair F.O.B. Edmonton
	4.50-21; 5.50-18; 6.70-15.			B6-602P	12.35	13.45
6.00-17; 7.10-15.	6.50-16;	6.50-17;	6.70-16;	B6-603P	13.45	14.65
7.10-15;	7.60-15.		***************************************	B6-604P	13.45	14.65
5.50-20;	5.00-21; 6.50-18; 7.50-15;	7.00-15;	7.00-16;	B6-605P	14.65	15.95

REGULAR WEIGHT

TIRE SIZE	Catalog No.	Price Per Pair F.O.B. Winnipeg	Price Per Pair F.O.B. Edmonton
4.40-21; 4.50-21; 4.75-19; 4.75-20; 5.00-19; 5.50-18; 6.00-15; 6.00-16; 6.50-15; 6.70-15.	B6-554P	10.35	11.25

All our tire chains have the pet-ented end lever lock, a simple but positive locking device that operates like a jecknife, allow-ing a two-inel leverage or teke up. This end lever lock is easier to elose or open and staye closed when in service.

ELECTRICALLY WELDED HEAVY DUTY TRUCK CHAINS For Pneumatic Tires

Big gumbo, electrically welded chains; made for heavy duty service, with case hardened cross Xlinks. Made specially for trucks and will give maximum service at lower cost.

		FOR SINGLE T	IRES	FOR DUAL TIRES			
TIRE SIZE Catalo			Price Per Pair	Catalog	Price Per Pair	Price Per Pair	
	No.	F.O.B. Winnipeg	F.O.B. Edmonton	No.	F.O.B. Winnipeg	F.O.B. Edmonton	
7.50-16; 7.00-17			21.60				
7.50-17; 7.00-18	B6-612P	20.75	22.45				
7.00-20; 32x6, 10-piy;		20.95	22.95		29.95	32.95	
7.50-18	B6-617P			B6-629P			
7.50-20; 34x7	B6-615P	21.75	23.95	B6-627P		33.60	
8.25-20		***************************************	•••••	B6-628P	34.85	37.35	

Cross Chain Repair For Tire Chains

	١
B6-658—Regnlar weight, to fit 6.00; 6.25; 6.50; 7.10 and 7.60 car chains. Length 12-ins, including hooks. Price each, F.O.B. Winnipeg	
DO-000 - Date nearly weight, name an	1
aloo-e, I'rice each, F.O.B. Winnipeg	1
86-636—Extra heavy weight to fit 7.00; 7.50; 8.20; 8.90 car chains. Length 14-	ı
ins., including hooks. Price each, F.O.B. Winnipeg	ı
Price each, F.O.B. Winnipeg	ı
B6-672—Cross Chains to fit single truck chains 7.00; 7.50. Length 14 ½-ins., in-	ı
eluding hooks. Price each, F.O.B. Winnipeg	ı
B6-676—Cross chains to fit dual truck	ı
chains 7.00; 7.50. Length 24 1/2 -ins., in-	ı
cluding hooks. 1 10	ı
Price each, F.O.B. Winnipeg 1.10	1
Bo-6/9- ross chains to itt qual truck	1
chains 8.25. Length 27 1/2 -ins., including	ı
Price each. F.O.B. Winnipeg 1.25	a
Price each, F.O.B. Winnipeg	ı
	1
weight cross chains to fit size 6.00; 6.50; 6.70. Length about 12-ins.	я
6. (0. Length about 12-ms.	i

Bar Reinforced Extra Heavy Weight Tire Chains



RETAIL STORES: In addition to our mail-order eatalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give complete and satisfactory service.

Lug bar reinforced cross chains make these the best in tire chains for every road con-dition. Case hardened alloy steel cross chains, heavy welded zinc-plated side chains, sturdy cross chain hooks.

To fit 6.00-15, 6.00-16, 6.50-15, 6.70-15,

B6-561P—Per Pair F.O.B. Winnipeg F.O.B. Edmonton 13.65 14.95

PISTON RING COMPRESSOR

A powerful, efficient key type compressor for pistons 2 1/2 to



for pistons 2 ½ to
4-ins, in diameter,
Herdened spring
steel band with
sturdy lever tightner and locking set
serew, Edges of
hend are flured to
wall.

B13-1036-Price, F.O.B. Winnipeg 1.09

(C)

(B) (G) Order these items from Winnipeg ouly

(A) Single Trumpet Horn—Clear, pleasing tone. Green metalustre lacquer finish. Install under hood on radiator brace of any car or truck. Complete with relay. 4.75

(B) Double Trumpet Horn—Well matched and powerful tone. Green metablistic lacquer finish. Install under the hood, or hang from radiator brace rod. Complete with relay B6-6050-

Price

(C) Hi-Lo Tone Twin Horn—Harmonlous single high or low notes combine to give maximum hiest. Measures 11x9x614-ins.—ideal for late model cars having limited specified under hood. Complete with two heavy duty relays, wire, monthing fixtures and steering column finger tip control.

B6-6056—Shipping weight about 10.95 10-lbs. Price

(D) Bomber Horn With Mounting Bracket
—Medium size single electric horn, magnetic vibrator type. Capper lacquer finish.
Bracket supplied.
B6-6063—Will fit ell cars. Price 2.95



(B) Bumper Type Connection

All steel coupler; fits bumpers up to 6-inches wide.

Four Bolt Connection. As shove except four holts. Weight about 4½-lbs. 1.59

(C) Adjustable Bumper Connection Bumper Connector, Fits most cars with large and unusual shaped bumpers, %.in, hole for ball or clevis pin. Weight ebout 5-lbs. B6-2471—Price each 2.59

(D) Bumper to Frame Connector.
Bumper to Frame Trailer Connector, bolts seenrely to both bumper and frame. Adjustable to fit ell ears. Heavy duty channel drawber slides forward, flush with bumper on nost cars, when not in use. Baked aluminum finish, chrome pleted bumper bolt. Weight about 15-lbs.

B6-2466—Price each 6.75

(E) Double Lock Trailer Coupler
All steel coupler with 1% in. pressed steel hall. Positive double locking device. 2000-1bs. capacity. Weight about 4-lbs.

B6-2466—Price each. 2.69

Henvy Duty Coupler, same style es B6-2488 with 2%-in. bull. % in. bolt. Capacity 5.000-lbs. Weight about 8-lbs.

B6-2494—Price each. 4.89

ect fit Guaranteon



Set of 4 Set of 8 set of 8 1.89 2.79 3.75









To Fit Most Popular Cars

Botter performance when you replace worn ignition parts—and you save money at these low prices. Every part guaranteed to fit perfectly ... every part an exact duplicate of the original ... every part a precision made and of highest quality. Note: Breaker Arm and Point are priced as a complete set. Prices are F.O.B. Winnipeg. Winnipeg.

IMPORTANT State make, year and model of car when ordering. Order by catalog number.

For scrvice and lowest price—it pays to order from Macleod's.

	Breaker Arr	n and Point	Distribute	r Rotor	Distribut	or Cap	Conde	nsor	Generator	Brushes
To Fit	Catalog No.	Price Set Complete	Catalog No.	Price Each	Catalog No.	Price Each	Catalog No.	Price Each	Catalog No.	Price Set Complete
Chevrolet—1929-32, All Chevrolet—1933-34 Standard Chevrolet—1935-36 Standard Chevrolet—1941-48 Standard Chevrolet—1941-48 Standard Chevrolet—1948-52	B7-1785 B7-1785 B7-1791 B7-1785	.75 .75 .85 .85 .79	B7-1902 B7-1802 B7-1901 B7-1901 B7-1901 B7-1901	.25 .25 .25 .25 .25	B7-1654 B7-1854 B7-1852 B7-1652 B7-1652 B7-1852	.95 .95 .89 .88 .89	B7-1726 B7-1728 B7-1727 B7-1727 B7-1732 B7-1732	.655 .655 .855 .855 .855	B7-3121 B7-3121 B7-3121 B7-3130 B7-3131 B7-3131	.35 .35 .35 .40 .35 .35
Chrysler—6-cyl. 1939-48		.95	B7-1903 B7-1803	.30	B7-1655	1.50	B7-1728 B7-1728	.75 .75	B7-3134	.75
Dodge—6-cyl. 1935-37 Dodge—6-cyl. 1940-50	B7-1783 B7-1789	.85 .95	B7-1903 B7-1903	.30	B7-1855 B7-1855	1.50 1.50	B7-1728 B7-1728	.75 .75	B7-3133 B7-3134	.75
Ford A and AA-1928-31	B7-1790	.50	B7-1904	.25	B7-1657 B7-1658	1.05	B7-1729	.55	B7-3127	.40
Ford V8—1942-48 Ford V8—1949-51 Ford V8—1952	B7-1782 B7-1800 B7-1800	1.15 .98 .98	B7-1903				B7-1740 B7-1733 B7-1733	.79 .89 .89	B7-3132 B7-3132 B7-3132	29
Mercury and Monarch—1942-48 Mercury and Monarch—1949-51	B7-1782 B7-1800	1.15 .98	***************************************				B7-1740 B7-1733	.79	B7-3132 B7-3132	.29
Plymouth—6-cyl. 1935-38 Plymouth—6-cyl. 1940-48 Plymouth—6-cyl. 1949-50	B7-1789 B7-1789	.85 .85 .95	B7-1903 B7-1903 B7-1903	.30 .30 .30	B7-1655 B7-1855	1.50 1.50	B7-1728 B7-1728 B7-1728	.75 .75	B7-3133 B7-3134 B7-3134	.75 .75 .75
	B7-1785		B7-1901 B7-1901 B7-1801 B7-1901 B7-1801	.25 .25 .25 .25	B7-1652 B7-1652 B7-1652 B7-1852	.89 .89 .89	B7-1727 B7-1727 B7-1727 B7-1727		B7-3130 B7-3130 B7-3130 B7-3131 B7-3131	.40 .40 .40 .35
			A. 7		THE PARTY OF THE P			.50	2, 3101	

VARCON"SPARK PLUGS Varcon spark plugs are guaranteed to give 100 per cent, satisfaction, to be efficient in operation, and to equal the life and service of any spark plugs you can buy regardless of price. For cars, tracks, tractors and any make of engine. Check table below for correct Varcon Spark Plugs to replace spark plugs you are now using. State make, model, year and catalogue number when ordering. k plugs are guaran ve 100 per cent FACH 49c

Thread Size	VARCON No.	Heat Range	Champion	A.C.	Auto-Lite
10mm	T37	realige	Y8	M8, 108	P6, PR6
(5/8-in. Hex.)			Y4A, Y5, Y4	106 104, 103, 103-8	P4. PR4
14mm (13/16-in	F9	Hot	J14 J12	49, 48 47, 47 Com.	A11, AR10
Hex.)		Î	J11 (use J5), J6	46-5, 46, 46 Com 45, 45 Com	A9
	F7		J8 II10	45L, 45L Com.	AR8, ATS, A7
			H9 Com., J8J	44-5. 44. 44 Com 43L, 43L Com.	A5, AN5, AR5 AL5, ARL5
	F5	∀	J6 Com.	43Com. 42-5 Com.	AT4
		Cold	J2 -	42_Com	A3
18mm	E11	Hot .	9 Com.	88L Com. 88. 88S C. 87S C.	B11
(7/8-in. Hex.)		Ą	C1 5 C7	87 Com.	BY10, B9
nex.)			8 Com.	86 Com.	BTS. BRS
			15A	86, 85S 84	-
	E9		6 Com.	83 Com.	B7 B5, BR4
	E3		H17A	83SCm. 82S Cm.	BT4
			5 Com.	82 Com.	B3
		Cold	H16A R11	82 81S Com.	BT3
7/a -Inch			3 Com.	78L Com.	711 7710
(15/16-in.		Hot A	2 Com. L	77L Com.	T11, TT10
Hex.)		Ť	C4	788	
			22 6	78,77 Cm. 76 Cm.	
	89	₩	1 Com.	75 Cm. 74 Cm. 74	TT8, T7, T5
		Cold	O Com.	73 Com.	TT4
½-Inch	TF	Hot	31	0.0	T04 4
(15/16-in Hex.)		Cold	33 A25	28	F11



Nationally Known and advertised, genuine Champion Spark Plugs. State make, medel and year of auto, tractor or truck, or order by Champion number.
Price, each DELIVERED .90



High quality sets, made to withstand heat, oil, water and ahrasion. Including necessary terminals and rubher nipples. For all 4 cylinder cars. B7-8185-Price per set 1.65 For all 6 cylinder cars. B7-9180—Price per set 2.15 For V8 Ford and Mercury 2.59 B7-9188—Price per set 2.59

Dash Ammeter Tests up to 20 smp-eres. To fit Ford T and A 1922-31 and other cars. B7-202—Price .85





Three-way Universal Ignition Switch for all cars, trucks and boats. Ready to install. 1.49

Designed to give improved engine performance. All coils built with standard gauge were and layer built insulation.

To fit Chevrolet, 1929-32, all four cylinder Fords.

B7-1155—Price 3.49

Varcon Standard Ignition Coils

"Varcon" DeLuxe Ignition Coils

Replace original equipment. Heavy duty construction throughout, insulated against internal leakage. Provide high heat and low primary current "draw" for quick starting and less battery drain.

quick starting and less battery drain.

Regular Type, to fit Chevrolet 1929-32; Ford 1928-34; Bnick 1929-39; Chrysler 1928-32; LaFayette 1934-40; Nash 1929-41; Willys 1933-50.

87-4186 — Price

Regular Bakellite Case Type complete with condenser, to fit Ford V8 1937-42, all models.

87-4179 — Price

Universal Type, fit most cars 1948-52. State make, year and model number of car.

87-4189 — Price

Universal Lock Switch Type, will fit most 1933-47 cars having lock coil switch, including Chryses, Dodge, DeSoto, Chevrolet, Plymouth, Olds and others.

87-4172 — Price

4.85

-	AUTO FUSES							
	Catalogue No.	Fuse No.	Box of 5					
	B7-2735 B7-2738 B7-2737	SFE20 3AG30	.25 .25					
Check old fuse for	B7-2729 B7-2738	SFE30 1AG2 SFE4	.35 .35 .25					
correct number; order from listing. Carry a spare.	B7-2739 B7-2740 B7-2742	SFE14 SFE9 SFE6	.25 .25					

FORDSON COIL UNITS



model T


Ford and Fordson

Timer

To fit.

each .. For Fo B7-119

. W. CD rd Coll U			and Ford B7-8440 F.O.B. Win	leon I	Ford Tractors
В	(A)	0	Spark	Plug	and



W. A Heavy Duty Switch, %-in. mounting hole required. Block type; two terminals.

(B) Toggle Switch. Popular on and off switch for extra lights. 6-Volt. B7-7511—Price, each45

(G) Automatic Domelight Switch, door jamb type. Automatically turns light on when door is opened. Requires in mounting hole: 6-Volt.

(H) Starter Button, to fit Ford and Mercury. Duplicates original equipment, Bright Nickel finish trim. 6-Volt. 39

(J) Universal Starter Button, for cars with Solenoid starter switch. Nickel finish. 6-Volt.

®

To Fit B7-3155 Chevrolet 1928-38; G.M. Trucks 1930-32

B7-3158 Chevrolet 1929-37 B7-3157 Ford 1921-37

(A) Handy Trouble Light—Plugs into dash cigarette lighter socket; uses standard No. 87 6-volt auto bilh. Complete with 12-ft. rubber covered cord and hook hanger. Fits easily into give compartment. B7-5051—Price, complete with bulb.

(C) Heavy Duty Trouble Lamp—Push type; usea 0-volt. 32-volt or 110-volt bulb. Easy grip handle of heavy rubber. Sturdy easy-to-open wire guard protects bulb. Complete with 25-ft. ruhber covered cord and unbreakable rubber plug. Use 6-volt. 32-volt or 110-volt bulb. B17-6427—Price, less bulb. 3.95


CLIVERED (D) Magnetic Trouble Light—Front lens throws a brilliant light for working while sturdy plastic case glows with a bright red warning flare. Strong electro-magnet holds securely in any position to any metal surface. Plug into cigsr lighter. Current consumption 1-amp. or less. B7-5052—Price. 3.79 DELIVERED



Portable spot and trouble light—throws a concentrated beam of light 150 to 200 y ard a. Beautifully chrome-platad; has full length black enamelled pist ol grip handle; off and on awitch; 14-foot extension cord. Complete with B7-616 (4510) sealed beam bulb and socket plug which fits inder dasbboard.

5.75 5.75

B7-4978----Price Dellyored Similar to above except grey crackle finish; no switch, plugs into B7-4976—Price Delivored



(A) ANTI-GLARE LAMP

(B) CHROME BACK-UP LAMP

1.65 Each 1.75 Each 1.65 Each 1.85 Each 1.35 Each 2.15 Each 1.45 Each

(F) Truck Clearance Lights—Solid hracket, 2½-inch lens. Complete wth No. 63 bulbs. B7-4776—Amber. Price
B7-4777—Red. Price
B7-4778Green. Price
As above with flexible strap; reduces ahock.
B7-4770—Amber. Price
B7-4771Red. Price
B7-4772—Green. Price
(G) Streamlined Clearance Lights—Chrome
finish; easily attached to fender or csb.
B7-4782-Green. Price each Delivered 1.79
B7-4780-Red. Price each Delivered 1.79
B7-4781-White. Price each Delivered 1.79
B7-4783-Amber. Price each Delivered 1.76
(H) 3-In-Line Marker Lights-Sturdily con-
structed; 2 ½ -inch lens, complete with bulb.
structed; 4 72 and lens, complete with built.

overall length 20-inches.

B7-4838—Rsd lens. Price......

B7-4840—Green lens. 1.69

(1) Triple 2-Way Truck Clearance Lights—2½-inch red, green or amber lens. State color. Length 20-inches. 2.89
B7-4841—Price 2.89
Single 2-Way Clearance Lights (not illustrated)—Single 2½-in. red, green or amber lens. State color. Complete with bracket and bulb.

RETAIL STORES: In addition to our mail-order catalogue service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete aud satisfactory service.

Bulbs Auto

Lamp bulbs for every automotive need, When ordering please state the number shown on the old bulb or give location of bulb and state make, year and model of car or truck.



OR HEADL		TLIGHT, ROAD	AND FOG	LAMPS	Ī
1000	B7-445	32-32	D.C.	.35 Each	
1129	B7-459	21	S.C.	.29 Each	
1138	B7-460	32	S.C.	.33 Each	
1158	B7-470	21- 3	D.C	.38 Each	
REFOCUSED	BULBS	FOR HEADLAMI	PS		

B7-480 FOR STALED BEAM LAMPS

4012A 4015 4015A 4030 4430 1400	B7-655 B7-656 B7-657 B7-635 B7-635 B7-637	Clear Lens Cox Light (5 % -in. dia.) Fog Light (5 % -in. dia.) Fog Light (4 ½ -in. diam.) Fog Light 4 ½ -in. diam.) Auto Headlight (all glass) English cars 12 -volt. Auto Headlight (all metal back

PARKING LIGHTS



Streamlined, chrome plated parking lights with clear front lens and red lens at rear for overnight park-ing protection. Easily mounted on fenders, require only single wire connection for each light. Set of two.

B7-4953— 1 00

Set Deliver'd 1.89

Sealed Beam Driving Lamps

Sealed Beam Driving Lamps
A pair of these powerful, highly chromed
Driving Lamps will eliminate that black
spot in night driving. The modern shallow design heads lend atyle and beauty
to your car. Universal mounting bracket
allows installation on either fenders or
gravel apron. Equipped with strong 5-inch
sealed beam unit No. 4015.

Sealed Beam Fog Lamps
Same lamp as above except with amber iens for
driving in fog. smoke, rain or sleet. Uses sealed
heam unit No. 4015A.

B7-4928—Price each 5.19

Directional Signal Switch Easy To Install In Any Car



Swirch Easy To Install In Any Car

Easily installed in any car to convert tail and parking lights into directional signals. Does not require special sockets but connects to present wiring system. Control lever signals turns while the special wing lever flashes the two parking and two tail lights for emergency varning. Pilot light control lever tells when lights are operating. Complete with flasher, in-line fuse and wiring instructions. Baked brown enamel finish.

B7-7060—Price, DELIVERED. 10.95

B7-7064—Price; DELIVERED 2.89



TRUCK DIRECTIONAL SIGNAL SET

Thin model - 2 1/4 -in. thickness - self-cancelling signal set for trucks and buses. Universal type fits most makes. Consists of two rear lamps with 4-inch red lens, and two double-faced front lamps. (4-inch amber lens on the front and 4-incb red lens on the back), self-cancelling switch, in-line fuse holder and fuse. Complete with wiring and installation sheet.
B7-7049—Price DELIVERED 16.45



SELF-CANCELLING TRUCK

The very latest in truck directional signal sets featuring large full-faced lamps which replace the former arrow indicator type as a more brillant and effective turn signal. Rear lamps have 5-inch red lens, while front lamps are double faced with 5-inch amher lens on front, red lens on back, Kit consists of self-cancelling switch with special colored wires for easy identification and installing, flasher, intended the self-cancelling switch with special colored wires for easy identification and installing, flasher, intended to the self-cancelling switch with special colored wires for easy identification and installing, flasher, intended to the self-cancelling switch with special colored wires for truck price Dellvered Self-cancelling signal sets. The self-cancelling signal sets. (Mfg. No. P229D)
B7-7024—Price Dellvered 1.29
B7-7035—Replacement Flasher for manual (Mfg. No. 229D).
Price Dellvered 1.29 DIRECTIONAL SIGNAL SETS



B7-7024-

FALL and WINTER Catalogue-1953-54

--install a set of directional signal lights and enjoy the advantages of an easy-to-see turn signal. Self-cancelling switch mounts on steering post; has chrome plated handle and grey Hammerloid finlish to match the interior of any car, no holes to drill. All wires are color coded and equipped with rubber connectors. Kit consists of switch, two double filament bulbs and sockets, flasher, in-line fuse, all necessary wiring and instructions. Weight about 2-lbs. I Price each s

SELF-CANCELLING DIRECTIONAL SIGNAL SET No need now for hand signalling --install a set of directional signal

13	To Fit	DELIVERED
B7-7030 B7-7031 B7-7032 B7-7037 B7-7033	Chevrolet 1942-48	13.95 13.95 13.95 13.95
B7-7036 B7-7039 B7-7029	Ford 1949-52 Pontiac 1949-52 Universal, for cars 1935 to 1939 fits all cars equipped with 2 combination tail and stop lights. Two front lamps are included. State year, make, and	



REAR WINDOW AUTO-MATIC SIGNAL LIGHTS

Hangs in rear window and flashes signals to cars behind. Completely automatic, flashes amber when foot is taken off the gas; flashes red when brake is applied. Complete with necessary wire and installation instructions.

B7-7095—Price Delivered 4.29



Utilize the top of your car for transporting bulky objects. Constructed of heavy duty slotted channel steel, The large size suction cups are adjustable to fit any width of car top. The gutter clamps assure complete safety of the load. Completa with extra beavy webbed atraps for securing load. Length 48-ins.; weight about



314-INCH RUBBER SUCTION CUP


 TRANSPARENT AUTO VISOR PLEXI-GLASS AUTO

Designed to conform to the streamlined contour of modern cars, to add appeal to older cars. Durable moulded green colored Plexi-Glass ohetructs eun raya but allowe traffic lighte to onetricts can raya but allows traine lights to above through. Outer edge trimmed with rolled polished stainless steel, chrome plated ends and centre strip. Eacily attached to rain gutter and windshield dividing etrip of cars and trucka that have windshields 54 to 56 ½ inc. wida. No holes to drill—adjustable in width, height or angle. State year, make and model of car. B6-6743P—Price DELIVERED..... 24.95

Same as above, except extends from 57 1/2 to 60-inches. B6-9744P—Price DELIVERED..... 24.95

Roof Mounting Bracket, for all ears having one-piece windshield. 1.69

* All Metal Adjustable Auto Visor



(A) Replacement Mirror Head—Ball joint type truck mirror head only. Diameter 5-ine, Black Enamel finish.

18) Extendabla Truck Mirror—5-inch side view mirror, hinge and body mounting. Telescoping arm extends 9 to 17-ins; adjustable to any vertical position; awivel head. Black enamel finish.

2.29

Haavy Duty Truck Sida View Mirror—Similar to above, but with hall joint head and extends 14 ½ to 23-inches.

2.65

160-7023—Price cach

2.65

(C) Round Side View Mirror—Streamlined non-glare 3 ½-in. dismeter mirror for right or left side of cars. Bright chrome finish. Ball and socket joint for adjustment. 1.59

(D) Oblong Sida Viaw Mirror—Chrome finish, non-glare mirror. Fastens to door—use on either side of car. Sealed spring tension ball socket joint maintaina proper adjustment.

86-6924—Size 3x5%-in. Price each...
(E) 4-inch Mirror—Clamp-on type Chrome plated.

Chrome Plated.

B6-6963—Price. each

B6-6993-Price, each



Green Plastic Sun Scraan—Similar to above, to fit later model cars measuring over 53-inches wide. Consists of two atrips with total length of 57 ins. by 3 %-ina. wide. 1.09



Rear Window No-Glara Shlald Eliminates headlight glare of cars following you at night, breaks the suns rays on hot days. Made of blue-green flexible plastic. To install just cut to fit, wet and roll on Measures 36 x 11 ¼ ins.

B6-6556—Price each 1.35



With Play

and Balls

haby safe and com-fortable. Strong gabardine material on sturdy steel frame. Armrests

Keeps safe

Green Polarold visor, 10x5-inchee. Pollshed steel attaching device slips on your inside vlsor.

B6-8552—Price, each 1.59

Auto Seat For Baby

with plastic material. Water-proof seat. Finished with play beads and bells. Be-6369—Price F.O.B. Winipeg 2.95


(A)

(C)

B7-6679—Red. .59
Price, Dallverad. .59
(B) Safety Rad Vehicla Raflactor — Reflects oncoming
headlights; red glass 4-inch
lens, Complete with bracket
and screws. and screws. **B7-6890**—Price

.35

Auto Coat



Bug and Snow Daflector For clearer vision. Smartly de-slgned in monlded plastic—de-flects the air stream so that signed in monided plastic—deflects the air stream so that hugs, snow, etc., are warded away from the windshield. Clamps to hood centre strip. Size about 6-inches. Two styles: (A) Butterfly Shape. Colors: Blue, green, red and clear—state which.

B6-4560—Each Dallverad. 59
(B) DeLuxa Winged Shapa, with figurine embossed in atainless steel. Colors: Blue, green and red—state which.

B6-4561—Dallvarad. 1.59

Alr Deffector Scoop

A6-4620-Clamps to ventilating windows keeps out-scoops out—scoops
a ir in.
Heavy phaetic with
chrome fitthings. Colors: clear,
red, amher. hhie and green.
State color wanted.
B6-4620—Per Pair........35





Plastic headlight hood directs the light down to the road-better visibility for driver and greater protec-tion to oncoming motorists. Translucent plastic in green, amber, maroon or blue, with stainless steel trim. Fits under headlight rim of all cars and trucks B6-9715—Price, per pair89

ANTI-GLARE SHIELD

For all 7-inch sealed beam head lights: covers upper half of headlight so that light is on the road. Fits under headlight rim. Chrome plated on



Chain type garment hanger for all cars with rain gut-ters. Handy when needed, quickly installed, may be stored in glove compart-ment, Hook hanger through links and glother will not links and clothes will not



Plastic Indentification Holder Completely adjustable, fite either steering column or inside of visor. License and permits easily read through clear plastic face while colorful plastic horder enchances appearance of your car. Red, green, hlue, black or yellow. 39 B6-5619—F.O.B. Winnipeg....



Baby Auto Seat Baby Auto Seat

A comfortable, ssfe, all metal
seat for baby to keep him occupied and happy. Complete
with revolving plastic steering
wheel, moveable gear shift lever,
horn hutton, safety belt, Plastic
covered seat hooks to
damage to upholstery.

B6-8373—Price
7.25 Delivared

"Happy Traveller"

Items Not Marked ★ to be Ordered From Winnipeg Only Delivery Charges Extra Except Where Prices State "Delivered" FALL and WINTER Catalogue—1953-54





Personalize your car with beautiful 18-karat gold in-itals. Easy to install, no drilling — simply remove gauze backing and stick on. Guaranteed to hold. Size of letters 1 ½ ½ ½ -lns. State letters wanted. B6-6180—Each DELIVERED

(E) "TEL-TRU" SUCTION CUP THERMOMETER

Temperature range from 40 degrees below zero to 140 degrees above zero. Suction cup holds fast to any smooth flat surface. B6-6165-DELIVERED.....

(G) AUTOMATIC LITE-R-LITE es bezero. light, push button and direct light where you want it, as a mooth lighter push in. Dash lite goes out when lighter is in, on again 49
86-8657—Price DELIVERED 1.79



TISSUE DISPENSER

(A) HOOD AND FENDER ORNAMENT Chrome plated torpedo shape. Attaches easily to hood or fenders. Also used on bicycles, motor cycles, boats, etc. B6-7251—Price F.O.B. Winnipeg 1.59

(B) BULL HEAD ORNAMENT Chrome-plated head with plastic horns, eyes and nostrils that light up. Adds dash to any car or truck. Complete with bulb and B6-7249—Price F.O.B. Winnipeg 3.49

(C) SMALL SWAN ORNAMENT
Chrome swan with plastic wings that glow
at night for auto fenders or dash, bicycles,
motor bicycles, etc. 3 ½-lns high. Red,
green or blue wings.

QR




(D) REINDEER HEAD ORNAMENT Chrome-plated head. Plastic uniters and eyes light up. Gives your car that "aristocratic look". Complete with installation holts, wire and luib.


B6-7246—F.O.B. Winnipeg...... 3.49

(E) CHROME-PLATED SWAN

ORNAMENT Brilliant, chrome-plated swsn with plastic wings that light up.

B6-7246—F.O.B. Winnipeg 3.59 As above except chrome wings (do not light B6-7245—F.O.B. Winnipeg 3.19





AERIAL ATTACHMENT Brightly colored plastic spluning propeller holds 4 flags.

B6-7140—Each, f.O.B. Winnipeg.....69 PLASTIC BOBBIN' ROBIN Brightly feathered plastic bird. Assorted colors, Suction cup mounting. eolors, Suction cup mountaing. B6-7153- Price each AUTO CLOWN Two faced plastic clown. Suction cup mount-B6-7154—Price, each



For those who demand the best in materials, quality and work-manship, "Varcon" DeLuxe tailored seat covers are individually cut and tailored to fit your car perfectly . . . each edge is bound to prevent ravelling . all seams are double stitched for extra strength and resistance to wear. Saran Plastic, Patterned Rayon, and Solid Shade Rayon tailored-to-fit seat covers have Vinyl plastic trim of 10-inches or more in depth on front and 14-inches or more in depth on rear seat rests—smartly finished with matching plastic beading for added appearance and with full length heavy, color-fast long wearing rayon material in harmonizing colors of Maroon, Blue or Green covering balance of seat. Plastic Fibre tailored-to-fit seat covers are made with the same De iuxe tailoring features, but have heavy Gabardine, instead of heavy Rayon material on balance of seat.

Note: "Varcon" tailored-to-fit seat covers are specially made — allow from 2 to 4 days after order is received before shipment.

Note: "Varcon" tailored-to-fit seat covers are specially made—allow from 2 to 4 days after order is received before shipment. Installation Kit: "Varcon" tailored-to-fit seat covers are shipped complete with special fastening rings and ring fastening pilers. Illustrated sheet showing installation is also included.



HOW TO ORDER: Give type of front seat as illustrated 1, 2 or 3. State make, year, model, and number of doors. If for Chevrolet or Pontiac, 1949-51, attate whether topped or bustle back. State if arm rest in middle of rear or front seats. State color of trim with your pattern number. If car equipped with centre arm reat, add \$2.50 to price quoted.

Pattern Book

Your nesrest Macleod's Store Macfeod's Store has the new pat-tern book to aid you in your se-lection of pat-tern and color. All covers have been carefully chosen for their smartness, durasinartness, dura-bility and econ-



Saran Plastic Custom DeLuxe Tailor-Made For Your Car

Our finest tailor-made seat over. Saran woven plastic is the strongest and most durable cent cover material; made with smooth, flexible stands of extra heavy plastic fibres. Colorfast patterns easily cleaned with a damp cloth. Will not fade, and has souff-resistant qualities. Choice of two patterns and four colors in plastic trim; red, hlue, green or yellow. (See tailoring features at left). For all cars 1941-53. Weight about 8-lbs. for complete set.

Royal Stripe (State color of trim)

XB6-3769 — Complete | XB6-3771 — Front Seat
Set. F.O.B. 29.45 | only. F.O.B. 14.75

Plaid Check (State color of trim)

XB6-3752 — Complete | XB6-3754 — Front Seat
Set. F.O.B. | 29.45 | only. F.O.B. | 14.75



Plastic Fibre Custom DeLuxe

Tailor-Made For Your Car

Extra heavy weight lacquered wood pulp fibre in finely woven beautiful new patterns. Full fibre covering on all seat wearing surfaces—resists soiling and fading; easily cleaned with a damp cloth. Made with the same de luxe features as other "Varcon' custom de luxe seat covers, except has beavy weight Gabardine material backing instead of plain rayon, to fit all cars 1941-53. Weight about 8-lbs. for complete sct. Red. blue, green or vellow trin. yellow trim.

Candy Stripe (State color of trim) 3648 — Complete XB6-3650 — Front Seat F.O.B. 17.45 | Winnipeg..... 9.50

Block Pattern (State color of trim) **XB6-3651 — Complete | *XB6-3653—Set. F.O.B. | **17.45 | Only. F.O.B. | Winnipeg..... -Front Geat 9.50



Patterned Rayon Custom DeLuxe Tailor-Made For Your Car

Tailor-Made (ace features at left) from colorfast woven rayon; positively free of wrinkles and bunching, gives a smooth and rich appearance. Choice of plaid check or candy stripe with a predominance of red, green and blue colors, Choice of red, green, blue or yellow harmonizing plastic trim. For all cars 1941-53. Weight about 6-lbs, for complete set.

Candy Stripe (State color of trim) XB6-4080 — Com- XB6-4082—Front Seat plete Set. F.O.B. Wpg. 25.95 | Winnipeg.... 14.25

Rayon Check (State color of trim) XB6-4091 — Complete set. F.O.B. Winnipeg.... 14.25



Solid Shade Rayon **Custom DeLuxe**

Tailor-Made For Your Car

Precisely tailored from durable, colorfast, hard wearing rayon material to assure perfect fit without wrinkling or bunching. (See features at left). Solid shades of maroon, blue or greenbright and distinctive, smart in appearance. To fit all cars 1941-53. Weight about 7-lbs for complete set.

Maroon (State color of trim) XB6-4114 — Com- XB6-4116—Front Seat plets set. P.O.B. Wpg. 19.95 | Winnipeg.... 10.95

Blue (State color of trim)

XB6-4104 — Com- XB6-4106—Front Seat plete set. F.O.B. Wpg. 19.95 | Winnipeg.... 10.95

Green (State color of trim) XB6-4109 — Complete set. F.O.B. Wpg. 19.95 | XB6-4111 — Front 6eat only. F.O.B. Winnipeg.... 10.95

"Varcon" Ready-Made **Universal Seat Covers**

6mart Patterns For Good Looks. Sturdy Materials For Long Wear-Ing Geat Protection.

"Varcon" ready-made universal scat covers assure good, long-wearing scat protection combin-ed with smart atyling . . the patterns harmonize with any ear interior and will make dull, tired looking seats fresb and new looking again.

Note these features:

- Shipped promptly from stock.
- Latest styles in a variety of good, durable patterns.
- · Elastic inserts on both sides of front rest assures snug fit.
- All edges completely finished and double stitched for extra strength. · Plastic boading for extra v
- (not included in plain fibre sets). · Maroon leatherette trim 3 to Maroon leatherette trim 3 to 4 inches deep on seat and back of rest (except 6aran, which is 12-inches deep, on back rest end 6-inch trim on seat cushion.
- Heavy weight gabardine material to cover remainder of seat.
- Instruction sheet and diagram for installation with necessary pins, clips and tie strings for

Commission of the Commission o "Saran" Universal Sizes

Front Geat only. Weight about 3-lbs. 11.95

Varcon Clear Vinyl Plastic Seat Cover Slip-Ons

Protect front seat upholstery and seat covers.
Put on or take off in a jiffy. They're waterproof, washable, storm and dust resistant.
Invaluable for farmers incelassics, sportsmen, picnickers and children, Made of sturdy, clear Vinyl
plastic; complete with bandy ties for easy installation.
Can be stored in glove compartment,
4-door up to 1948. Front seat only.

2.19

2.400r up to 1648. Front seat only.

2.19

2.400r 1949 to 1952. Front seat only.

2.19

2.600r 1949 to 1952. Front seat only.

2.19

2.600r 1649 to 1952. Front seat only.

2.19

2.600r 1649 to 1952. Front seat only.

2.19

-Price each, F.O.B. Wlnnipeg......

Plastic Fibre Universal Sizes A popular priced, hard-wearing seat cover-

made from medium heavy weight plastic covered wood pulp fibre. (See construction features at left). Smart beige colored plaid design with maroon gabardine backing to harmonize with your car. To fit Ford, /Chevrolet, Dodge and Plymouth 1949-53---please read: How Order.

Complete 6et-Plastic Fibre Ready Made.

..... 6.95



Plain Fibre Universal Sizes Another popular seat cover made from a good

weight plain wood pulp fibre in a smart looking red plaid design with blue gahardine hacking, (See construction features at left). Made for cars and trucks 1941-53-please read: How To Order.

Complete Set-Plain Fibre Ready Made. Price, F.O.B. Winnipeg 11.45 Weight about 6-lbs.

Front Geat only-Plain Fibre Ready Made. Weight about 3-lbs.

Price, F.O.B. Winnipeg 6.45



Auto Seat Cushions

Covered with colored plastic fibre, leather-ette trim with leathcrette piping 15x15ette trim with leathcrette piping inches. Weight about 2-lbs. B6-4515—Price each 1.15

Leatherette Covered Wedge Style Auto Seet Cushlons, 15x15-inches, Assorted colors, Weight about 2-lbs. 110 1.19 B6-4517 -Price, each



Air Foam Rubber Seat Cushions

Soft, comfortable utility cushlons, natural rubber, covered with color-fast rayon plaid material; leatherette piping. Size 14x14x-1\(\frac{1}{4}\)-inches. Weight 1\(\frac{1}{2}\)-ibs.

B6-4523—Red, hlack and gold 3.89 plaid.

2.19

FROST SHIELDS-For all Cars and Trucks HOT WATER AUTO HEATER



For safer winter driving; prevent inside frosting. Measure size of car window and For safer winter driving; prevent inside trosting, measure size of car window and order according to size; or state make, model and year of car and also state for which windows frost shields are required. Order from Winnipeg.

(A) FOR WINDSHIELDS
Glass, size 8 x 18-inches.

Plastic, size 7 x 13-inches.

B8-8413—Price.

1.39

per pair DELIVERED.... 2.79

Glass, size 10 x 18-incbes. per pair DELIVERED 3.19 Glass, size 12 x 20-inches; one right hand and one left band glass.

per pair DELIVERED 4.15 curved; size 12 x 20-ins. 4.15 per pair DELIVERED....

(A) Electric Defroster For Windshield

Complete with switch and connector cord, size 10 x 18 ins. For use on 6-volt hattery.

B8-8444—Price, each DELIVERED..... 3.59 Electric Defroster, complete with switch and connector cord; size 10 x 18-inches. For use on 6-volt battery.

B6-8445—Price, each DELIVERED...... 3.69

RUBBER SUCTION CUPS Rubber Suction Cups for replacement on electric defrosters. Complete with screw and knuri and tube of cement.

B6-4501—Box of 4 cups DELIVERED39

(B) Air Conditioning and Defroster Fan

Air conditions in the summer—keeps windshields free from frost in winter. Has 6-volt motor; four soft rubber blades and a two speed awitch. Easily installed on steering column, windshield moulding, rear window mounting, cowl or any flat surface. Shipping weight about 2 ½-lbs.

B8-4979—Price, DELIVERED...... 9.95

Tru Temp Auto Thermostats

Catalog

B8-8803

B8-8803 B8-8817 B8-8817 B8-8817 B8-8816

B8-8817

B8-8807 B8-8811 B8-8807

B8-8809 B8-8803 B8-8803 B8-8807

B8-8809

B8-8811 B8-8815 B8-8815

B8-8817

B8-8815

B8-8803

Each Delivered

1.19

1.19

1.85

1.39

1.19

R8-8419-

per pair DELIVERED 1.69 Plastic, size 7 x 17-inches. B6-8436—Price. per pair DELIVERED 2.29 (C) FOR VENTILATOR WINDOW

Glass, size 6 % x 8 % -inches B8-8410—Price. per pair DELIVERED 1.59 Glass, size 7 % x 8 %-inches. B8-8411—Price. 1.59 per pair DELIVERED

1.39 each DELIVERED, 1.39
Plastic, curved; size 10 x 25-ins. (for later model cars).
B8-8438—Price, 198 DELIVERED ..

Frost Shield Gasket Highest quality rub-ber. Absorbs unevenber. Absorbs uneven-ness in glass; easy to apply. Per 50-in. strip. B8-8465-



(A) Sponge Rubber Weatherstrip

For weather stripping or cushioning—you'll find many uses for this self-sealing sponge rubber weather strip. Easy to use—simply remove white backing from weather strip and press into place, no nails or screws needed. but 10-feet.

Box contains about

Sponge Rubber Moulded Door Weatherstrip

Replace old and worn weatherstrip and reduce drafts and rattles with this easy to apply sponge rubber moulded weatherstrip.

For bottom of right front and left rear doors clage of 4-ft. For bottom of left front and right rear doors

Package of 4-ft.

B6-9887—Per package 1.59 For top and sides of all doors. Package B8-8889—Per package 1.10



Transparent Moisture Seal A sealing compound for use around edges of frost shields, prevents moisture seepage on inside of glass.

B8-8521—Price per 2-oz. bottle.

DELIVERED



Varcon quality—tailored to fit any car of vehicle a grille front. Black leatherette with felt hack; two fasten-back flaps. Complete with springs for fastening. Passenger Car Grille Cover. Truck Grille Cover.

Delivered...... 4.69 Price each

Grille Springs—1-in, di-ameter, 2-in, hook, B8-2834—Eacb OA Grille Springs — 2½-in, diameter, 2-in, book, B8-2635—Eacb OO

VARCON

Felt Back

GRILLE

COVERS




Felt Back Inside Grille Cover

Easy to install; hooks over top of radiator core inside grille. Black leatherette with felt back and added stiffening in flaps. Two doors open by draw string through grille from outside. Fits all popular cars and trucks 1949-52. State year. make and model. Price each,

DELIVERED RETAIL STORES: In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give complete and satis-factory service. Down draft feature spreads heat to floor around the feet. Special defroster opening is designed to draw unused heat from around the core. Has large core for maximum efficiency and comfort in the coldest weather. Attractively finished in metallic grey. Heavy duty motor with rheostat switch. 6½ ins. bigb, 9¾-ins. wide, 7¾-ins. deep. Complete with fittings, hose and bose clamps. Shipping weight about 11½-lbs. 23.45



2-PLY HEATER HOSE—Braided Construction
B6-5677—%-inch diameter. Inner casing treated to resist
effect of anti-freeze solution. Price, per foot, F.O.B. Winnipeg
B8-5681—HEATER HDSE CLAMP. Size 1-inch for use
0.5 with %-inch heater hose, F.O.B. Winnipeg



Note: 4½-ft. plug-in cord only supplied with these heaters—see pages 86 and 89 for extension wiring and attachments.

(A) CLAMP-ON TYPE ENGINE HEATER
Clamps on manifold side. Complete with 4½-ft. plug-in cord.

To fit Ford V8, Monarch and Mercury, 1849-51.

B6-5708— 7.60

B9-5708— 7.60

B9-5708— 7.60

CB) "SOVEREIGN" ENGINE HEATER
Clamps to block on intake manifold—550 watts. 110-120-volt. Size

CO UNIVERSAL HDSE TYPE ENGINE HEATER
Complete with 4½ -ft. cord. 400-watts; 110-120-vols.

B6-5728—Price DELIVERED

To fit Chevrolet, Dodge, Plymouth, Pontiac, Nasb. Studebaker Champion, Ford, Meteur, Mercury and Monarch cars—Dodge, Eargo, Chevrolet, and G.M.C. trucks. Length 4-ins. Diameter 7/16-ins. Thread 14 N.C.

400-watts; 110-115-volts. Complete with 4½-ft. cord.

9.40

B6-5732—Price DELIVERED

(E) IMMERSION TYPE ENGINE HEATER
Screw-in engine block immeration type engine heater. Complete with 4½-ft. cord. To fit Buick, Chevrolet, Olds, Pontiac 1934-47.

5.35

IMMERSION TYPE ENGINE HEATER

Clamps into the engine hlock through the 1½-in. frost plug. To fit all Chrysler, Dodge "L" and V8, DeSoto, Plymouth "L" bead automobiles and Dodge, Fargo trucks. Also fits A40 Austin car and truck engines. Complete with 4½-ft. cord. 400 watts: 115 volts.

B8-5734—Fach DeLIVERED

Keps lubricant warm for easy starting in cold weather. Eliminates frozen oil lines and reduces battery wear. Easily installed, remove oil gauge dipstick and insert beater. Fits any motor haring straight dipstick hole with inside diameter 6/16-in. and not over 20-ins. in length. Complete with 4½-ft. cord and instructions.

8-5738—Each DeLIVERED

Varcon Permanent Anti-Freeze

Varcon Permanent Anti-Freeze

Permanent (Etbylene Glycol) anti-freeze with anti-rnst. Highest quality, will not evaporate or boil away. Stays full strength all winter to give maximum protection. Cannot rust or corrode cooling system. Will mix with any nationally advertised permanent anti-freeze. Weight about 11-lbs. per gallon. Imperlal Quart B4-94F— 1 15 B4-95F— 4 35

Imperial Quart
B4-94F—
DELIVERED 1.15 | Imperial Gailon
B4-95F—
DELIVERED 4.35



ALCOHOL ANTI-FREEZE

Rust resistant alcobol base anti-freeze, treated to retard evaporation, protect against rust and corrosion.

Won't harn cooling system. Mix with water according to instructions supplied—can be used with any other good brand of alcobol anti-freeze. Weight about 10-libs. per gallon.

B4-73F—Price

67

B4-73F—Price

2.49 .67 | Imperial Gallon B4-74F—Price DELIVERED....

DELIVERED.....

\$ 1 Canada (1)



ANTI-FREEZE TESTER Freezemeter -- can be used to test

most well known types of anti-freeze.

B4-1437—Price .64 eacb Interlocked Flexible Steel Tubing



Rust resistant. Can be bent and twisted on a ke flexible spouts, suction or blower hose, air beater connections, tail pipes, tail pipe extension, oil breather units, exhaust extension.

Catalog No. Diam Diam					
B8-9417 1 ¼ in. 1 ¾ in. 38 B8-9419 1 ½ in. 1 ½ in. 4 B8-8420 1 ¾ in. 1 ¼ in. 55 B8-9421 2 in. 2 ¼ in. 55	1				Pric Per Foo
	,	B8-9417 B8-9419 B8-8420 B8-9421	1 ¼ -in. 1 ½ -in. 1 ¾ -in. 2-in.	1 % -in. 1 % -in. 1 % -in. 2 ¼ -in.	.33 .39 .42 .53 .59

Plymouth, 1951-52, All Studehaker, 1939-52, Cham-pion FALL and WINTER Catalogue—1953-54

Wayfarerdge, 1951-52, Alldge Truck, 1940-50, 14

Wayfarer Dodge, 1951-52, All Dodge Truck, 1940-50, ½ ton to 2 ton Ford, 1947-48, 85 HP, All. Ford, 1949-50 (2 required) Ford, 1951-52 (2 required) Ford Truck, 1937-47, All Ford Truck, 1948-52 (2 required)


quired)
Fraser, Kalser, 1946-52, All
Henry J., 1951-52, All
Mercury, 1939-48, All
Mercury, 1949-50 (2 requir-

Mercury, 1951-52 (2 requir-

ed)
Nash, 1931-52, All
Plymouth, 1934-40, All Std
Plymouth, 1940, Special De

Plymouth, 1941-50, Std. and Deluxe

Plymouth, 1941-50, Special Delnxe



Motor block is completely disassembled and subjected to thorough ebemical cleaning. Every inch is rigidly inspected for imperfections. Oylinder walls are bored and double honed to an exact oversize—polished to mirror finish. Thoroughly precision instruments. Crankshafts pass rigid inspection tests, properly aligned and reground to regular undersize. Canishafta are checked for accuracy, the lohes are touched up to insure quiet operation. Connecting rods are realigned to fit the motor properly, they are hored, honed and chamfered—making them the same as new. Many other operations included. Rastricted to cash salas only.

Dodge, Plymouth and Fargo rebuilt motor blocks, in addition to other reconditioning, also are equipped with a reconditioned resurfaced and fully tested cylinder head, new oil limes, new oil screens, oil pao, a complete set of new gaskets a reconditioned oil pump, flywheel resurfaced and new flywheel ring gear installed. Chevrolat Block Assombilas do not include pulley, valves, spring or any work to head or valves. When ordering Ford V8-85 H.P. Motors, please state number of cylinder studs.

NOTE—the old block you send must not be cracked or scored and wheo re-bored must not be more than ,060 oversize, except Ford A and Ford AA blocks which can be ,080 oversize.

Ship the old motor block assembly (same make, model and year as block you are ordering) complete with crankshaft, connecting rods, pistons and camsbaft; stripped of stude, manifolds, water pump, clutch, transmission and electrical equipment. Forward it Freight Prepaid to Macleod's Limited, Winnipeg,

Foctory Experts Replace or Recondition Every Wearing Port as Follows:-• Cylinders rebored, honed and polished. New Pistons, Pins and Rings.

 Naw Connecting Rod Shall Bearings (Chavrolet and Ford A and AA rababbitted and aligned). New Main Bearings (Chevrolet and Ford A and AA rebabbittad and line bored).

New Valves and New Valve Guidas.

and AA rebabbittad and line bored).

Camshafts are precision ground and properly eliqued.

Camshafts are precision ground and properly eliqued.

WE DO NOT ASSEMBLE THE THE THANK THE PRECISION WORK described above, "Rabuilt Price" means the price for rebuilding your own motor block assembly. Sbip your old block to Maeleed's Limited, Winnipeg, freight prepaid. We will rebuild your block and return it—shipping changes prepaid. We will rebuild your block and return it—shipping changes prepaid. "Outright Purchase Prica" means the price for a factory rebuilt motor block assembly. After you receive this block you may send your old block to us, freight prepaid. We will return the difference in price between the outrigbt purchase price and the rebuilt price, providing your block is not cracked or deeply scored.

CAUTION—35 per cent of old blocks returned to us for credit prova defective. This reduces our retund to whatever the salvageable parts are wortb (about \$10.00) and otten does not cover the freight cost to ship the block in. Check your old block carefully for cracked or divider walls, water jackets and valve ports. Make sure cylinder holes can be rebored .060 oversize or under (.080 oversize on Model A Ford) before shipping it to ns for refund. It may save a disappointment.

WHEN ORDERING—state Catalog Number; state if Car or Truck, Give Maka, Model and Year; Also State the Casting Number; Bebuilt Price Delivered.

Description	Catalog No.	Inches	DELIVERED	Outright Purchase Pric
Ford A and AA, 1928-31 Ford V8 (85 H.P.)	X B8-4126F	3 %	110.00	150.00
1932-38 with 21 studs Ford V8 (85 H.P.) 1038-		3 1/16	173.50	223.50
42 with 24 studs	XB8-4122F	3 1/16	173.50	223.50
Ford, Mercury, 1939-48	X B8-4125F	3 3/16	173.50	223.50
Ford, Mercury, 1949-53	XB8-4257F	3 3/16	173.50	233.50
Chevrolet, 1929-33	XB8-4127F	3 5/16	129.50	184.50
Chevrolet, 1934-36	XB8-4131F	3 5/16	134.50	169.50
Cbevrolet, 1937-49	XB8-4134F	3 1/2	134.50	189.50
Dodge, 1937-38	XB8-4157F	3 ½ 3 %	187.00	237.00
Dodge, 1937-48	XB8-4158F	3 %	187.00	237.00
Dodge, 1934-36-38	XB8-4158F	3 1/4	187.00	237.00
Plymouth, 1933-38	XB8-4185F	3 1/8	187.00	237.00
Plymouth, 1938-48	XB8-4187F	3 %	187.00	237.00
Fargo Truck, 1938-48	XB8-4192F	3 7/16	187.00	237.00
Ford VS block weigns about	330-lbs. : For	A and AA	185-lbs.; other blo	cks average 300 to 340-lb

GASKETS TO FIT MOST POPULAR CARS, TRUCKS

Highest quality gaskets of rugged steel, fused aluminum oxide and top grade asbestos filler construction. They are made to give a lasting, perfect seal that withstands the corrosive effects of beat and pressure developed in modern high compression engines.

NOTE: The grind set contains all gaskets needed for a motor regrind. It does not include an oil pan gasket for a complete overhaul.

		Cylinder H	lead Gasket	Grind Set		Oil Par	n Gasket
To Fit	Model	Catalog Number	Each Dailverad	Catalog Number	Sat Deilvarad	Catalog Number	Sat Daliverad
Chayrolat 1929-32 Pass, and Truck, 4 cyl. 1937-39 Pass, and Truck, 6 cyl. 1940-51 Pass, and Truck, 6 cyl. 1937-39 Truck, 6 cyl. 1040-51 Truck, 6 cyl.	Up to 1½-ton	B8-2443 B3-2443	1.15 1.15 1.15 1.15	B8-3213 B8-3218 B8-3218 B8-3218 B8-3216	3.65 2.85 2.95 2.85 2.95	B8-3006 B8-3007 B8-3008 B8-3007	.85 .85 .65
1937-51 Passenger, 6 cyl	C16-51; S3-15	B8-2467	1.75	B8-3203	4.25	B8-3029	.75
Dodga and Plymouth 1937-51 Passenger, 6 cyl,	D5-D42	B8-2487	1.75	B8-3203	4.25	B8-3103	.75
Ford and Marcury 1928-31 Pass, and Truck, 4 cyl. 1935-38 Pass, and Truck, 8 cyl. 1938-42 Pass, and Truck, 8 cyl., 1949-51 Pass, 8 cyl. (right side) 1949-51 Pass, 8 cyl. (left side)	48. 50. 85 H.P., 21 stud 85-00 H.P. 24 stud Ford only	B8-2518 B8-2518 B8-2519 B8-2522 B8-2523	1.10 .85 .95 .85	B8-3219 B8-3222	3.45	B8-3060 B8-3083 B8-3083 B8-3066	.85 .75 .75 1.40
1935-38 Truck, 8 cyl	85 H.P. 21 stud F1-F6		.85 .85	B8-3219 B8-3222	3.45 3.40	B8-3083 B8-3066	.75 1.40
1848-51 Truck, 8 cyl. (left aide) 1949-51 Pass., 8 cyl. (left side)	Mercury only	B8-2541	1.35	B8-3223	4.39	B8-3088	1.40
Pontlae 1935-50 Pass, 6 eyl,		B8-2592	1,25	B8-3233	3.50	B8-3118	.75
Studobaker 1939-51, 6 cyl	Champion	B8-2610	1.45	B8-3237	2.50	B8-3124	.60

Guaranteed! Rebuilt pumps direct from a leading manufacturer. "Varcon" Water Pumps are precision-made to original are precision-made to original equipment specifications; highest quality castings, hardened steel shafts and accurately machined seals for perfect fit and trouble-free, leak-proof service. Every pump is rigidly tested and unconditionally guaranteed to give the service you expect. State make and year when

Precision Reduilt to Original Vi	uanty sta	maaru	
To Fit	Туре	Catalog Number	Prica Dalivared
Chavrolet-1937-40 Pass, and Truck	Bearing	B8-5742	7.85
Chevrolet-1941-52 Pass, and Truck	Bearing	B8-5743	7.95
Chryslar and DeSoto-1942-50 Pass,	Bearing	B8-5780	10.45
Dodge-1942-50 Pass, and Truck	Bearing	B8-5790	10,45
Dodge-1951-52 All Models	Bearing	B8-5791	10.45
Ford and Mereury-1937-48 Pasa, and Truck			
(right hand)	Bushing	B8-5775	6.25
Ford and Mercury-1937-48 Pass, and Truck			
(left hand)		B8-5774	6.25
Ford-1950-51 Pass, (right hand)		B8-5778	8.65
Ford-1950-51 Pass. (left hand)		B8-5778	9.85
Mercury and Monarch-Pass. (right hand)	Rearing	B8-5797	10.25
Mercury and Monarch-Pass. (left hand)	Bearing	B8-5798	10.25
Plymouth—1951-52 All Models	Bearing	B8-5780	10.45
Plymouth—1942-50 Pass		B8-5791	10.45
Pontlac-1937-48 Pass		B8-5780	10.25
Pontlac-10.19-51 Page	Resmina	RR-5782	10.25

Gasket Shellac

high quality leak-sealing compound for use in installation of all types of automotive, truck or tractor gaskets. Makea a firm, tight seal. B8-3270—Per 2-oz. bottle with dauber20



'Pep" Quality Gasket Goo

Makes a perfect seal for all types of automotive gasket installations. Can be used with or without gaskets to make leak-proof, pressure-tight unions. Will not hecome brittle. Joints set solidly but can be easily taken apart. 60 B8-3266—Price Per tube, Deliverad 60

Retail Stores-In addition to our mail-order catalogue aervice we have retail stores "all over the West". Theae retail stores bave bundreds of items that are never shown in the mail-order catalogue. Make a point to often visit our nearest store.



To Fit Most **Popular Cars** and Trucks

Guaranteed against defects in material and work-manship; tested for pressure and vacuum. Macleod Guaranteed Fuel Pumps are precision rebuilt to factory specifications to ensure original equipment quality and performance at money-saving prices. State make, model and year of car or trick and order by catalog number— see listing below. Prices are F.O.B.

Winnipeg.	. I lices are	E.O.D.
Make, Year and Model	Catalog No	Priea Each
Chavrolet Passenger 1929-33 All 6 Cyl. 1935-36 All 6 Cyl. 1937-52 All 6 Cyl.	B8-5330 B8-5332 B8-5333	2.50 2.50 2.50
Chrysler Passenger 1938-48 C18 Royal (Original No. 1523647)	B8-5379 B3-5380	2.50 2.50
Dodga and De 6oto Passenger 1937-38 8-5, 19-8 (Original No. 1522995) 1937-38 D-5, D-8 (Original	B8-5378	2.75
No. 1523647 1939-48 D-11, D-18, D-22, S-6, S-7 1949-50 All Models 1951-52 All Models	B8-5378 B8-5380 B8-5381	2.50 2.50 2.50 2.75
Dodge and Fargo Truck 1933-53; State Model and Year		2.75
Ford Passanger 1934-46 All V8 (Original) 1934-48 V8 (Sediment bowl) 1949-50 Standard V8 1951-53 V8 Standard Equip.	B8-5388 B8-5390 B8-5393 B8-5395	2.25 2.50 2.50 2.50
Ford and Mareury Truek 1941-47 All V8	B8-5338 B8-5393	2.25 2.50
1.H.C. Truck 1933-40 State Model and Year 1940-49 K1 to K7	XB8-5315 B8-5415	2.75 2.75
Marcury Passanger 1939-42 95-II.P. 1941-48 All Models	B8-5388 B8-5390 B8-5393	2.25 2.50 2.50
Plymouth Passanger 1936-38 Pl and P2, late P3, P5, P6 1939-46 P7, P8, P0, P10, P11, P12, P15	B8-5378	2.75
1947-50 All Models	B8-5378 B8-5380 B8-5381	2.50 2.50 2.75
All other cars and trucks using single fuel pumps. State year, make and model	XB8-5315	2.75
Nota: Large single or fuel and available on outright purchases	vacuum pu	mps are

from Winnipeg. Write for prices.


Fuel Pump Exchange for English Cars We supply guaranteed rebuilt fuel pumps for most popular English made cars on an exchange basis only. Write Macleod's Limited, Winnipeg for prices. State make, model and year of car.


TARCON Super Power and Precision Built Piston Rings



Combination Ring Sets-**Designed for All Motors**

VARCON "PRECISION BUILT"
Vercon-Graf-Flox "Precision Built"
rings are specially designed for all types
of service in new or rebored and old
motors. The oil ring hes wide, deeply
grooved oil slots; the continuous channel design allows more oil reservoir cepecity with greater freedom of oil pessage. Designed for belanced tension. The
compression ring is designed to adjust
itself quickly to the cylinder wall; retaine constent tension and permits meximum heat dissipation.





REBUILT GENERATORS

old generator must be returned within 8 weeks after order to obtain a refund on the exchange basis.	new generator	is purchased Fectory	Rebuilt Exchange	Outright Purchase
Description	Catalog No.	No.	Price Delivered	Price Delivered
3 Brush Generetor, Cutout Type. 1926-34 (Lievrolet and Pontiac: 1928-34 G.M.C. T11, T18, T19, T23, T33, T34; 1936-39 In- ternetional Truck models C35, C40, D5, D40, 216T, D835; 1930-34 Plymouth, lat 30 only.		Series 943	11.65	19.45
2 Brush Generetor "Delco Remy!" Air Cooled, 3 uni regulator. 1940-51 Chevrolet; 1940-47 Olds; 1939-48 Pontlec	XB7-3026	1102667	12.75	20.45
2 Brush Generator "Autolite" Air Cooled, 3 unit reguletor, 1940-50 Chrysler Dodge and DeSoto; 1940-48 Plymouth; 1941-47 Studebeker		Series GDZ4800	12.75	20.45
3 Brush Generator Long Type. 1928-32 A-B Ford (Ford A "Powerhouse" generator not accepted)	XB7-3032	A10000-B,C	11.85	19.45
3 Brush Generator, Cutout Type, Air-Cooled-Front Mount. 1933-38 Ford V8	XB7-3063	{18-10000AR {40-10000B	11.65	19.45
2 Brush Generator, 3 Unit Regulator Type, Air- Cooled Front Mount. 1939-41 Ford. Mcreury. Mcteor, Monerob (pessenger cars only). State if fen is mounted on generator pulley.	XB7-3065	01A-10000	12.75	20.45
2 Brush Generator. 3-Unit Regulator Type, Air- Cooled Front Mount. 1042-48 Ford, Mereury, Mon- erob (peasenger cars only). State whether 1 or 2 V-helts ere used.		C21A-10000	12.75	20.45



VOLTAGE REGULATORS

6-volt, 85-45 ampere, positive ground—to fit 1940-49 Chrysler, DeSoto, Dodge, Plymonth; 1949 Chrysler, DeSoto, Dodge, Plymouth (all with GDZ Generator); Dodge and Fergo trucks, 1940-49. B7-3232-Price, each DELIVERED

Ford Carburetor Exchange

Guerenteed rebuilt carbnetors are avaliable on exchange besis. If your old carburetor is a Obandler Grove No. 94 in rebuildable condition, send it to ns charges prepaid and an exchange will be made as shown below.

Rebuilt Carburetor to fit Ford V8, 1320.48

1939-48.
B8-1325—Outright Purchase
Price DELIVERED
Refund on old carburetor \$5.00
Rebuilt Carburetor to fit Ford v8, 1949-50 (vacuum port in center of body).
B8-1924—Outright Purchase
Price DELIVERED
Refund on old carburetor \$5.00



	service. Oil end dirt resistent.	roper Bibe	l	Price
	Description	Catalog	Original Part No.	F.O.B. Winnipeg
Š	Austin-1932-47, 10 H.P	B8-1179	121	1.38
	Chevrolet—1926-28, All	B8-1175 B8-1178 B8-1177 B8-1179 B8-1177 B8-1148 B8-1180	63 101 142 121 142 86 45	1.18 1.10 1.10 1.38 1.10 1.30
	Chrysler-1934-50, except CY	B8-1202	133	1.48
	DeSoto-1937-50, All			1.48
	Dodge—1933-50, All Dodge—1951-52, All	B8-1202 B8-1212	133	1.48 1.89
	Ford—1928-34 Ford—1928-34 Ford—1933-36, V8 Ford—1937-40, 60 H.P. Ford—1937-40, V8, 85 H.P. Ford—1941, V8, 85 H.P.	B8-1148	141 86 150 170 141 177	1.49 1.30 1.58 1.39 1.49
	Ford, Meteor—1942-47, Fan Generator Ford, Meteor—1948-49 Fan	B8-1154 B8-1152 B8-1154	87 177 87	1.35 1.59 1.35
	Ford, Meteor—1950-53 Fen, rt, hand water pump	B8-1150 B8-1180	51 45	1.49 1.85 2.15
	Gen., lt. hend weter pump Hudson—1933-35, 8 cyl. Hudson—1948-52, All,	B8-1202 B8-1154	133	1.48 1.35
	Mercury, Monarch: 1939, 1941-49 ,Fan	B8-1152 B8-1180 B8-1182	177 177 45 44	1.59 1.59 1.85 2.15
	Nesh-1936-40, Ambassador		171	1.59
	Oldsmobile—1937-48	B8-1208	171	1.59
	Plymouth—1929-30	B8-1158 B8-1202 B8-1212	95 133 82	1.35 1.48 1.89
	Pontiac—1937-40	B8-1148 B8-1208 B8-1204	86 171 97	1.30 1.59 1.49
	Wlllys-1950-52. Stationwagon.		86 87	1.30 1.59
	TILL C	1	To F	t Most

Tillotson Carburetors To Fit Most Popular Cars

Bring beck new engine performence with enew Tillotson carburetor. Enjoy the henefits of greeter fuel economy . increesed speed . quick sterting. Built with accelerator pump for lummediete pickup in low speeds. State model when ordering. Order

from Winnipeg only.		
To Fit	Cetalog No.	Price Each Delivered
Chevrolet	1 210.	,
1951-52—6 Cyl. Power Glide	B8-1355	18.85
1931-52-6 Cyl. Power Glide	DO 1333	12.95
1932-52—6 Cyl. Std. Trans. 1929-31—6 Cyl. All	DO 4278	10.25
1828-51-0 Cyl. All	PO-1214	10.25
Chevrolet Truck 1932-52—All without governor end cab		
over engine	B8-1362	12.95
1929-31—All	B8-1374	10.25
Chrysler	00-13/4	10.20
1942-46-6 Cyl, All (Std. 3-speed)	B8-1355	18.85
1935-41—6 Cyl. All (Std. 3-speed)		12.95
DeSoto	B0-1382	12.05
1949-46 6 Cwl All (Std 2-speed)	B8-1355	18.85
1942-46—6 Cyl. All (Std. 3-speed) 1933-41—6 Cyl. All (Std. 3-speed)		12.95
Dodge Cyl. All (Std. 5-speed)	D0-1302	12.00
1049-40-6 Cvl All (Std 2-mood)	D9.4955	16.85
1942-49—6 Cyl. All (Std. 3-speed) 1935-41—6 Cyl. All 1933-34—6 Cyl. All	B8.1362	12.95
1933-346 Cvl All	B8-1382	12.95
Dodge Truck	DO-100E	12.05
1942-49-6 Cyl. WC, WD15, WD20,		
21, B-1-B, B-1-C	B8-1382	12.95
1933-41—6 Cyl. Most models	B8-1382	12.95
Ford	-0.002	
1949-50-8 Cvl All "SEE Ford Carbi	uretor Exch	18 0 0 0 1 8
1939-48-8 Cyl. All "SEE Ford Carb	retor Exch	ange"
1939-48—8 Cyl. All "SEE Ford Carbo 1928-34—4 Cyl. All	B8-1385	6.95
1942-49—6 Cyl. 100, 150, w/o gov. 1937-41—6 Cyl. T18, 1811, 23, AC100, 150, 252, 309, CC100	B8-1382	12.95
1937-41—6 Cyl. T18, 18H, 23, AC100,		
150, 252, 300, CC100	B8-1355	18.85
1936-38—T14, 16L, 33-33H	B8-1382	12.95
Hudson		
1934-51-6 Cyl. All std. 92, 112, 40.	B8-1355	18.85
I.H.C. Truck		
1941-46—D2-3, -5, K-1, -2, -3	B8-1355	16.95
1937-40-8 Cyl. D2, 15, 30, 35, 40	B8-1382	12.95
Oldsmobile	4	
1934-49-6 Cyl. All	B8-1355	16.85
Plymouth		
1949-52-6 Cyl. with eutometic choke 1949-52-6 Cyl. without automatic	B8-1355	16.85
choke	B8-1362	12.95
choke		12.95
Pontlao	D0-1302	12.00
1936-52-6 Cvl All Std	B8-1355	16.95
1936-52—6 Cyl. All Std	B8-1382	12.95
Studehoker		
1941-52-6 Cvl. Champion 3G to 6G.	B8-1355	18.85
1939-40-6 Cyl. Champion 2G	B8-1382	12.95
1941-52—6 Cyl. Champion 3G to 6G 1939-40—6 Cyl. Champion 2G 1933-38—6 Cyl. Dictator Series	B8-1355	16.85
THE TOTAL CHOICE CO	1000	

UNIVERSAL CHOKE CONTROL

FALL and WINTER Catalogue—1953-54



PERFORATIONS SQUARE INCH

"Varcon" Can Type "Can Type" for Passenger Cars and Trucks
Elements replace original equipment on your car or truck. It is advisable to check model of oil filter on your vehicle before ordering.

right if you prefer to order elements by particles of oil filters. Check Varcon's low prices Use listing at Saskatoon, Calgary or Edmonton.

"Can Type" for Passenger Cars and Trucks
When oil on the dip stick is dip stirtly all properties and the condition, and the condition of your motor. Varcon elements have an outside steel covering, perforated with 144 holes per square ineh. This ensures greater filtering surface and allows particles of dift, and carbon to biild up around boles. Finer particles are absorbed by long strands in foottom waste. Replaceable carriages for all original nakes of oil filter. Order from Winnipeg. Regina, "Can Type" for Passenger Cars and Trucks

Make		Year	Model	Original Oil Filter	Original Element	Catalog Number	Price Each
Bulck Bulck Buick	Car Car Car	1932-39 1939-42 1949-52	All with throw away filter All models	ACW21 AC-L1	C112, C11	B8-2045 B8-2099	2.75 1.45
			50, 70)	AC-P10	P-127	B8-2107	1.39
Chevrolet	Car		If originally equipped	Innerliner	CH-10	B8-2101	1.35
Chevrolet Chevrolet Chevrolet Chevrolet	Car Car Truck Truck	1950-52 1942-52 1950-52	If not factory equipped, order All models All with dash mounted filters All with engine mounted filter	Kralinator Kralinator	from table at rig K-55 K-525 K-55	B8-2145 B8-2142 B8-2145	1.39 1.95 1.39
Chrysler	Car	1939-46	All with throw away filter	Puro	EAN ½	B8-2045	2.75
Dodge Dodge & Fargo	Car Truck	1934-52 1937:52	All with throw away filter If equipped with throw away	Chryco	861028	B8-2045	2.75
Dodge Dodge	Truck Truck	1946-51 1934-45	filter 2 and 3-ton D-24 TK, TL, T137	Chryco Puro Deluxe	861028 P70 JC	B8-2045 B8-2110 B8-2077	2.75 1.35 1.49
Ford & Mercury Ford & Mercury Ford & Mercury	Car Truck Truck	1941-42 1943-52 1940-42	All except full flow Some (check filter make) Some (check filter make)	Kralinator Kralinator Kralinator	K-55 K-525 K-55	B8-2145 B8-2142 B8-2145	1.39 1.95 1.39
G.M.C.	Truck	1941-52	Except AC-R., 520,96H, 97	Kralinator	K-525	B8-2142	1.95
G.M.C.	Truck	1950-52	91 to 94 (optional engine nount)	Kralinator	K-55	B8-2145	1.39
I.H.C. I.H.C.	Truck Truck	1948-51 1937-47	KR1 to KB5, L110 to L180 K1 to 5, Green Diamond Engine	Kralinator Deluxe	K-55 JC	B8-2145 B8-2077	1.39
Kalser-Fraser	Car	1946-50	All models	Puro	P70	B8-2110	1.35
Plymouth	Car	1932-51	All models where throw away filter optional	Chryco	861028	B3-2045	2.75
Pontiac	Car	1935-52	Order by filter name from table	at right			
Studebaker	Car	1938-52	All Champion and Commander	Fram	F-4	B8-2094	1.45



"VARCON" THROW AWAY TYPE OIL FILTERS

Replaces standard equipment on Chrysler 1934-42; Dodge, Plymonth and DeSoto 1932-52; Nash 1932-49; and many other cars. Good for 10,000 miles. State make, model and year of 88-2045—Price, F.O.B. Winnipeg.... 2.75



King Bolt Sets

To Fit Cars & Trucks as Listed Chrome nickel alloy steel—Guar-anteed perfect fit and satisfac-tion. Complete with all neces-sary parts—bolts, pins, mts, thursts—bell-hearings, bronze

	dull of thrusts, be bushings and		bronze
	Make, Year and Model	Catalog No.	Price
	CHEVEROLET 1939-52 All except JB, KB, (knee		
	actinn) 1937-40 Master, (withnut knee action) 1935-36 Master, (without knee action) 1928-32 All models and 1933 Master	B9-2223 B9-2222 B9-2218 B9-2218	4.15 4.10 3.40 3.40
	CHEVROLET TRUCK & G.M.C. 1928-39 All ½, ¾, 1 ton 1940 All ½, ¾, 1 ton 1931 All 1½ ton 1946-52 All ¾, 1 ton	B9-2222	3.40 3.40 3.95 3.95
	CHRYSLER 1935-39 C6 to C22 and DeSoto S1 to 86 1940-49 Royal Windsor (except 7 pass.)	B9-2244 B9-2244	3.95 3.95
	DODGE 1938-52 All models except 7 Pass 1935-37 DIJ, D2 to 4715778 1934 DR after 3681755, DS after	B9-2244 B9-2235	3.95 3.75
	4528655DODGE TRUCK	B9-2244	3.95
	1936-47 ½, ¾, 1 ton	B9-2235 B9-2244	3.75 3.95
	FORD & METEOR 1949-52 All models 6 & 8 cyl 1942-48 All passenger, Commercial ½	B9-2266	3.95
	ton 1937-41 All passenger, Commercial ½	B9-2264	4.35
	ton 1935-36 40, 50, 67, 68, Pass. 1932-34 B, 46, 4 cyl. and V8. 1930-34 A Pass., Pickup ½ ton	B9-2263 B9-2259 B9-2257 B9-2256	3.95 5.65 5.65 5.65
	FORD TRUCK 1949-52 All %, 1, 1 ½ ton	B9-2267 B9-2262 B9-2264 B9-2263	9.95 7.75 4.35 3.95
	MÉRCURY 1949-51 All models	B9-2273 R9-2264 B9-2263	4.95 4.35 5.65
	OLDSMOBILE 1937-52 All 6 & 8 cyl	B9-2276	3.95
	PLYMOUTH 1939-52 All models and 1934 1935-37 PJ, P1, P2, P3, P4	B9-2244 B9-2235	3.95 3. 7 5
	PONTIAC 1940-52 All 6 & 8 cyl	B9-2278 B9-2276	4.15 3.95
Ø	action	B9-2218	3.40



Crank Case Breathers

FLEXIBLE RADIATOR HOSE

To Replace Molded Hose

Can be set to any desired shape or angle to replace practically any molded shape without impeding flow. The "monided in" reinforcing flange both supports and sustains the flexible hose in whatever position it is bent. 39-inches to a length but will be cut to length desired.

Weight 1 Per ft. and the same | Price | Weight | Per ft.

Catalog No.	Diam. Inside	Connections	Per 39-in. Length	F.O.B. Wpg.
B8-3510] -in.	7⁄8 1 1⁄8 -in.	1 ½ -lbs.	.65
B8-3511	1 ¼ -in.	1 1/6 1-5/16-in.	1 ¾ -lbs.	1.10
B8-3512	1-5/16-in.	1 ¼ 1 % -in.	2-lbs.	1,15
B8-3513	1-7/16-in.	1 % 1 % -in.	2 ¼ -lbs.	1.20
B8-3514	1 % -in.	1 % — 1 % -in.	2 ½ -1bs.	1.30
B8-3515	2 1/2 -fn.	2 5/16-in.	3-lbs.	1.55



Adjustable Hose Clamps

Adjustable Hose Clamps
(A) To fit hose from ½-inch to 3-inch outside diameter. Extra heavy rolled steel band; ronnded edges will not ent hose. Patented self-locking device prevents slipping. Rust-proof electro zine coated

83-3578—Price each

99
(B) To fit hose from 1-¾-inch to 2-¾-inch outside diameter. Heavy duy worm 4-rew and ratchet fastening device. Once rightened, worm type drive screw cannot be pried hose. Heat-treated band, rustproof plating.

88-3583—Price each


27



Heavy 3-Ply Radiator Hose

Heavy duty construction, specially compounded to resist solvent action of antifreeze solutions. Reinforced with three plies of heavy fabric and covered with compound. Comes in 3-ft. lengths, but size less than 3 feet.

Price, Per Foot F.O.B. Winnipeg Inside Diameter Catalog No B8-3520 B8-3522 B8-3523 B8-3525 B8-3526 B8-3528 B8-3530 1-in. 1 ¼-in 1 ½-in. 1 ¾-in. 2-in. 2 ¼-in. 2 ½-in. .49 .58 .69 .77 .85 .93



Filter Element	s by name	e of oil fil	ter
Make of Filter	Original No.	Catalog No.	Price Each
AC-LI AC-SIA	C112; C11 C113; C10	B8-2099 B8-2084	1.45
AC-L4 AC-S6, MII Std. Jr.		B8-2112 B8-2107	1.35
DeLuxe JC Fram F3, F3P2	C26 JC C3: 3P2	B8-2077 B8-2109	1.49
Fram F4, F4P2 Kralinator K125	C4: 4P2 K525	B8-2094 B8-2142	1.45
Kralinator K-15 Pick P4-404;	K-55 P4X	B8-2145	1.39
Macleods Varcon . Pick P3, 400; Mac- leod Varcon Filter		B8-2136 B8-2135	1.35
Purolator 700 Purolator 1500	P70 PN-15;N-15	B8-2110 B8-2101	1.35
Varcon Deluxe	Throw Away	B8-2045	2.75

"Varcon" DeLuxe Oil Filters For cars and Trucks illustration shows

188-2047 oil filter complete with
fittings. Varon
oil filter with fittings at side as
illustrated ass
188-2136 element.
Number .2 0 4 6
(P-3) not listed,
with inlet at too
usea B8-2135 element. See listing
above fur prices. 9 OIL FILTER

The "Varcon" In-Luxe Oil Filter has a replaceable element which absorbs sludge, crit and injurious acids which ent away bearings, some and rings. A magnetic bar above the filter, coment collects inctal particles from the Oil; this crevents unnecessary abrasive wear and so actually increases the life of the motor. Elements are easily replaced when dirty. Full instructions enclosed.

B3-2047—Replaces throw away filters on all Plymouth 1932-46; Dodge 1932-46; DeSoto 1932-46; Nash 1932-40 and others (use R8-2136) element. Use old bracket and fittings. Price 4.95

B3-2056—To fit all other cars and trucks and motorized equipment. Complete with mounting 9.45 bracket, fittings and flexible oil lines. Price



RADIATOR

(A) Ford, Ford Trick 1937-48; Lincoln Zephyr 1938-48; Mercury 1939-48; Dodge Trick 1939-48, B9-132—Price, each ...19

(B) Ford 1935-36; Chev. 1935-36; Chrysler, Dodge, DeSoto, Plymonth 1937-38; Studebaker 1936-40; Hudson 1935-36; Graham 1934-37; Pontiac 6 and 8, 1935-36; Oldsmobile 6 and 8, 1934-36; Packard 1935-39; Lincoln 1935-37.



Chrome Plated Gas Tank Caps Bright chrome plated steel caps to fit cars and trucks listed helow. State make, model and year of car and truck when

B9-102—Frice, each 1928-48; DeSoto, Plymonth, 1929-48; Chrysler, 1931-48; Nash, 1926-48; Olds, 1927-48; Pontiac, 1926-48; Studehaker, 1928-49; Trucks; Chev. Pick-un; Diamond T 1935-48; Dodge 1928-48; Pederal 1931-48; G.M.C. 1938-48; International 1927-48, (all bayonet necks).



Locking Gas Tank Caps
Chrome-plated. Complete with two
keys. To fit cars listed below.
All cars (except Ford). Filter
neck 1½-inch diameter 1.95
Filter neck 1½-inch diameter 1.95
Filter neck 1¼-ins. diameter. Includes Ford cars and trucks.
B9-112—Price,
ach 1.95

MACLEOD'S BRAND NAMES ARE SYMBOLS OF QUALITY AND VALUE

When shopping through this catalog, or at any of our retail stores, look for these brand names: Artisan, Arcadia, Coronado, Crest, Farmerest, Hi-Capacity, Hiawatha, Homeguard, Powercrest, Varcon... they are your guarantee of consistent high quality and downright dollar value. Macleod's Own Brands are specially selected lines of merchandise, ranging from auto batterics and washing machines to refrigerators and tractor repair parts. Every item of merchandise bearing one of Mackeod's brand names must measure up to rigid standards of quality and performance good value, tool.



The inner construction of "Varcon" mufflers is especially designed for each car listed. The construction matches the original muffler, eliminates wastage in power and gas consumption and at the same time reduces back pressure and exhaust noise | Catalog | Price Each

To Fit	No.	Delivered		
Universal 5-in x 26 1/2-in, adjustable				
hushing, exhaust 1 1/2-in, to 2 1/4-				
in. outlet 1 1/4 -in. to 2-in	B9-3339P	7.95		
Austin Model A40	B9-3255P	5.59		
Ford Anglia and Perfect 1947-52	B9-3259P	9,15		
Chevrolet				
1929-33 All, with pipe assembly) 1934 Standard	B9-3290P B9-3275P	5.25 5.45		
1935-36 Master	B9-3291P	7.25		
1937-39 Master	B9-3292P	9.75		
1940 Master	B9-3336P B9-3334P	9.95 7.35		
1941-48 Models 10, 12	B9-3337P	7.25		
1950-52 All with power glide	B9-3299P	7.95		
Chevrolet and G.M.C. Truck				
1934-40 Up to 1 1/2 ton, state model	B9-3275P	5.45		
1941-49 Up to 2 ton, state model 1950-52 ½ to 2 ton, state model	B9-3279P B9-3274P	5.25 6.45		
Dodge (and Plymouth prior 1942)	50 02741	0.45		
1939-48 D11, D14, D19, D22,				
D23, D24, D25	B9-3493P	9.95		
1949-52 All except Convertible	B9-3430P	44.00		
Coupes	B0-3430F	11.25		
Dodge and Fargo 1937-51 Truck ½ to 2½ ton	B9-3312P	5.75		
Ford and Meteor Passenger				
1928-31 Model A (with pipe assemb-		•		
Terry	B9-3325P	9.45		
1932 Model 18	B9-3419P B9-3335P	9.35 6.95		
1939-40 91A 01A 85 H P	B9-3417P			
1932 Model 18 1935-38 Models 48, 68, 74, 78 1939-40 91A, 01A, 85 H.P 1941 90 H.P	B9-3418P	7.50 7.75		
1942-48 100 H.P.	B9-3419P	7.95		
1949-52 All models	B9-3421P	9.25		
Ford Truck 1929-31 % ton (with nine assemb-	` `			
lv)	B9-3325P	9.45		
1935-38 1/4 ton 50, 67, 73, 77	B9-3335P	6.95		
1939-41 ½ ton 90 to 100 H.P	B9-3417P	7.50		
1942-47 ½ ton to 1 ton	B9-3422P B9-3435P	9.25 7.45		
Mercury and Monarch	B0-3435F	7.45		
	B9-3419P	7.95		
1949-51 All pass	B9-3286P	9.15		
Pontlac				
1937-39 All 20, 22 (small) 1941-48 All 20, 22 (small)		9.75		
1941-48 All 20, 22 (small) 1949-50 All 20, 22 (small)	B9-3334P	7.35 7.25		
1951-52 All 20, 22 (small)	B9-3290P	7.25		
	B9-3299P	9.15		
Studebaker, 1947-52 Champion	B9-3509P	7.95		
FLEXIBLE TAIL PIPES				

Rust-resistant galvanized steel.	Cat. No.	Outside Diameter	Length	Price Each Delivered
Order tail pipes with %-in, larg-	B9-4163P B9-4164P	1 ½ -ins.	70-ins. 90-ins.	3.65 4.35
meter than muf-	B9-4165P B9-4196P	1 % -ins. 1 % -ins.	70-ins. 90-ins.	3.75 4.90
fler outlet out- side diameter.	B9-4199P B9-4199P	1 % -ins.	70-ins. 90-ins.	4.25 4.90
About 5-lhs.	B9-4171P	2-ins.	90-ins	4.95

ADAPTER BUSHINGS FOR TAIL PIPES

1 ½-in, O.D., 1 ½-in, I.D., 19 | 1 %-in, O.D., 1 ½-in, I.D., 19 | 1 %-in, O.D., 1 %-in, I.D., 19 | 1 %-in, O.D., 1 %-in, I.D., 19 | 1 ½-in, O.D., 1 %-in, I.D., 19 | 1 ½-in, O.D., 1 ½-in, I.D., 19 | 1 ½-in, O.D., 1 ½-in, I.D., 19 | 1 ½-in, I.

MUFFLER CLAMP

Gas tight connections, without pipe-pinching are assured with this improved clamp. Consists of heavy stamping. U bolt. 2 nuts and washers, For front or rear connections. Catalogue No.

No. B9-4342 B9-4343 B9-4344 B9-4345 B9-4347





MUFFLER REPAIR SLEEVES

UNIVERSAL MUFFLER HANGER STRAP Muffler Hanger Strap, punched to fit all mufflers..... .15



FENDER SPLASH GUARDS To Fit Ail Cars

HYDRAULIC SHOCK ABSORBERS

We can supply all types of shock absorbers, including knee-action . . . write for prices.


Constructed of electric welded heavy 1 1/2 to 2-inch diameter steel tuhing: working parts completely enclosed. Four new rubber bushings supplied with each shock. State make, model and year of car; state location of shock such as left front, etc. Weight about 3 1/2 -lhs. Order from Winnipeg or Edmonton.

			Price F.	D.B. Win	inipeg or l	Edmonton
			FRONT		REA	R .
Make	Year	Model	Catalogue Number	Price Each	Catalogue Number	Price Each
Chevrolet	1939-40 1949-53	Master 85	B9-5251 B9-5252	5.95 5.95	B9-5253	5.95
Chrysler {	1938-50	All	B9-5279 B9-5274	5.95	B9-5259	\ 5,95
DeSoto }	*1951-53 1937-38	All All	B6-5256	5.95 5 .95	B9-5275 B9-5256	5.95 5.95
Dodge Plymouth	1939-48 1949-50	All All	B9-5279 B9-5257	5.95 5.95	B9-5259 B9-5259	5.95 5.95
· L	1951-53	All	B9-5274	5.95	B9-5275	5.95
Ford-Meteor	1949-51 1952	All All	B9-5252 B9-5292	5.95 5.95	B9-5259 B9-5283	5.95 5.95
*Mercury	1949-81	All All	B9-5252 B9-5282	5.95 5.95	B9-5291 B9-5293	5.95 5.95
Pontiac	1937-48	Ali	B9-5296	5.95	B9-5291 B9-5259	5.95 5.95
Studehaker	1949-53 1951-52	All All	B9-5299	5.95	B9-5291	5.95
*Some mode 3 ½-in. dia.					1 1	
Average weig	ht 8-lhs		BX9-5233	12.25	BX9-5233	12.25

Aeroplane Type
—Direct Action

Front And Rear Springs For Cars and Trucks

Precision-made springs that will stand-up under rugged road conditions. Individually heat treated, and oil tempered for greater strength. Factory tested for arch and temper. We can supply springs for most cars and trucks, including truck overload springs. When ordering state make, model, year, whether front or rear, and side on which spring will be installed.



Drag Link Assemblies and Tie Rod Ends





Drag Link Assemblies and Tie Rod Ends—all made of best quality materials and workmanship. Each part is factory type in design, exactly as furnished on original equipment. Guaranteed perfect fit. We can supply tie rod ends and drag link assemblies for popular makes of cars and trucks; state year, make, model, and side on which to be installed.

DRAG LINK ASSEMBLIES

To Fit	No.	No.	Delivered
Chevrolet Passenger 1949-52, Series 10 & 12 Adj. 1939-48, 10-12 Long Rod 1939-48, 10-12 Short Rod	514A 83A 84A	B9-2533 B9-2532 B9-2434	5.95 4.95 3.65
Ford & Meteor Passenger 1949-51, Right W/end 1949-51, Left W/end 1942-48 1936-41	500A 501A DS124 DS129	B9-2539 B9-2540 B9-2539 B9-2534	4.95 5.25 6.95 7.25
			Price

Chevrolet TIE ROD ENDS	Per Pair Delivered
1949-52	3.90 3.45
Dodge and Plymouth 1940-52 60-L & R 89-2419	5.90
Ford 1935-48, & ½ to ¾ ton 64-L & R B9-2420 1949-52, Left Hand	3.95 3.60
Ford Truck 1938-47, ½ & ¾ ton 98-L & R B9-2430	4.20
Pontlac & Olds 1939-52, 25-28 (Large) 78-L & R B9-2442 1941-52, 20-22 (Small) 173-L & R B9-2444	4.95 8.90
Wercury & Monarch 1949-52	4.95

Front Coil Springs

Precision made tempered steel coil spring, equal or hetter than original equipment. Factory tested and heat treated for greater strength. We can supply coil springs for most makes of cars. State year, make and model.

To Fit	Factory No.	No.	Delivered
Chevrolet & Pontlac Passenger 1939-52, 20-22 Dodge & Plymouth	C150	B9-5939	5.75
Passenger \ 1941-53 (except 7 pass.) Ford & Meteor Pas-	C250	B9-5665	6.45
senger 1949-52	C600	B9-5943	7.35

Spring Shackle Sets Complete sets for one Scomplete sets for one spring consisting of bars, shackle studs or pins, nuts, lock- nuts, washers and bushings. Guaranteed to fit. Highest wearing qualities.

To Fit		Catalog No.	Delivere
Chev. Pass. 30-35 Com. 30-33.	Front	B9-6352	1.45
Chev. 35-40. All master	Front	B9-6354	1.15
Chev. 34-38 Pass & Com (except 1934-35 Std.) Chev. 40-48 all Ford 28-31 all Ford 32-34 also 36 all	Front	B9-6359 B9-6359 B9-9379 B9-6379	1.15 1.20 1.95 1.90
Ford 35-40. Mercury 39:40	Front	89-6377	1.85
Ford 42-48, Mercury 42-48 Ford 28-31 all Ford 32-34 and 36 all.	Rear	B9-6395 B9-6381 B9-6390	2.25 1.99 1.90
Ford 35, 37-40, Mercury 39-40 Pontiac 33-36 all Pontiac 33-36 all	Rear Front Rear	B9-9379 B9-9354 B9-9359	1.15



Radiator Cleaner—"Varcon" liquid cleaner for removing rust, scale or sediment; increases motor efficiency.

B9-2188—5/6 pint Imperial measure Price DELIVERED .59

LIQUID RADIATOR CEMENT FARCON

Graphite Lubricant—"Varcon" quality dry powdered graphite lubricant for use where oil is not astisfactory. B4-3205—2-oz. tube.

B4-3205—2-0z. tube.

DELIVERED

Bardahl Oil Additive—Reduces carbon, gum and sludge formation, keeps rings and valves free. Improves cold-weather starting. Add 16-ozs. to each gallon crankcase capacity.

B4-4899—16-oz. can. DELIVERED

1.25

Bardahi Top-Lube—Add to gas—improves mileage, frees riugs and valves, keeps spark plugs clean. 35

BRAKE LINING Set Complete MAGL

Brake Lining Sets

Die pressed moulded sets; the duplicate of original equipment on many latest model vehicles. This hrake lining is engineered for the specific model of car or truck; the materials have just the right co-efficient of friction and so are specially suitable for the type of brakes the lining is intended for. Will stand up under severe service. Order from Winnipeg only.

NOTE: Rivets are not supplied with these sects, see listings of rivets below. In the description we show style of rivets and number required.

Cat. No.	Description	To Fit	Rivets Required	Price Delivered
B9-1328 B9-1329	Chevrolet 1926-28 Series V, AA, AB Chevrolet 1929 Series AC		45 of (A)	2.75
B9-1333	Chevlolct 1930-32	Front & Rear	55 of (A) 45 of (B)	2.25 2.50
B9-1334 B9-1335	Chevrolet 1936-48, Standard models Dodge, Plymouth and De Soto and		50 of (C)	5.70
B9-1340	Chrysler 1935-37	Front & Rear	40 of (A) 35 of (A)	5.35
B9-1331	Dodge, Plymouth, 1938-46	Front & Rear	35 of (A)	4.65 4.80
B9-1332 B9-1339	Ford A 1928-31 Pass, and Truck Ford B and V-8 1932-34	Front & Rear	50 of (B)	3.45 4.40
B9-1342 B9-1338	Ford V-8 1935-38Ford V8 1939-47			5.19 5.60
	2014 7 27700 17 17000	- TOTAL CE TECHT	10 01 (07	3.00

RIVETS FOR BRAK	E LINING	Per 100
(A) B9-1441-9/64	x 5/16-in: 5/	16-in, head .65
(B) B9·1442—9/64	x 1/4 -in.; 1/4 -i1	n. head85
(C) B9-14449/64	x 5/16-in.; %	in. head95



WOVEN BRAKE LINING

Asbestos yarn woven into a wear-resisting fabric. Interwoven with brass.

1½-ins. wide 3/16-in. thick.

B9-1377—Per ft. DELIVERED...... •64

1 % -in. wide 3/16-in. thick. B9-1378—Per ft. DELIVERED...... .75

2-ins. wide 3/16-in. thick.
B9-1379—Per ft. DELIVERED...... .83 2 ½-ins. wide ¼-in. thick. B9-1387—Per ft. DELIVERED 1.45

Speedometer Cable and Housing Assemblies

Highest quality steel wire speedometer cable, heat treated and rustproof. Grease packed in flexible housing and ready to install. Select the cable to fit your car or truck from the

table below.		
To Fit.	Cat. No.	Price Delivered
Buick, 1937-52 All models		1.85
Chevrolet, 1925-36 Pass., Truck	B9774	1.79
1937-48 All Passenger	B9-775 B9-775	1.85 1.85
1934-91 SHBH Trucks	B9-780	1.85
1937-51 Small Trucka 1949-52 Standard trans. 1950-52 Automatic trans.	B9-775	1.85
Dodge Pass. 1934, DR. DS	B9-774	1.79
1934-38 All models	B9-772	1.79
1939 All models	B9-770 B9-771	1.79 1.79
1940-42 All models	B9-775	1.85
Dodge Trucks, 1940-42 ½, ¾, 1-ton		1.79
1946-50 ½, %, 1-Ton		1.85
Ford, 1930-34 All models	B9-773	1.76
1940-51 ½, ¾, 1-ton Trucks	B9-775	1.85
Ford and Meteor 1949-51 Standard trans.	B6-781	1.85
Ford and Mercury		
1935-48 Truck and Passenger	B9-772	1.79
G.M.C. 1933-42 ½, ¾, 1-Ton	B9-774	1.79
Oldsmobile 1939-52 All models	B9-775	1.85
Plymouth 1935-38 All models except		
O.D. and Specials	B9-772 B9-770	1.79 1.79
1939 All models	B9-770	1.79
and Specials	B9-771	1.79
1946-48 P-15 Standard models	B9-780	1.85
1949-50 All models	B9-775	1.85
Pontlac 1931-36 All models	B9-774	1.76
1937-38 All models	B9-780	1.85
1939-48 All models	B9-775 B6-780	1.85 1.85
1939-48 All models	B9-775	1.85
Studebaker 1936-41 Most models	B9-770	1.76

Retail Stores—In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and satisfactory service.


Hydraulic Brake Fluid



Castor-oil base Castor-oil base.
Non - evaporating; will not freeze. Non-in-inrious to any part of the Braking System.

B6-5152-1.45 Per 32-oz. Tin

Varcon Batteries Highest Quality - Give Extra Power. See pages 56 and 57 for Varcon Batteries for cars, trucks and tractors.



"VARCON" READY-LINED **BONDED BRAKE SHOES**

Varcon ready-lined bonded brake shoes are available on an exchange basis at prices shown below. Return old brake shoes, charges prepaid, and we will refund \$1.00 per shoe, providing they are not damsged in any way. Varcon ready-lined bonded brake shoes provide the same balanced friction, high temperature resistance and long life associated with original equipment. Price is per set (4 shoes for 2 wheels). Order from Winnipeg only.

REAR

Outright Outright Catalog Number Price Set of 4 Catalog Number Price 6et of 4 Chevrolet Passenger 1936-50 1951-52 Chevrolet Trucks 1936-50, ½ ton 1951-52, ½ ton 1946-51, ¾ ton 1951, ¾ ton B9-1543 B9-1515 9.95 6.95 Chevrolet Trucks

1936-50, ½ ton

1951-52, ½ ton

1946-51, ¾ ton

1951, ¾ ton

1951, ¾ ton

1938-45, 1 ton

1936-51, 1 ton

1936-50, 1½, 2, 3 ton

Dodge Passenger

1935-45, D2 to D23

1946-52, D25 to D41

Ford and Meteor


1939-41


1942-48

1949-53

Ford and Meteory Trucks B9-1543 B9-1515 B9-1543 B9-1481 B9-1543 B9-1481 B9-1480 B9-1543 B9-1548 B9-1481 B9-1481 B9-1480 B9-1483 B9-1479 9:95 10.25 12.25 12.25 13.95 18.45 22.45 9.95 10.35 9.95 12.25 9.95 12.25 13.95 B9-1558 B9-1579 10.25 B9-1558 B9-1580 10.25 B9-1558 B9-1562 B9-1565 10.25 10.25 10.95 1949-53
Ford and Mercury Trucks
1942-48-44-34 ton
1949-52-132 ton
1942-50...1 ton
1942-50...1 ton
1939-52-134 to 3 ton
Mercury, Monarch, Ford Stn. Wagon B9-1562 B9-1563 B9-1592 B9-1561 10.25 10.35 10.25 13.95 B9-1562 B9-1487 B9-1591 B6-1559 13.95 18.45 1939-52, 1 ½ to 3 ton Mercury, Monarch, Ford Stn. Wagon 1939-41
1849-48
1949-58
Olds Passenger
1942-48 (78 - 88)
1949-52 (88 - 98)
1949-52 (88 - 98)
1949-52 (88 - 68 - 76)
Plymouth Passenger
1935-45 (Pl Pl4)
1946-52 (Pl5 P23)
Pontiae Passenger
1941-50, (20 to 22)
1951, (20 to 22) B9-1558 B9-1582 B9-1563 10.25 10.25 10.35 B9-1543 6.95 B9-1515 10.35 9.95 9.95 B9-1575 B9-1580 9.95 6.95 9.95 B9-1543 B9-1515 B9-1543 B9-1548

FRONT





Floor Mats For Use In The Car And And

Heavy diamond ribs catch dirt, mud and snow. Special ribs on back hold mat in place, feather-thin edges prevent accidental tripping. Saves the carpet in our mat, or when placed by the sine percents spot wearing of the lindeum, Measures 18x16 inches; 4:-inch thick. Shipping weight about 3-bs.

Blue Rubber Floor Mat.

B9-7271—F.O.B. Winnipeg......

1.19

B1ack Rubber Floor Mat.

B6-7272—F.O.B. Winnipeg......

1.19

FELT BACK AUTO FLOOR MATS

Easy to install these live rubber felt hack auto floor mats as they are formed to fit snugly over the drive shaft lump. The thick felt backing is bonded to the long wearing, heavy weight rubber.

	FRONT		REAR	
Description	Catalog Number	Price F.O.B. Winnipeg	Catalog Number	Price F.O.B.
	nd PONTIAC			1
1946-52	B9-565P	7.10	B9-626P	4.98
1641-48	B9-564P	4.98	B9-626P	4.98
1937-38	B9-624P	3.65	B9-626P	4.68
1935-39	B9-603P	3.35	B9-625P	4.10
CHEV. TRUCK	7.10			
1937-47	(Except cab B9-603P	over engine),		1
DODGE and PL	YMOUTH			
1949-52	B9-590P	7.10	B9-628P	1 4.68
1942-48	B9-609P	5.95	B9-628P	4.98
1940-41	B9-607P	4.65	B9-629P	4.98
1939	B9-624P	8.65	B9-626P	4.98
1937-38	B9-624P	3.65	B9-625P	4.10
DODGE TRUCK				
1937-47	K (Except ca / B9-607P	b over engine:	1	1
FORD and ME	TEOR	ī		1
1649-51	B9-589P	7.10	B9-629P	4.98
1941-48	B9-583P	4.68	B9-926P	4.98
1940	B9-809P	5.65	B9-629P	4.98
FORD TRUCK	(Except cab	over engine).		
1937-47	B8-924P	3.65	l	
MERCURY and	MONARCH	1		
1941-47	B9-607P	4.65	B9-626P	4.68
MERCURY TR	UCK			
1940-47	B9-624P	3.65		

UNIVERSAL FLAT FELT BACK AUTO FLOOR MATS Same quality mats as above except not form fitting. To assure perfect fit place old mat over new mat, then mark pattern and cut to size. Order by earthcome number

		8	Size in inches			Price Each
		Top	Bottom	Length	Number F	.O.B. Winniper
Front &	& Rear	47	47	32	B9-603P	3.35
Rear .		47	47	40	B9-924P	3.65
Rear .		50	50		B9-925P	4.10
Rear .		60	60	37	B9-626P	4.98
Front		46	56 55	40 37	B9-607P B9-806P	4.95 5.85
Front		43	1 00	1 31	D3-800F	0.83

OCK O OR ORN OOD G

to

Order tractor parts and accessorles from Macleod's with confidence of highest quality at the lowest possible prices. We stock no used or worn parts but guarantee every replacement part and accessory to be new goods of the highest quality materials and workmanship... precision made duplicates of original equipment.

IMPORTANT: We offer and sell tractor parts for farm tractor use only at these catalogue prices, Government regulations require that parts for farm tractors (an only be sold at these prices on customer declaration that parts are "for farm tractor use only". Orders must state this and show customer's name and address and section, township and range of farm. If parts ordered are for other than farm tractor use, add 25% to catalogue prices.

This does not apply to tractor lamps or bulbs, tire pumps, gauges, seat cushlons, gear pullers, ring compressors and gasket packing

vercrest" Sineve Assemblies are made to Macleod's rigid high standards by ng manufacturers employing the most up-to-date engineering methods.

Macleod's Tractor Bearings are guaranteed highest quality and meet all S.A.E.


Gaskets are manufactured by Fitzgerald-top-rated by tractor repair specialists.

Crankshaft Bearings embody all the advantages of modern manufacturing methods to ensure precision fit and long life. "Powercrest" Oil Filters and Oil Filter Elements are rated first in performance,

efficiency and economy.

Maclood Electical parts and accessorles are supplied by the foremost manufacturers of electrical equipment—noted for their long, dependable service under all operating conditions.

"AIR-RIDER" Tractor Seat Rotacline



Check these outstanding improvements found only in the Rotacline "Air - Rider" Seat (See illustration at left).

(See illustration at lett).

(1) Simple seat adjustment knob instantly regulates seat to your own body weight—from 75 to 300 lbs.

(2) Four strong parallel arms on full width 4-inch bearing surface yield gently to absorb all joiting, back-breaking strain. strain.

(3) Live, long-lasting solid spring rubber mounting cush-lons all tractor shocks over roughest ground.

The new, improved AIR-RIDER tractor seat works on a solid spring rubber mounting. No hydraulic cylinders to leak or springs to break. Four parallel arms give straight up and down action . . . no rocking motion, no pulling away from controls. Best high grade steel frame of sturdy members ette. An AIR-RIDER ceat on your tractor means a gentle, no-jar ride ll day long without fatigue or backache. Sbipping weight about 33-lbs. Order by Catalog Number; first being sure to check Serial No.

	Catalog Number; first bei
Catalog Number	To Fit
T8178 F6178 T8180	Allis-Chalmers WC, RO Case VAC, up to 1950 Case SC, DC, up to
T8187 T8186 T8188	1951
18187 18188 16175	Co-Op E 4
	np after Serial No. 15698 By drilling floor holes,
	can be made to fit many other popular tractors using a stan- dard platform
0.0	Cowole Con Books

I.H.C. Farmall II up to 1939, Scrial 501 to 15697 I.H.C. Farmall M. up to Scrial No. 9286 ... I.H.C. Farmall M. Ser-ial No. 9287 up ... I.H.C. W4, W6, WD6, WD4 T6177 ial No. 9287 up ...
I.H.C. W4, W6, WD6, WD6, WD4
I.H.C. Farmall C
John Deere A, to 1946
John Doere B
Massey-Harris 44, 1949 Minneapolis-Moline U.G. Minneapolis-Moline Z. Minneapolis-Moline R. F.O.B. 36.50 F.O.B. Regina 37.25 F.O.B. Calgary 37.75

'Powercrest'' Foam Rubber Seat Cushion



Moulded foam rubber takes shock and vibration out of farm implements and tractor riding.

The "Powercrest" seat cushion is simply slipped over the seat of any tractor, old or new and tied in place. Can be taken from one seat to another in less than a minute—a feature making it popular with farmers who want a cushion adaptable to other farm implements, Made of resilient, porous, self-ventilating latex foam that absorbs the shocks and jolts of tractor riding, lessens or sun-hot seats. No springs, tufts or padding to get lumpy and out of shape. Cover of strong, water-repellant canvas, has heavy web loops, tie cord.

T1379—"Powercrest" Tractor Seat Cushion, size, 17 x 15 x 1% inches.

T1380—"Powercrest" Trector Seat Cushion, size, 21 ½ x 17½ x 1 % inches.

6.45

* TRACTOR SEAT SNUBBER For a smoother, more comfortable ride attach one of these hydraulic snubbers to your present tractor seat. Sturdily constructed on the same principle as an automotive shock absorber. End connections are straight %-inch S.A.E. thread, made to attach to simple "U" shaped brackets you can make yourself. Install so that the snubber is one half extended when the seat is in normal loaded position. Built to take the jolts and bumps out of your tractor operation.

4.25

MUFFLERS

Electrically Welded

Easy to install, reduces car splitting noise of exhaust, carries daugerous fumes away from tractor operator. Designed for minimum back pressure, thus does not affect engine efficiency. Metallic coated to prevent corrosion, electrically welded for long life. All mufflers complete with clamps.

Universal Muffler complete with short outlet pipe. Adjustable bushings on each end of muffler. The muffler intake end fits any exhaust outlet from 1 % to 2 ½-in. diameter and muffler outlet end fits any exhaust pipe from 2 to 2 ½-in, diameter, T3970- Price

complete
Universal Muffler similar to above except that inlet is adjustable from 2 % to 3-inches, Has fixed outlet pipe 2-in. diameter by 11 ½-ina, long.

5.50 3-inches, llas fixed outlet pipe 73972—Price complete

Special Muffler to fit Robin Manifolds, except on Deere D. Overhead pipe to rry fumes away.

1971—Price complete except on Deere D. Overhead pipe to the complete rectal Muffler complete.

Special Muffiers for Ford 9N, 2N, 8N, 1938-52. To install, cut off exhaust pipe at front end of your present muffler and attach new muffler with clamp provided. Measures 18 x 4 ½ inches. Constructed of heavy gauge steel.

4.29



* Automatic Exhaust "Storm Hat"

Univorsel Type for Upright Exhaust Pipe or Muffler Why take the chance of rain getting down the muffler to exhaust manifold and values of your tractor? Install an automatic "Storm Hat"—fool-proof, rust-proof made of die cast aluminum. Universal type with set screw to fit all npright exhaust pipes or mufflers; opens by exhaust pressure and closes automatically when motor is shut off, T3973—I'rice,



Avoid broken plow shares and twisted beams—use this heavy duty, correctly designed, sturdily built safety release hitch on farm plows. Fits any 2-inch or 2¼-inch drawbar. Automatically releases when excess strain or tension occurs—csu be set to release at any tension from 1500 to 6000 lbs. Attach to any plow drawbar. Couples automatically, a touch of the finger will nucouple. Note: Lap or draw ring for use with this hitch is listed below.

Weight 14-lbs. Price

HEAVY DUTY Hot Forged ¥ Plow Clevises



llot forged of extra strength steel, with large, solid forged shackles and loose steel pins with cotter pin hole for easy fast book-up. Order at these prices from Winnipeg, Regina, Sasketoon, Calgary or Edmonton.

Description	Inside Length and Opening	Size of Steel, Inches	Catalog No.	Price
(A) Jumbo Twisted Clevis (A) Sanior Twisted Clevis (A) Junior Twisted Clevis (B) Senior Straight Clevis (B) Junior Straight Clevis (C) Straight Loro Clevis (D) Rigid Clevis (E) Drawbar Clevis (F) Steel Clevis Pin with self-locking handle; pin Jocking handle	4 ½ x1 ¼ -ins. 3-1/3x1 ¼ -ins. 4 ½ x1 ¼ -ins. 3 ¼ x1 ¼ -ins. 6 ½ x2 ½ -ins. 3 x2 ½ -ius.	% loop % pin % loop % pin % loop % pin % loop % pin % loop % bar % loop % bar	T1210 T1202 T1201 T1203 T1204 T1205 T1209 T1208	1.59 1.29 1.15 1.25 1.12 1.00 2.25 2.45

TRACTOR FUEL GAUGE To Fit Most Popular Tractors

Shows fuel supply at a glance. Easily installed on tractors listed, Just remove original fuel tank cap, replace with the fuel gauge and it is in place. Standa only 4 ½-inches higher than original cap. Drawn aluminum tubing, canol rust or corrode. Order by catalog number.

Price DELIVERED.

3.98



Driver's seat view showing gauge clearly visible; only 4 ½ -ins higher than original gasoline tank cap

log	To Fit
10	Farmall Cuh
ĺĺ	Farmall A.B.C; John Deere H; Allis-Chalmers WC to 1939
	John Deere AX, AR, AO
13	Farmall H; I.H.C. W-4; John Deere B, to 1942
4	John Deere B, 1942 up: Mas- sey Harris 101 Jr., 102 Jr.
15	Farmall M: John Deere A to June 1950; Oliver 60.66.
	John Deere D, 1930 - 37; I.H.C. W6.
16	John Deere D. 1938 un; G. 1942 np; Massey-Harris 101
1.7	Sr., 102 Sr.

ш	DELIVERED		
3	To Fit	Catalog No.	To Fit
-	Farmall Cuh	T2518	Massey-Harris 30 and 44
	Farmall A.B.C: John Deere H:	T2519	Massey-Harris 20, 22, 81, 82
	Allis-Chalmers WC to 1939	T2520	Oliver 77; Massey-Harris 55,
	John Deere AX, AR, AO		201, 202, 203
	Farmall H: I.H.C. W-4: John	T2521	Oliver 88
	Deere B, to 1942		Massey-Harris Pony
	John Deere B, 1942 up; Mas-	T2523	Cockshutt 30. Co-op E3;
	sey Harris 101 Jr., 102 Jr.		Mpls-Moline Z, ZA, GTB
	Farmall M: John Deere A to		Allis-Chalmers B and C
	June 1950; Oliver 60,66.	T2524	Allis-Chalmers G, WD. WC;
	John Deere D, 1930 - 37;		Mpls-Moline R, RT and
	I.H.C. W6.		"U" Series
	John Deere D. 1938 un; G.	T2525	John Deere M, MT, MC
	1942 np; Massey-Harris 101	T2526	Co-op E4; Cockshutt 40
	Sr., 102 Sr.	T2527	Case VAC and VC
	I.H.C. W9: Oliver 80, 90, 99	T2528	Case "D" Series
	John Deere A, June 1950 up	T2529	Casc "I." Series

FALL and WINTER Catalogue—1953-54

T6224 - Price, each

Universal Hydraulic Tractor Seat Snub



VARCON FAN AND GENERATOR BELTS

Pre-stitched cable cords; bigbest quality and securely vulcanized with a special liquid rubber to prevent internal friction, separation and overheating. These belts are designed especially for tractor use. NOTE: When ordering be sure to specify make, model and

especially for tractor use. NOTE: When o	rdering be	sure to	specity make,	model an
serial number of tractor. TO FIT	Туре	Catalogue No.	Original Part No.	Price Eac
	Flat	TB58B	E1454	1.58
Allis-Chalmers B. C. R. RC. 1938-42	Flat	TB48D	U192	1.40
Allis-Chalmers W. WC. WF. 1935-45	Vee	TB113	210569	1.25
With generator	Vee Flat	TB124_	208215 01401AR	1.29
With generator Case C, CC, CO, CE, B. Cese L, Lb, Li, LO, 1928-32. Case L, LE, Li, LO, C, CC, CE, CI, CO, D, Bl, BO, AE, Case LA, LAE, LAH, LAIH, Fan. Case LA, LAE, LAH, LAH, Generator Cese R, RC, RI Case S, SC, SE, SI, SO, Fan and Generator Case S, SC, SE, SI, SO, Fan and Generator	Flat	TB4324F TB4376F	01194AB	1.10
D, DI, DO, AE	Vee Vee	TB125	02696ABI 06077AB	1.85
Casa LA, LAE, LAI, LAH, Generator	Vee	TB144A TB6330	06185AB	1.80
Case S. SC. SE. SI. SO. Fan and Generator	Vee Vee	TB121 TB142	03782AB 05977AB	1.48
Case S, SC, SE, SI, SO, Fan and Generator Case S, SC, SE, SI, SO, without Generator Case V, VA, VAC, VAE, VAO, VC, VI.	Vee	TB134	05792AB	1.45
Van and Conserter	Vee Vee	TB121 TB134	03782AB VT2102	1.48
Cockshutt "30", "40" Fan Co-Op—No. 2 with Chrysler motor, Fan and Generator	Vee	TB125	T5031	1.85
Co-op-E3, E4 Fan	Vee Vee	TB144 TB125	32238 T5031	1,68 1.85
	Vee		28056	1.48
Cletrac, BD, Starting motor	Vee Vee	TB121 TB114A TB105A	55476 112019	1.28 1.15
Cletrac, HG series Gen. Drive	Vee	TB132	114077	1.48
Fordson 1917-28	Vee Vee	TB18 TB148	N8620A N8620B	1.00
Fordson Major, Gasoline only	Vee	TB123M	E27N-862OC	2.30
Ford 1939-40	Vee Vee	TB118 TB118A	9N8620A 9N8620-B-3	1.25 1.35
Ford 1939-40 Ford.up to 263844, 1941-50 Ford after 263843, 1950 up	Vee	TB173	8N8620	1.49
	Vee	TB121	T08620	1.48
Fermall 1924-30, Fan	Flat Flat	TB44 TB48A	20270D 20270D	1.10 1.15
Farmall A, B, C, Super A, Fan	Vee Vee	TB109 TB6226	46869D 4929ID	1.20 .79
Farmall II, W4, I4, O4, Fan	Vee Vee	TB108 TB8232	48032D 48873D	1.25
Fermall M. MD. W6, WD6, T6, TD6	Vee		16131D	
Farmall M, 16, 06, T6, W6, Generator	Vee	TB125 TB6233 TB140B	49341D	1.85 .95
Fermell W9, 19, 109, T9, TD9, WD9 Fan Farmall 19, T9, W9, Generator	Vee Vee	TB6238	48042D 54867D	1.50 1.10
Ferguson, TO20, TE20, TO30, Fan Farmall 1924-38, Fan Farmall P20, 1924-38, Fan Farmall A, B, C, Super A, Generator Farmall II, W4, 14, O4, Fan Farmall II, W4, 14, O4, Fan Farmall II, W4, 14, O4, Generator Farmall M, MD, W6, WD6, T6, TD6 IG, 196, O6, Fa, T6, W6, Generator Farmall M, 16, O6, T6, W6, Generator Farmall M9, 19, 119, T9, TD9, WD9 Fan Farmall 199, T9, W9, Generator Farmall 190, TD6, TD9, WD9, Generator Farmall 1106, MD, TD6, 6-volt, WD6 Delco Generator	Vee	TB6230	54857DA	.98
Delco Generator	Vee	TB6229	52318DA	.85
John Deere A. BO, BR, 1942-45 John Deere "D" Generator drive	Vea Veo	TB6229 TB8226	B1587R A1230R D3116R	.85 .79
John Deere "D" Generator drive	Flat	TB6236	D3116R 3449A	1.10
Massey-Herris (Wallis) K. OK. OKO, 20-30 Massey-Harris (Wallis) 25, Hercules OOC motor, 1935-36 Messoy-Harris Twin Power, Challenger,	Vee	TB146	31630A	1.75
Messoy-Harris Twin Power, Challenger, 1936-41, with generator	Vee	TB149	31630A	1.75
1936-41, with generator Massey-Harris Pacemaker, PW. PN. CH. PA. 1936-41, without generator Messey-Harris Twin Power, 101, 1938-41	Veo	TB125	31709A	1,85
Messey-Harris Twin Power, 101, 1938-41 (fan and generator)	Vee	TB140A	32324A	1.40
Continental Motor, 1940-48	Vee	TB118	33145A	1.25
(fan and generator) Massey-Herris 101 Jr. with F162 or F140 Continental Motor, 1940-43 Massey-Herris 81, 82, with Continental Motor (1940-42), Fan and generator belt Massey-Harris 202, with M290 Continental Motor, Fan and generator belt	Vee	TB131	83365.A	1.55
Motor. Fan and generator belt	Vee Vee	TB182C TB6227	34366A 33413A	1.65 .79
Massey-Harris 203 with M330 Continental	Vee	TB1820	34366A	1.95
motor with generator Massey-Harris, 44, Fan Massey-Herris 55, Fan	Vee	TB145	35645A 35644A	2.19
Massey-Herris 55, Fan	Flat	TB165	4284DA	1.78
McCormick-Deering 10-20, Fan	Flat Vee	TB49D TB175	10414D 11671D	1.4n 2.10
McCormick-Deering 15-30, Fan McCormick-Deering 10-20, Fan McCormick-Deering 22-36, TD35, Fan McCormick-Deering W-30, 1-30, F-30, T20, 1931-39, Fan	Vee	TB183A	18764D	1.98
Minneepolis-Moline (Twin City) 12-20,		TB3755F	TW161B	,98
17-28 Minneapolis-Moline ZT, ZTS, ZTU, RT, RTU (Univ. R), 1936-41. Fan belt only Generator belt only	Vee	TB133B	RE684	1.35
Minneapolis-Moline, GTB, UTC, UTI, KE,		TB8234	KE1112	1.10
	Vee Vee Vee	TB144 TB6234 TB134	KE964E KE1112	1.68
1940-48 Minneapolis-Moline, UTS, Generator Minneapolis-Moline, UTU, 1939-44, Fan Fan and Generator	Vee Vee	TB134 TB140A	KE964 KE964B	1.45 1.40
Uliver-Hart-Parr. 60 series. Fan	Vac	TB109	H372	1.20
Generator Ollver-Hert-Perr 1931-36, 18-28	Vee Vee	TB6225 TB128A	H1257 C372	1.65
	Vee	TB132	B372	1.48
Without lighting equipment (1935-44). With lighting equipment (1935-38) With lighting equipment (1939-41)	Vce Vee	TB130C TB6226	B1257B B1257A	1.50 .76
Oliver and Cockshutt 80 (all models) Oliver and Cockshutt 80, 90, 99,	Vee	TB134	C372A	1.45
Generator belt	Vee	TB8330	C1257A A372	1.18 2.98
Onver and Cockshutt 90, 99, Fan belt	Vee	TB649	Adia	2.00

Order tractor parte from Winnipeg, Saskatoon, Regina, Edmonton or Calgary. Where only one price is shown the price applies at any of these places. If the price is different, the different prices are clearly shown,

We sell no used parts—all Macleod's Tractor parts are new goods—quality guaranteed—Satisfaction assured.

IMPORTANT: We offer and sell tractor parts for farm use only at these catalogue prices. Government regulations require that parts for farm tractore can only be sold at these prices on customer declaration that parts are "for farm tractor use only." Orders mant state this also customer's name and address and section, township and range of farm. If parts ordered are for other than farm tractor use, add 25% to catalogua prices. This does not apply to Tractor lamps or bulbs, tire pumps and gauges, seat cushions, gear pullers, ring compressors, gasket packing, gasoline strainers.

See-at-a-Glance Listing TRAC

383A 394A

TAPERED CONES

Number |



Double Row Bearings



RETAIL STORES: In addition to our mall-order catalogue service we have retail stores "all over the West." These retail stores further emphasize our desire to give complete and satisfactory service.

5206 5207

The prices on these anti-friction bearings are applicable only when bearings are to be used tor "Farm Tractor Use Only." These prices are F.O.B. Winnipeg, Regina, Saskatoon, Calgary, or Edmontal.

★ TAPERED CUPS Catalog Number Catalog | Price Number | Each 3920 5320 5720 6220 6321 8420 02820 07204 09184 09195 3.40 4.13 7.80 6.95 8.50 7.95 10.69 1.50 1.09 .55 474A 4.53 4.197 4.440 5.443 5.495 5.805 7.988 5.805 1.205 1.577 1.577 1.585 1.988 2.1155 2.2155 2.225 2.225 2.225 493 522 532 552A 552A 552A 572 582A 812 1729 1831 2320 2525 2820 Cetalog Number 70 1.17 1.17 1.85 3.37 1.859 2.00 2.09 2.20 2.57 2.57 2.57 3.57 4.40 32 32C 332 332BS 333 352 354 354A .55 1.37 80 .95 1.29 1.30 2.07 1.87 2.089 3.37 4.50 6.15 272**0** 2729 2820 362 382 383

2820 3120 3320 3420 3520 3525 3720 3733 3820

NOTE: Original single row hearings series number 200, 1200, 3200, or 6200 are the same bearing at the same hearing. . and 100, 1300, 3300 or 6300 are the same hearing. . and 1400, 3400 or 6400 are the same hearings. Example: If you require a single row hearing number 205 or 3205 or 6205 order hearing 1205 and it will fit perfectly.

| Table | Tabl 7.92 9.78 11.95 19.70 24.35 3.25 3.50 5.50 5.50 9.95 19.42 13.95 3.66 4.38 5.50 6.60 5.95 8.10 14.90 1.80 2.49 3.08 3.57 4.80 5.30 6.54 Catalog | Price Number | Each 1102 1107 6.10 10.35 1.24 1.20 1.53 1.89 2.08 2.54 2.98 3.28 1107 1201 1202 1203 1204 1205 1206 1207 1208 1209 1307 1308 1309 1310



* Single Row Shielded One Side 1.20 1.56 1.75 1.92 2.15 2.67 4.59 6.90 7.65 1.73 2.60 3.18 3.66 4.60 7201 7203 7204 7205 7206 7207 7211 7213 7214 7304 7305 7306 7307 7308 * Double Row Bearings



Self Aligning Catalog Number Price | Catalog Each Number 4.78 12.80 3.38 1209A 1218A 1304A 1305A

409 A 410 A

Heavy Weight Drill Tractor Umbrellas Prevent sunstroke and over exposure, enjoy the cool comfort of shade while driving the tractor on glaring hot days. Made of heavy tan drill with rustproof frame; complete with universal mounting bracket. Easy to mount and correctly designed for use on tractor, combine, and other farm implements. Adjustable to assure maximum protection. Shipping weight about 15-ibs.

T6925 — Tractor Umbrella with all-metal straight centre post.

Price F.O.B. Winniper 10.45 Price F.O.B. Regina or Saskatoon 10.95 Regina or Saskatoon 10.95

T6926-Tractor Umbrella with all-metal offset centre post, (as illustrated). Easily adjusted to different positions assuring the utmost in shade coverage.

Price F.O.B. Winniper 12.45 Price F.O.B. Regina or Saskatoon 12.45 Calgary or Edmontoo 12.95

Quick Service—We endeavor to give quick service on tractor parts. When in a hurry end ordering tractor parts by long distance telephone, elways ask that operator to connect you with MACLEOD'S Limited, Trector Parts Department.



BULAR RADIATORS to Fit All Tractors BOLT IN TYPE

WIDTH TOP PLATE LENGTH TOP PLATE CORE OR OF THICKNESS WIDTH CORE HEIGHT LENGTH BOTTOM PLATE WIDTH BOTTOM PLATE

The above diagram is given to help you measure your old core. Check your measurements against specification given so that you may be sure of getting the pro-per core. We offer and seli tractor parts for farm use, when ordering be sure to state section, township and range of farm.

TRACTOR HEAT **INDICATORS** Tor all tractors; registers 90 to 212 degrees Fahren, heit. Adustable for clamp or dash noomradiator hose. Length of tube is 50 inches.
T2540—Universal Heat 3.19 Indicator. Price each ... 3.19

Indicator. Price each ..



PACKING For Water Pumps

Graphite Seal-Tito Packing 3/16-in. thick. T4601—Price, per ft. .09

* SHIMSTOCK KIT

Contains 5 sheets shimstock for cutting hearing shims; one sheet of each of the following thicknesses: .001, .002, .003, .005, .010, .015, Size of sheets 2½ x8-inches.

76354—Price per Kit .69



WATER PUMP REPAIR KIT

Precision made of finest materials: machined to exact size of original parts. Kit includes impeller, shaft, bearing, enap ring and gaskets.

Water Pump Repair Kit to fit Cockshutt 30 and CO-Op E3 using Buda 4B-153 motor. T4908—Price

Water Pump Repair Kit to fit Ferguson TE-20 and TO-20 using Z120 motor, T4907—Price 5.35

"Powercrest" tubular tractor radiator cores are made from finest quality materials and are guaranteed to fit. The tubes are flat oval type, right composition metal and proper thickness . . , provide quicker cooling and faster water flow, greater expansion with less danger from freezing. Fins with substantial collars are securely welded to tubes. Headerplates of the right composition metal, correct thickness-will not break in service. Every core individually factory pressure tested-guaranteed against defect in materials and workmanship. The cores are complete with headerplates as illustrated, but gaskets are not supplied. Gaskets can be cut out of sheet cork by hand.

Stock No.		Model	Year	Core Height	Core Width	Core Thick- ness	Top Header	Bottom Header	Approx. Ship. Weight	Price F.O.B. Wpg.	F.O.B. Regina 9'toon	F.O.B. Cal. Edm.
	Case	K. 18-30. 15-27,18-32 L. LA	1919-28 1928-51	22 1/6	22	2-13/16		6 % x28	30	16.95	19.50	16.75
1 K1 U2	Case	L.C. CL.CO	1928-36 }	23	19	2 %	6 % x22 % 5 % x17 %	6 % x22 % 5 % x17 %	36 27	34.95	35.75	32.75
TR102 TR104	Case	D, DC, DI	1938-51 1936-up	19	15	2-13/16		5 % x17 ½	28	24.95	25.50	25.95
TR161	Caterpillar Cletrac	BD, BG		24 ½ 23 ¾	21-15/16 20 1/4	2 13/16	4 ½ x24 % 6 % x24	4 ½ x24 % 6 ½ x24	38	44.60 54.65	44.25 55.65	45.65 56.35
TR109	John Deere	G to Serial	1	01.1/	18-9/16	2-13/16	E 2/ -01 7/10	F 2/ - 01 F /10	1 20	43.40	43.90	44.25
TR111 TR112	John Deere John Deere	No. 12999 D15-27 D15-27	np to 1930	21 ½ 19 ¾	20 1/4	1-13/16	15 % x23 ½	5 % x21-7/16 5 % x23 %	82 22	28.50	26.95	27.60
	20.01	Heavy duty Serial No.	1931-39	19 %	20 1/4	2-11/16	15 % x23 ½	5 % x23 %	30	35.95	36.50	36.95
TR103	John Decre	D. 3-speed	1939-46	21 1/4	19-11/16	2 %	5 1/2 x 21 1/4	5 1/2 x 21 1/4	34	37.25	37.75	36.25
TR115	John Deere	Serial No.	109945 to 1 143801 up 410000 to	19 %	20 ¾	2 %	6 ¼ x23	6 ¼ x23	37	33.75	39.20	39.50
			476999	181/2	16 1/4	2 %	5 % x18 %	5 1/2 x 18 1/8	20	31.40	31.95	32.25
	Join Deere	AR	250000 to 259999	18 1/2	16 1/2	2 %	5 1/2 x 18 1/8	5 1/2 x 18 1/8	20	31.40	31.95	32.25
	John Deere	A	477000 to 487999	20	17	2 %	5 ½ x18-5/16	5 % x18-5/16	26	21.95	22.45	22.75
TR113	John Deere	A AR	488000 up 260000 up	21 21	17 17	2 % 2 % 2 %	5 ½ x18-5/16 5 ½ x18-5/16	5 1/4 x 18-5/16	24	32.40 32.40	32.80 32.30	33.00
TR117	John Deere	B	B1000 to							15.95		16.45
TR117	John Deere	BR	B59999 325000 to	16 1/2	14 1/8	2 1/4	5 % x16 %	5 % x16 %	17	15.55	16.30	16.45
TR116	John Deere	В	328990 B60000 up	16 ½ 17 ¾	14 1/4 14 1/8	2 1/4 2 5/4 2 3/4	5 % x16 % 5-9/16x16	5 % x16 % 5-9/16x16	17	15.95	16.30 21.50	16.45
TR119	John Deere	BR	329000 up	16 %	14 1/8	2 %	5 % x16 %	5 % x16 %	19	26.25	26.60	28.75
	Farason	All Models ! Can be used fo		19 7/2	17%	2-11/16	5 % x20 %	5 % x20 %	23	15.95	16.45	16.75
TR121	Fordson	All Models Heavy Duty	1919-37	10 %	17%	3 ¼	5 % x20 %	5 % x20 %	31	21.95	22.25	22.65.
	McCormick-	10-20 and		00.80	10.1/	0.4/	F 5 / 1 0 00	# 0 /1 0 OD	28	26.50	29.00	20 =0
TR131	Deering McCormick-	Farmall 15-30 before	1921-37	20 %	19 1/2	2 %	5-3/16x22	5-3/16x22				29.50
TR132	Deering	1'(;65479 15-30,after	to 1928	23 %	20 %	2-13/16	5 ½ x24	5 ½ x24	20	21.65	22.35	22.65
	Deering	TG65479:	1928-37	23 %	20 %	2 13/16	6-1/16x24	6-1/16x24	31	33.25	33.65	34.25
	McCormick- Deering			24 %	24 %	2-13/16	6 ¼ x27	6 ¼ x27	40	53.50	54.20	54.60
TR141	Oliver	190.90	1930-110	23 %	21 %	2 ¾	6x24 1/2	6x24 1/2	32	41.95	42.50	42.95
TR142	Hart-Parr	18-36	1922-29	21	21 1/2	2 4	8 ½ x24 ½	8 ½ x 24 ½	25	18.50	16.95	16.25
	Oliver-Hart Parr	12-24 80: 18-28	1926-29	19 19-11/16	171/4	2 ¹ / ₃ 2-13/16	8 ½ x20 6x20 ½	8 ½ x20 6x20 ½	28 30	15.95 32.50	16.35 33.15	16.65 33.40
TR150	Mpls. Moline. (Twin City	T. 17/28. 12/20		22 %	19	2 13/16	6x22	6x22	28	16.95	17.25	17.50
	***	- 1										

Convercrest

Soldered-on type — the same high quality as the bolt-in type radiators listed above. These radiator cores must have top and bottom water tanks soldered on . . , you must have tanks removed from old core, checked and soldered to new core.

The price listed below is for radiator core only — however we will to the complete recore job for you if you wish and charge you an addinal amount to cover the cost of the extra labor involved. When a complete recore job is wanted you must send us your old radiator core. Send express prepaid to Macleed's Limited at Winnipeg, Regina, Saska oon, Calgary or Edmonton, whichever is nearest. Please note: It is not asible to quote the exact labor charges for the different cores; To recore a small job runs approximately \$8.00 to \$10.00 with larger jobs priced in proportion.

Stock No.	Make	Model	Year	Core Height	Core Width	Thick-	Ton Header	Sizes Bottom	Ship. Weight	F.O.B. Wpg.	Regina S'toon	Cat. Edm.
TR105	Case	S. SC. SO	1940-49	19 1/2	15	2-5/16	6x153/4	2 % x15 %	20	23.35	23.60	23.95
TR122 TR122C	Ford.	2N. 8N. 9N 2N. 8N. 9N	1939-50	171/4	15 % Complete	with tank	4 % x15 % cs soldered on	2 ¼ x15 ¾	12	17.95 37.25	16.25 37.50	16.40 37.75
TR137 TR136 TR135	I.H.C. Farmall I.H.C. Farmall I.H.C. Farmall I.H.C. Farmall	A. B H.W4.04.14 M. W6.06.16	1940-49 1040-49	16 1/2 18 22 5/4 24 1/4	16 1/2 16 1/4 18 1/2 23 1/2	2 1/3 3-7/16 3-7/16 2-13/16	6 % x17 7 ¼ x17 % 8 ½ x19 % 10 % x24	2 % x17 % 4 % x17 % 4 % x19 % 4 % x25 %	18 26 30	21.00 31.35 36.95 61.50	21.40 31.95 37.60 62.45	21.60 32.25 37.95 62.95
TR129 TR159 TR157	Massey-Harris. Massey-Harris.	101JR, Mass Pacemaker		17 1/4 20 3/4	1534	2 1/8	6x15-7/8 2½x15½	2 ½ :15-7/8 2 ½ x15 ½	19 17	16.95 26.95	19.45 27.30	19.65 27.65
TR154	Mpls. Moline	I Series	1946	19 1/4	18	2-13/16	6 % x18 ¼	3 % x18 ¼	27	29.25	29.65	29.95
* TR145	Oliver	70 Series	J	171/2	16%	2-13/16	6 % v18	3x18	22	29.75	30.00	30.35

TRACTOR VALVE STEM GUARD



No more worries about breaking tractor valve stems when you install a

stems when you install a pair of these valve stem guards. Pits most fractors without drilling, easily installed with only a wrench. Prevents the valve stem from breakage by stones. brush, crusted to wheel rim as illustrated. Tractor Valve Stem Guard. Price, 4.50 Per pair. Dellvered

important: We offer and sell parts for farm tractor use only at these catalog prices. Government regulations require that parts for farm tractors can only he sold at these prices on customer declaration that parts are "for farm tractor only." Orders must state this and show customer's name and address and section, township and rance of farm. If parts ordered are for other than farm tractor use, add 25% to catalog prices.

This does not apply to tractor lamps or hulbs, tire pumps and gauges, seat cushions, gear pullers, ring compres-sors, gasket packing.

Tractor Piston Ring Compressor Fits all Pistons

From 2 to 6-Inches.

A heavy duty
ring compressor
especially designed
for modern piston
ring installation.
Case hardened compressor band and
two tension bands.
Handles piston
rings from 2 to 6inches and is 2 6inches wid to accommodate 4 and
6-ring pistone.

From 2 to 6-Inches.

T1325—Tractor Piston Ring Compressor. Price, Each 2.25

Order tractor parts from Winnipeg. Saskatoon. Regina, Edmonton or Calgary. Where only one price is shown these places. If the price is different, the different prices are clearly shown. HAVE YOUR STATED MAKE, NUMBER OF TRACTOR? the price applies at any of MODEL AND SERIAL



(A)—Magneto grounding switch—Push-Pull type. When knob is at "in" position the switch is grounded.

T6481—Price, each (C)—Combination switch — A three position switch — Protects battery from overcharge, fuse protects switch and lights from shorts. Position number 1 reduces charging rate. Position number 2 gives full generator output. Position number 3 gives full generator output and switches on lights. Universal replacement switch for use on many tractors not equipped with voltage

T6483—Price, cach

(D)—Light switch—Rotary type—fused—clamp or dash mount. A universal utility switch for lighting system on tractors or

T6482-Price, each

Heavy Duty 6-Volt Tractor Generators

Sturdily construct-ed universal gen-erators for all tractor lighting purposes. Has cutout, ammeter and panel switch. Pulley measures 3 ½ inches ontside. Mounting lugs are 6 ½ inches apart

inside measurement.

T2648—Shipping weight about 21-lbs.

14.75

F.O.B. Regina | F.O.B. Calgary or Saskatoon | or Edmonton 15.25

15.50



Tractor Ammeters Heavy Duty, black en-amelled face, 30-0-30

1.45

1.45

18.45

scale.
T401—Clamp
mounting. Price
T402—Panel
mounting. Price

PRECISION BUILT HOUR GAUGE

Use in any tractor; does away with guessis necessary. Indicates the number of hours eliginc operates (0 hours to 1000 hours) so that it is easy to keep a positive record. Operates on 6-Volt or 12-Volt systems—when used on magneto equipped tractors its necessary to use a 6-Volt "Hot Shot" hattery; on battery equipped tractors the use of an oil pressure switch is recommended (see listing below). 6-Volt Tractor Engine Hour Gauge.

12-Volt Tractor Engine Hour Gauge.

12-Volt Tractor Engine Hour Gauge.

DELIVERED

TIRE PUMPS

For All Tractors, Trucks and Cars

Simple, compact and ringgod—use in the field or on the road. Just remove one spark plug and insert pump. Pimps only clean fresh aft from outside—no barmful gas fumes can reach the tire. Pumps at idling speed—cannot harm the engine. Complete with 16-ft. heavy bose and air gauge, less adapter.



less adapter.
Universal Tire Pump, less adapter. Order adapter from listing below 6.15
T4838—Dach DELIVERED 6.15
T4835—Each DELIVERED 6.15

ADAPTERS TO FIT TIRE PUMPS

Specify size of adapter, or give spark plug make and number, tractor make and model.

74837—Size 10mm.

74838—Size 14mm.

74838—Size 14mm.

74839—Size 18mm.



Aluminum body for light weight, fine tempered steel spring for strength. Will lengthen the life of your rope. An aid to faster, easker, more efficient control of implements. Easily fastened to fender, seat or any other convenient location.

1.79

TRACTOR TIRE GAUGE



YOUR TRACTOR LIGHTING EFFICIE



(A) Sealed Beam Headlight (Universal Mount. (C) 6-volt Headlight, (Swivel Base Mounting) (A) Sealed Beam Headlight (Universal Mount. ing) 6-volt tractor headlight on sturdy universal mount. Baked enamel finish. Sealed beam element assures maximum lighting for battery current consumed. Designed for universal use on farm implements, Uses No. 4510—4½. Black enamel case with nickel plated ring, inch scaled beam element.

3.75

3.56

(B) Sealed Beam Headlight (Swivel Base Mounting) 6-volt sealed beam headlight uses large 5 ½-inch No. 4013 lamp. This large size lamp with scaled beam efficiency will give you maximum lighting for all needs. Mounted on a swivel base to allow full adjustment. 4.89

T3572-Price DELIVERED

(D) 6-Volt Tractor Headlight Sturdy 6-volt head-light with 5 ½-inch lens; specially designed for use on tractors and other farm implements. 32 C.P. single contact bulb, heavy black ename! case, strap type bracket for mounting in any desired position. Built to withstand rugged use. 3.95

12-Volt Headlight, same as above except with 12-volt sealed beam unit.

T3573—Price DELIVERED 5.35

12-Volt Tractor Headlight Same as above except with 12-volt bulb.

T3561—Price DELIVERED 4.10

SPOTLIGHT ATTACHMENT

Universal type, can be mounted on any tractor, truck or combine. This new design gives a full turning action of 360 degrees on the horizontal level and 270 action of 300 degrees on the horizontal level and 270 degrees vertically. Gives operator fingertip control over direction of light beam. Direction of beam is easily changed by hand, not altered by vibration of tractor. Any standard tractor headlight may be mounted on this attachment. Use the headlight you now have, or order from tractor headlights shown above.

Universal Tractor Spotlight Attachment (less sealed beam headlight). DELIVERED2.49



COMBINATION FIELD AND TAIL LIGHT

**Provides a powerful spotlight for field work—swing it around on the swivel base, turn the switch, and it becomes an effective full-size red tail light for road travel, All-steel construction with chrome-plated hinged lons ring, black enamelled back; mounted on swivel base. Highly polished metal reflector, 5-inch polished metal reflector, 5-inch No. 51 tail light bulb for 6-volt operation 4.85

HEAVY DUTY TRACTOR STEERING WHEEL SPINNERS



Your choice of two practical spinners ... enable you to have a free hand for other controls,

Utility Spinner with hardwood handle and brass bushing. Sturd-ily constructed throughout for long T6365—Each .75



All metal rustproof spinner with ball-hearing action. High lift for sure grip when wearing mitts. Top quality. T6366—1.95 Each 1.95



SPARK PLUG **WRENCHES**

A serviceable, practical spark plug wrench pressed from tubular steel.

Double end wrench for 10MM plugs 5/8 and 11/16-inch hex sizes.

T8188—Each 25/8 and wrench, fits all standard 14MM plugs, 13/16-in hex size. Plugs, 13/16-in hex size. .45
T8187—Each .45
Single end wrench to fit standard 18MM
plugs. Has %-inch bex. .45
T8188—Each .45

SEALED BEAM REPLACEMENT



* LAMPS 6-volt sealed beam replacement lamp, No. 4013, 5½-inch diameter T3605—Delivered 1.65 6-volt sealed beam replacement lamp, No. 4010, 5½-inch diameter.
T3607—Delivered 1.75

6-volt sealed beam replacement lamp, No. 4510, 4 ½-inch diameter. 13-volt sealed beam replacement lamp, No. 3312, 5½-inch diameter.

2.20
12-volt sealed beam replacement lamp, No. 4503, 4½-inch diameter.

2.45
13-volt sealed beam replacement lamp, No. 4503, 4½-inch diameter.

2.45

12-Volt Lamp Bulbs Dash bulb, 12-volt, single contact 3 C.P. bulb,

LENS AND GASKETS

Table 1 Trick | State | Convex | Convex

Flat cork gasket to fit above lens.

73596—Price, each

Convex lens to fit "Do-Ray" lamp No. 510W
and others with 4 % inch lens.


73585—Price, each

55
Flat cork gasket to fit above lens. TRACTOR



.75 T3555-Price, DELIVERED

B-Volt Dash Bulb, No. 63, Use in Tractor Dash Lamp for 6-volt system. .12
B7-418—Price, cach .12-Volt Dash Bulb, No. 67. Use in Tractor lash Lamp for 12-volt system. .15
T3625—Price, each .15



Ship crankshaft, connecting rous or connecting rod shells and main bearing shells to Macleod's Limited, Winnipeg, charges prepald. We will do a first class job of regrinding the abaft and re-babbitting the bearings and parts will be returned carrying charges collect. Pricea do not include new shims. NOTE—At prices shown this work can be done at Winnipeg only.

tors or motors not listed write Macked's Limited, Winnipeg for

only.

Ship crankshaft, connecting rods

CRANKSHAFTS GROUND—CONNECTING ROD BEARINGS BABBITTED Important: Prices on Crankshaft Regrinding and Rebabbitting Connecting Rod Bearings are F.O.B. Winnipeg Only

CASE "C". "D"

12.00 4.00 11.25 38.00

CASE "L". "LA" 4.00 13.25

44.00 DEERE "D" Regrind cranksbaft
Rebabbit shells only, Pair
Rebabbit and bore all main hearings.
Complete job, including grinding shaft
rebabbiting all rod abells, rebabbiting
main bearings 14.00 4.00 8.50

33.00

FERGUSON "TE20." "T020" 12.50 28.50

State make, model and serial number of tractor and be sure your name and address is clearly marked on parts sent in. To save transportation charges, do NOT send in complete rods if insert bearings are used. If complete rod is necessary, always include shims, nuts and bolts. When bearing shells only are sent in to be rebablitted always state underesize desired—otherwise we will finish them to standard size. For tractors or motors not listed write Macked?s Limitted, Winnipee for FORD 9N, 2N and 8N 12.50 30.00

NOTE: The crankabaft main ball bearings on McCormick-Deering tractors W30, 10-20, 15-30 and 22-36 may be exchanged for fully guar, anteed reground main bearings. Send the worn bearings (providing they are not cracked in the inner or outer race) to Macled'a Limited, Winnipeg, Regina, Saskatoon, Calgary or Edmonton charges prepaid and we will ship you reground bearings as priced below.

McCORMICK-DEERING "W30," "10-20"

McCORMICK-DEERING "15-30" Regrind crankshaft
Rebabbit shells only. Pair.
Exchange crankshaft bearings,
Front end 1315 x
Rear end 1318 x
Complete Job, including grinding sbaft,
rehabbiting all rod sbells, 2 bearings
exchanged 11.00

McGORMICK-DEERING 22-36".
Regrind crankshaft ...
Exchange crankshaft ball bearings
Front end 1315 x
Rear end 1318 x
Complete job, including grinding shaft, rebabbiting rods, 2 bearings exchanged

81.85

McCORMICK-DEERING "22-36"

d Bearings are F.O.B. Winnipeg Only
I.H.C. FARMALL H, W4, I4, 04, U4.
Regrind crankshaft 10,50
Complete job, including grinding shaft and supplying all connecting rod and main bearings, up to .030 undersize ...
Complete job, including grinding shaft and applying all connecting rod and main bearings, larger undersize than .030
I.H.C. FARMALL M, MV, W8, T6, U8, I8, 06.
Regrind crankshaft ...
Complete job, including grinding shaft and supplying all connecting rods and main bearings, up to .030 undersize ...
Complete job, including grinding shaft and supplying all connecting rods and main bearings, larger undersize than .030
OLIVER 70, 70HC, 70KD
Regrind crankshaft ...
Complete job, including grinding shaft and supplying all connecting rod and main bearings, up to .030 undersize ...
Complete job, including grinding shaft and supplying all connecting rod and main bearings, up to .030 undersize ...
Complete job, including grinding shaft and supplying all connecting rod and main bearings, larger undersize than ...
OLIVER 80, 80HC, 80KD, 18-28 OLIVER 80, 80HC, 80KD, 18-28
Regrind crankshaft
Rebabbit rods to size, each
Rebabbit all main shells only.
Complete job, including grinding shaft, rebabbitting rods and main bearings and bore to size. 14.25 4.50 11.95 59.85 43.50 14.25 4.50 12.50

FITTINGS FOR

FIND OFF (5) 0 (8) 9 3 4

"Pipe" means pipe thread. Example: %-inch pipe thread ends measure 13/32-inch diameter. "Tube" refers to size of copper tubing measured in inches. Please give catalogue number. Note: Number 41 is stock number of nut for flared line, so that

ontologue.	number 41-4	4 moona
catalogue	number 41-	means
Catalog	Diameter	Price
Catalog No.	Thread	Each
	D TUBE FITT For Flared Line	20
T41-4	% -in. 5/16-in. % -in.	î .13
T41-4 T41-5	5 /18-in	.17
T41-6	% -in.	.29
	ttings; Tube E	nds. Pipe
Centre		
T45-4A	1/4 x 1/6 -in.	.35
T45.5A	5/16x 1/8 -in.	.43
T45-6B		
(3) Couplin	g, Tube to Pi	ipe; Male
T48-4A	1/4 x 1/8 -in.	.15
T48-5A	5/16x/%-in.	.19
1'48-0A	% x ½ -in.	.37
T48-6B	1/4 x ½ -in. 5/16x ½ -in. 5/16x ½ -in. ½ x ½ -in. ½ x ¼ -in. Tube to Place	.35
(4) Elbows,		
T49-4A T49-5A	5 / 1 Gv 14 - in	1.23
T49-6B	14 x 1/8 -in. 5 / 1 6x 1/8 -in. 5/8 x 1/4 -in.	39
	SION TUBE F	ITTINGS
(5) Sleeves	Head With Compe	accion Nut
T60-2	%-in. 3/16-in. ¼-in. 5/16-in. 5/16-in. %-in. ½-in.	1 .02
T60-3	3/16-in.	.02
T60-4	¼ -in.	.02
T60-5	5/16-in.	.03
3.60.6	% -in.	.04
T60-8	½ -in.	.12
	ssion Nut For	Sleeve
T61-2	⅓ -in.	80.
T61-3 T61-4	3/16·in.	.06
T61-5	½ -in. 5/16-in.	.08
T61-6	% -in.	.10
T61-8	½ -in.	.23
(7) Countin		

5/16-in. 5/16-in. %-in.

T62-5 T62-6

.27 .29 .35 .43

-in. nut.	
Catalog Diameter Thread	Price Each
(12) 'Tee' Both End Tube, Cen	tre Pipe
T72-4A % x % -in. T72-5A 5/16x % -in.	.50
T72-6B 36 x 14 -in.	.55 . 7 9
772-5A 5/16x 1/8-in. T72-6B 3/16x 1/8-in. GAS LINE NUT (13) For FordGas Lines, Use60	0-4 Sleeve
T87-4 ¼-in. INVERTED (Flared) TUBEF	.10
(14) Nut For Inverted Fit T141-3 3/16-in.	tings
T141-4 1/ -in	.08
T141-5 5/16-in.	.10
(15) Coupling Tube To Pl T148-3A 3/16x 1/8-in.	
T148-4A 1/4 x 1/6 -in	.10 .11
T148-5A 5/16x 1/8 -in.	.13
(16) Elbow, Tube To Pipe, T149-3A 3/16x \% -in.	Male .19
T149-4A 1/4 x 1/6 -in.	.19 .21 .25
T149-5A 5/16x %-in.	.25
(17) Nut For All "D" Fit	tings
T181-2 3/16-in	.08
T181-4 14-in. T181-5 5/16-in.	.10 .12
T181-6 %-in.	.15
(18) Coupling, Tube To Pi T188-3A 3/16x %-in.	
T188-4A 3/10x 78-10.	.16 .19
T188-4A	.23
(19) Eibow, 90 Degree	HREAD
T100-A 1/6-in.	.27
(20) 'Tee" Fitting T101-A %-in.	1
(21) Coupling	.33
T103-A [%-in.]	,16
(22) Square Head Plug T109-A 1/8-in.	.10
(23) Bushing	
T110-BA ¼ to ¼-in. T110-CB % to ¼-in.	.13
T110-CB % to ¼-in. BRASS DRAIN COCI	.23
(24 Drain Cocks	
T41C-A ½ -in. T41C-B ½ -in.	.79 1.07
T41C-C 85 in	1 20
TWO-WAY SHUT-OFF (25) Compression, Tube To R T27C-4A ¼ x ½ -in. T27C-5A 5/16x ½ -in. (26) Compression, Tube To	COCKS
T27C-4A 4 x % -in.	1.75
T27C-5A 5/16x 4-in.	1.80
T28C-4 ¼-in.	1.80
11980-5 5/18-in	4 05
(27) Flared, Tube To Male	Pipe
T29C-5A 5/16x % -in.	1.80
(27) Flared, Tube To Male T29C-4A ¼ x ½ -in. T29C-5A 5/16x ½ -in. THREE-WAY SHUT-OFF (28) Compression, Tube To P	COCKS
(28) Compression, Tube To P	pe, Male
T61C-4A	2.55 2.83

f nut fo . nut.	or flared line,		15	(6)
	Diameter Thread	Price Each		
2) 'Tee' F	3oth End Tube, Cer 1/4 x 1/4 - in. 5 / 1 6x 1/8 - in. 2/4 x 1/4 - in.	.50 .55 .79		
3) For Fo	rdGas Lines, Use 60	0-4 Sleava		
87-4 Verted	¼ -in. (Flared) TURE F	ITTINGS		20
141-5	For Inverted Fit 3/16-in. 4/4 -in. 5/16-in.	.08	19	
5) Coupl	ling Tube To Pl 3/16x %-in.	.10		E (22)
148-5A 6) Elboy	5/16x 1/8 -in. 7 Tube To Pine	.13	11(2)	
149-3A 149-4A	3/16x ½-in. 3/16x ½-in. 5/16x ½-in. 5/16x ½-in. 7/16x ½-in. 3/16x ½-in. 4/16x ½-in. 7/16x ½-in. 1/16x ½-in.	.19		
149-5A D'' CON	5/16x % -in.	.25 FTINGS	-	
181-3 181-4	#PRESSION FIT For All "D" Fit 3/16-in. 14-in.	.08		
181-5	5/16-in.	.12		(23)
8) Coup 188-3A1	Ilng, Tube To Pl	lpe .16	20	
		.19 .23	鲁田	(25)
9) Fibov	w. 90 Degree	.27		
0) 'Tee'' 101-A	' Fitting %-in.	.33		F
1) Coupi 103-4	ung ¼ -in	16.	06	
	re Head Plug	.10		,
110-BA 110-CB	¼ to ¼-in. % to ¼-in. SS DRAIN COC	.13 .23		7
4 Urain	Cocks		- Cm	500
ic-B				
WO-WA	Y SHUT-OFF Coression, Tube To F	COCKS Wale Pipe		!
27C-4A 27C-5A	½ x ½ -in. 5/16x ¼ -in.	1.75		3
28C-4 28C-5	1/4 -in.	1.80		20)
7) Flare 29C-4A	d. Tube To Male	Pipe 1.80		
29C-5A	5/16x % -in. AY SHUT-OFF	1.80 COCKS	1	
41C-A 41C-B 41C-C	Cocks	.79 1.07 1.39		

Avoid needless delay state full information when ordering.

* Gasoline Strainer Parts

Order tractor parts from Winnlpeg, Saskatoon, Regina, Edmonton or Calgary. Where only one price is shown the price applies at any of these places. If the price is different,

44.50

Catalog	the different prices are clearly	Price
No.	Description	Each
T6454	Glass bowl, standard type used on most tractors, also	
	Chevrolet 1929-36, Plymonth to 1946, Ford 1947- 50 and others	.17
T6453	Glass bowl, squat type fits Chevrolet 1937-50. Ply-	,
	mouth 1947-50 and many others	.18
T6459 T6460	Sediment bowl gasket fits T6454 bowl	.04
	Sediment howl screen, used with glass howls T6454 or	.04
	T6453	.07
	TO FIT FORD TRACTORS	
T6456	Sediment Bowl Screen, to fit Ford 9N. Replaces original	. ~
TOATT	part. No. 9N9161 with round hole	.15
1 6457	Sediment Bowl Screen, to fit models 2N. 8N. Replaces original part No. 2N9161 with off-centre square hole.	.15
T6458	Sediment Bowl Gasket, to fit models 9N, 2N, 8N, Re	.15
	places original part No. 9N9160.	.04
T1058	Fuel Valve, (screw only), to fit models 9N, 2N, 8N	.69

Oulck Service -- We endeavour to give quick service on tractor parts. When in a hurry and or-dering tractor parts by long distance telephone, always ask the operator to con-nect you with MAC-LEOD'S Limited. Tractor Parts Department.

Seamless Annealed Copper Tubing



Scamless annealed copper tubing, for gas or oil lines. Note saving on 25-foot coil lengths. Order tractor parts from Winnipeg, Regina, Saska-toon, Calgary, Edmonton

Number	Diameter	Per Foot	25-Ft. Coll
T6890	1/8 -in.	.11	2.47
T6891	3 / 1 6-in.	.13	2.95
T6892	1/4 -in.	.17	3.79
T6893	5/I6-in.	.20	4.50
T6894	%-ln.	.25	5.60
T6895	½-in.	.30	6.75

VARIABLE ENGINE SPEED GOVERNOR



• Fan belt drive-to fit any car, truck, tractor or gasoline engine.

 Universal mounting flance, adlustable through complete circle.

• Oll bath lubrication -never requires olling.

Ball bearing suspension for in-

Order from Winnipeg, Regina, Saskatoon, Calgary, Edmonton.

"Pierce" speed governors provide a simple, dependable means of maintaining close and accurate control of the speed of any gasoline engine. Installed on gasoline engine they maintain desired engine speed, respond instantly to all load conditions and assure the greatest horse power with the least strain on the engine and the lowest gasoline consumption.

Flyball type with all moving parts within the housing operating in a constant oil bath. Universal mounting flange is adjustable to any one of four positions but may require a simple mounting bracket. This can be made in any farm workshop.

FALL and WINTER Catalogue—1953-54

PARTS TO FIT FORD TRACTORS, Models 9N, 2N, 8N PERFECT FIT

IGNITION PARTS To Fit Ford Tractors, 1939-52 V O Expertly made to fit Ford tractors 2N, 9N and 8N, 1939-up Ideutical replacement to the original equip-nt on your tractor. Fully guaranteed.

	Stock No.	Description	Replaces	Price
ABCDE	T3035	1939-50 before serial 263844 Distributor Cap Distributor Rotor Distributor Condenser Ignition Coll	9N12200 91A12300 9N12024	3.60 .75 .65 5.85
F	T3001	Ignition Points	9N12107	.98
G	T3002	condeuser, less cap and coil Distributor Plate, less points 1950 up after serial 263843	9N12100 9N12151	15.95 1.95
	T3011 T3161	Distributor Cap	8N12106	1.65
		Distributor Condenser	7RA12300 8BA12029	4.95
	13111	Ignition Points	/KA121/1	1.10

ment on your tractor.

Water Pump Repair Kit TO FIT FORD

Water Fump Repair Kit To Fit Forb And To Fit F

Formed Radiator Hose



CARBURETOR Carburetor and Fuel Line Parts
Complete Carburetor to replace Ford part No. 8N9510. For all battery-guitton, gasoline burning 9N, 2N and 8N tractors, The se uew will save their low cost in a short time with increased gssoline comp.

17.95

5 N. 1939-5...

Sediment Rowl tereen to fit Ford 9N, 2N, 8N, 1939-5...

1939-5...

3.45

Fuel Shut-off Valve Scrow, to fit sedhment trap No. 2N9155B on undels 9N, 2N, 8N. 69

11056—111cc. each ...

Sediment Bowl tereen to fit Ford 9N, With round hole; replaces part No. 9N9161. 15

Sediment Bowl Screen to fit Ford 2N and 8N, 2N9161.

15 Sediment Bowl Screen to fit Ford 2N and 8N, 2N9161.

T6457—Price, each
Sediment Bowl Gasket to fit models 9N, 2N,
8N Replaces No. 9N9160, Made of first quality fine cork. .15

* Brake Lining Sets

Best quality monided brake limings. Set consider with rivers, To fit Ford tractors as Brake Liping.

Isted Lining Set, to fit Ford 8N, 2N 1933-47. Replaces Ford part No. 69N-2096S. 4.45

Brake Lining Set, to fit Ford 8N before serial number 2N8839, 11948-50. Replaces Ford part No. 8N-2007A 4.25

Brake Lining Set, to fit Ford 8N after serial number 248838, 1950 un. Replaces Ford part No. 8N-2007B, 3.85


Other Parts to Fit Ford Tractors

For parts not listed on this page, ee index below:

Crankshaft Regrinding, see page 77 Fan and Generator Belts, see page 74 Oil Filters and Cartridges, see

Radiators, see page 75

RETAIL STORES: In addition to our mail-order eatalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give .04 a complete satisfactory service.



High quality precision unde ruig gear for Pord tractor flywheel. Replaces Ford part No. 9N6384. Fits all 9N, 2N or 8N models. Simply installed by heating and shrink-ing on to flywheel.

T2615—Prior

TIMING GEARS Perfect Fit Guaranteed

High quality, precision cut—your assurance of perfect fit. State Analke, anodel and serial number of tractor when ordering Camshaft Gear; 44 teeth press on type to fit Ford 9N, 1939-42, replaces 48-6256B; slipping weight about 1 %-lbs.

4.25
T2612—Price, cannot compare to the for Ford 2N, 8N, 1941-up; replaces 7RA camshaft Gear, 44 teeth; for Ford 2N, 8N, 1941-up; replaces 7RA camshaft Gear; 22 teeth; to fit Ford 2N, 8N, 9N, 1939-up, replaces 48-6306A 1.98
T2614—Shipping weight about 1½-lbs. Price, cach

important: We offer and sell parts for farm tractor use only at these catalog prices. Government regulations require that parts for farm tractors can only be sold at these prices on customer declaration that parts are "for farm tractor use only." Orders must state this and show eustomer's name and address and section, township and range of farm. If parts ordered are for other than farm tractor use, add 25% to catalog prices.

"Powercrest" Mufflers To Fit Ford Tractors: 9N, 2N, 8N, 1936-50.

Requires no bushings or special fittings. To install, cut off the exhaust pipe at the front end of your present unifier and attach new muffler with clamps provided. Heavy welfed steel construction with special haffle plates that assure low hack pressure. Measures 18-ins. x 4 16 in diameter. 4.29 T3969-Price



"POWERCREST" Sleeve Assemblies

"POWERCREST" Sleeve Assemblies

HEAVY CAST IRON, to fit late model Ford Tractor, 8N
after serial 433578. High quality cast iron sleeve with
4-ring alloy piston, piston pin and necessary piston rings.

NOTE: This sleeve assembly may also be used on
earlier models 9N, 2N and 8N before serial 433578 byboring block to same size as late 8N models. This is
desirable where block is warped or out-of-true making
installation of thin wall sleeves difficult and unsatisfactory (See below for block boring.)

TG190—Sleeve Assembly, weight about 3 ½-lbs.
Price F.O.B. F.O.B. Saskatoon F.O.B. Calgary
Winnipeg and Regima and Edmonton

8.35

8.45

THIN WALL CAST IRON, to fit Ford Tractors 9N, 2N and 8N before serial 433578. This is a thin wall sleeve of cast iron-alloy to replace the original thin wall steel slevee (Ford 99A-6055) with no machining or boring necessary. This sleeve requires shrink fitting but normal refrigeration will reduce the diameter sufficiently to permit it to be pushed into place by hand. Assembly consists of eleeve, piston, piston pin and rings.

hings.
—Sleeve Assembly, weight about 2 ½ ·lhs. each
Price F.O.B. Saskatoon
Winnipeg and Regin

F.O.B. Calgary and Edmonton 7.90

BASIC OVERHAUL KIT

BLOCKS BORED --- HEAVY SLEEVES INSTALLED

BLOCKS BORED — HEAVY SLEEVES INSTALLED

Many Ford Tractor motor blocks now in use are warped and out-of-true sufficiently that owners find difficulty in installing thin wall sleeves, the sleeves may be damaged in installation or a poor fit may result between sleeve and motor block, in either case unsatisfactory service could result. For these customers we supply and recommend the service below:

(1) We bore your block

(2) We install TG190, heavy cast iron Sleeves

(3) We supply: (A) a matched and numbered set of pistons, with rings and pins.

(B) Overhaul gasket set—15 pleces. (C) 4 piston pin hushings.

For this service send stripped block only (without oil pan, oil pump. eviluder head, manifold, etc. Ship your block, shipping charges prepaid, to "Maeleod's Limited, Tractor Department, Winnipeg" will your name and address attached. At the same time, mist us a letter stating what you want done, and ordering other parts you may need. Joh takes us approximately one week. We return block and parts shipping charges collect.

Complete Job as Listed Above, F.O.B. Winnipeg

66.50

Complete Job as Listed Above, F.O.B. Winnipeg

TRACTOR VALVES, GUIDES, SPRINGS and

Guaranteed first quality—perfect fit assured. These are not ordinary cast valves but are made of slichrome steel. Meet all S.A.E. standards. Order from Winnipeg, Regina, Saskatoon, Cal-gary, Edmonton. Spring Keeper Key TO FIT

Ford, 9N, 2N, 8N before serial 42162; 1939-48 Ford, 8N after 42162, 17061 1.19 T7062 1.10 T7305 35 T7640 .24 * GASKETS To Fit Ford, 1939-Up Cat. Description Price

Ford: 9N. 9NAN. 2N | T2153|Cyl. Head Gasket... |
2NAN; 8N, 1939 up | T2154 Man. Gasket... |
T2155 Oil Pan Set... |
T2156 Valve Cover Gasket |
Ford: 9N, 2N, 8N ... | T2451 All Gaskets needed for complete overhand 1.00 Each .10 Each .60 Set .14 Each 9-N-6051 9-N-9448

Main Bearing and Connecting Rod Shelis * CRANKSHAFT BEARINGS Connecting Rod | Rear Mains Catalogue | Price Catalogue Catalogue | Price Catalogue | Price

BEARINGS TO FIT FORD, 1939 UP									
₩heel or Other Application	Parts	Bearing No.		actor Manu- art Numbers Complete Part No.	Prlee Each				
Front Wheel—Inner Front Wheel—outer	{Cone Only {Cup Only {Cone Only {Cnp Only	15118 15250 09074 09194	B-1201 B-1202 B-1216 B-1217	799072 799076 799061 799065	2.05 1.30 1.41 .55				
Rear Wheel-finner	{ Cone Only Cup Only	3705 3720	0N4221 9N4222	799151 799152	4.63 2.55				
Differential	{ Cone Only Cup Only	3984 3920	BB4221B BB42222	709052 799050	5,13 3,40				
Pinlon—rear end	{Cone Only } Cup Only	53176	BB4621B BB4616B	799095 799096	5.65 2.82				
Transmission, main and countershaft	{Cone Only Cup Only	25877 25820	9N7066 9N7067	799153 799154	2.70 1.87				
Power Take-Off Pinion —front and rear Power Take-Off Gear— right	Cone Only Cup Only	14137A 14276	9N743 9N744	799163 799070	2.09				
Power Take-Off Gear-	Cup Only	17580 17520	9N752 9N753	799161 799162	1.77				
Leveling Bearing	Thrust	T76	9N554	799156	.74				
Pilot Bearing	Cone Only	15385	9N7120	799155	2.15				



Oil filters on some tractors have been changed from original equipment. To avoid error check model of oil filter on your tractor when ordering.

CAR

Will Not Remove or Counteract Additives and Detergents

Clean oil means longer engine life. Use "Powercrest" eartridges to keep your tractor oil clean and free from sludge, sediment, moisture and abrasive materials, "Powercrest" "can" type filter cartridges are designed to serve the filtration requirements of your tractors and combines. They are styled for easier installation, better fit. They have seal-off gaskets to prevent loss, breakage. Available for most popular tractors.

Now, they have been further improved by adding two different filter materials to give the best filter for your particular application. This results in two different series of filter cartridges. They are differentiated by catalog number. One beings with "TF-0000"; the other is in the "T1800's". A description of each series is as follows:

"TF" SERIES

- Long fibre cotton-waste filler accurately installed for constant density.

 Steel body with 144 perforations per square inch, prevents channelling.

"T1800" SERIES

| Make of | Replaces | Catalog | Price | Lote of

- "Rapak" filier—a wood cellulose product with high filtration characteristics.
- Gurface tension and elasticity of the fil-tering material prevents channelling.

TO FIT	Filter	Cartridge No.	Number	Each	4
Illis-Chaimers, U. UC, UM, UMC Illie-Chaimers, KO, SO, LO, A, E, K, L, WK, 1933 to 38 Illis-Chaimers, WC, W. WF, A, S, B, C. Illis-Chaimers, HD-5, 1949-50 Illis-Chaimers, HD-5, HD-7, HD-10, Fuel filter auxiliary. Illis-Chaimers, HD-5, 11D-7, 11D-10, Fuel filter final.	Purolator	T15 T20 204912	T1832	.97	3.65
Ille-Chalmers, KO, SO, LO, A, E, K, L, WK, 1933 to 38	13urolator Miehiana	204912	T1828 TF60	1.39	5.15 3.70
Ills-Chalmers, HD-5, 1949-50	AC-L4	C110	T1821	1.00	3.99
In Ills Chalmers, 11D-5, HD-7, HD-10, Fuel filter auxiliary		048068 040930	TF253 TF254	1,29 1,50	4.90 5.70
Case, V. VI. VC. VO VA VAC VAI VAO	Michiana	VT3589	TF51	1,15	4.37
Case, S, SC, Sl, D, DC, DI, 1947-49	l'urolator Purolator	08926AB P90	T1827 T1823	.68 1.42	3.69 5.35
Case, V. VI. VC. VO. VA. VAC. VAI. VAO Case, S. SC. SI. D. DC. DI. 1947-49 Case, I.A. LAI. 1947 up Case, equipment using Wisconsin VE-4 motors.	Michiana	VT3589	TF51	1.15	4.37
Caterpillar, using cartridge 6B1851	Purolator	T20	T1828	1.39	5.15
Cletrac, CG series, EG38 using Hercules DOOC motors	Michiana	SA5453	TF22	1.23	4.96
Cletrac, IIG68 and HG42 using Hercules motors	Michiana Purolator	BS5507 T15	TF50 T1832	1.10	4.15 3.65
Cletrac, CG series, EG38 using Hercules DOOC motors	Purolator	P51 18717	T1818	1.29	4.85
Cockshutt, 60 Cockshutt, 70HC, 70KD Cockshutt, 80HC, 80KD, 90, 99 Cockshutt, 30	Michiana	18717 18817	TF51 TF50	1.15 1.10	4.37 4.15
Cockshutt 70HC, 70KD	Michiana Michiana	SA5453	TF22	1,10	4.69
Cockshutt, 30	Kralinator	K55 MNE15	T1855 T1827	1.23	4.65 3.69
Cockshutt, 30 Cockshutt, 31 models using Chrysler motors Co-op, 1, 2, 3, C D-3 Co-op, B-1	Mopar Purolator	N15	T1827	.98	3.69
Co-op, B-1 Co-op, E-3	Miehiana	18817	TF50	1.10	4.15
Co-op, E-3 Co-op, E4, E4 diesel	Kralinator Purolator	K55 P51	T1855 T1818	1.23	4.95 4.85
Ford, 9N. 2N. 8N.	Fram	9N18662	T1836	1.10	3.95
Ferguson, TE20 to engine 48067 Ferguson, T030, T020, TE20 after serial number 48067 Ferguson, TEA20 with inclined filter			T1885	1.13	4.10
Ferguson, TO30, TO20, TE20 after serial number 48067	Fram Tecalemit		T1836 TF87	1.10 1.76	3.65 6.75
Graham Bradley	Fram	C4	T1881	1.25	4.69
Glbson, I 1948 up	Fram	C4	T1881	1.25	4.99
I.H.C. Farmall "M", to serial number FBKM-59393 I.H.C. Farmall "M", serial number FBKM-59394 and up	Purolator	T20	T1828	1,39	5.15
I.H.C. Farmall, MD serial FIDEM 501 and up	Purolator Purolator	T15 T20	T1832 T1828	1.39	3.95 5.15
I.H.C. Farmall, H to serial 121021	Purolator	T15	T1832	.97	3.95
I.H.C. Farmall, W4 04 to serial 4957	Purolator Purolator	T109 T15	T1830 T1832	.68 .97	3.96 3.95
I.H.C. Farmall, W4, 04 serial 4958 and up	Purolator	T15 T109	T1830	.68	3.96 3.65
I.H.C. Farmall, A. AV. B. BN. serial 97938 and up.	Purolator Purolator	T15 T109	T1832 T1830	.98	3.69
H.C. Farmall, MD serial FDKM 501 and up H.C. Farmall, H to serial 121021 H.C. Farmall, H serial 121022 and up H.C. Farmall, W4, 04 to serial 4957 H.C. Farmall, W4, 04 serial 4958 and up H.C. Farmall, A, AV, B, BN up to serial 97937 H.C. Farmall, A, AV, B, BN serial 97938 and up H.C. Farmall, A, AV, B, BN serial 97938 and up H.C. Farmall, A, AV, B, BN serial 97938 and up	Purolator	***************************************	TF35	1.10	4.15
H.C. Tractors, F12, F14, T-20, T-35, T-40, TA-40, W2, W4, W12, W14, 10-20, W30 H.C. Tractors, 15-30, 22-36, T6, T9, T14, TD6, TD9, TD14, W9, WD9, WD40 H.C. Tractor, W6, WD6 to serial 4252 H.C. Tractor, W6, WD6 esrial 4253 up. H.C. Tractors, TD18, WD9, TD9, wing LWC, Suel www.	Purolator	T15	T1832	.97	3.65
I.H.C. Tractors, 15-30, 22-36, T6, T9, T14, TD6, TD9, TD14, W9,	I aidiatoi	*			-
WD9, WD40	Purolator Purolator	T20 T20	T1828 T1828	1.39 1.36	5.15 5.15
I.H.C. Tractor, W6, WD6 serial 4253 up	Purolator	T15 N17	T1832 TF25	.97	3.95
I.H.C. Tractors, WD6, TD6, WD9, TD9, using I.H.C. fuel name.	Purolator	NIT	TF25	1.45	5.45
I.H.C. Tractore, TD18. I.H.C. Tractors, WD6, TD6, WD9, TD9, using I.H.C. fuel pnmp, auxiliary fuel filter	I.H.C.	62946D 250332-R91	TF251 TF252	1.39	5.25 6.95
John Deere, A, B, D, G, series John Deere, Il series, HN, M. John Deere, R diesel (2 used)	I.11.C.	T12	T1840	.95	3.59
John Deere, Il series, HN, M	Purolator	T6	T1841/	.97	3.65
John Deere, R diesel (2 used)	Purolator	T12	T1840	.95	3.59
massey-Marris, 101 sr., 101 sr. std., 102 sr., 102 sr. std., row erop.					
Massay Harela 101 at with Director works ambiges 20 and 202	Purolator Purolator	T26 N16	T1823 T1821	1.42 1.37	5.35 4.76
Massey-Harris, 101 jr. std. with Continental F124 motor, 1940.	Michiana	SA15417	TF33	,99	3.99
Massey-Harris, 81, 81 std., 82, row crop, 101 jr., 102 jr., 102G jr.,	Purolator	N15	T1827	.98	3.66
Massey-Harris, Challenger, Pacemaker, Orchard 25, 26-41	Michiana	SA5453 P70	TF22 T1827	1.23	4.69
Massey-Harris, 20 and 30—all models, Pony	Purolator +	P26	T1827 T1823	.68 1.42	3.96 5.35
John Deere, R. diesel (2 used). Massey-Harris, 101sr., 101 sr. std., 102 sr., 102 sr. std., row erop., 201G., 202G., 203 distillate, replaces part No. 17429A and 6242A. Massey-Harris, 101 std. with Plymouth motor, combinee 20 and 202 Massey-Harris, 101 jr. std. with Continental F124 motor, 1940. Massey-Harris, 81, 81 std., 82, row crop, 101 jr., 102 jr., 102G jr., super 101 twin power, 102 distillate super 101 twin power, 102 distillate Massey-Harris, Challenger, Pacemaker, Orchard 25, 2641 Massey-Harris, 20 and 30—all models, Pony. Massey-Harris, 44, 44 Diesel, 44-6 all years; 55 up to 1951	Walker .	*******	T1817	1.69	9.36
MinnMoline, J. R. Z. Universal Z. (RE588) MinnMoline, 21-82, FTA, G. KTA, MTA, U series, (RE3517)	Michiana .	SA5453 SA5553	TF22 TF39	1.23 1.59	4.69 5.98
Oliver, 60, 66	· Michiana · n	. 18717	TF51	1.15	4.37
Oliver, 70, 70HO, 70KD, (Oliver BS 5507B)	Michiana Michiana	18817 SA5453	TF50	1.10 1.23 1.59	4.15 4.99
Oliver, 90, 99. (HW 2500)	Michiana	1 SA5553	TF22 TF39	1.59	5.98
Oliver, 60, 66, 66, Oliver, 70, 70HO, 70KD, (Oliver BS 5507B) Oliver, 80, 80HC, 80KD, 90 (HW 2400) Oliver, 90, 99, (HW 2500) Oliver, 99 to 1949 Oliver, 99, 1946 and up	Michiana Michiana	5453 5553; 6553	TF22 TF39	1.23	4.69 5.98
Wisconsin, VE4 motors	Michiana	0000, 0080	TF51	1.15	4.37
40,000,000, 1.57 300,000 1111111111111111111111111111111					



Wico Magnetos TO FIT FARM TRACTOR

"Powercrest" OIL FILTER CLEAN OIL MEANS LONGER MOTOR LIFE

Fits all tractor motors up to A Fits all tractor motors up to and including six-quart capacity crankcases. Florent is easily replaced when dirty Made I o-gauge heavy drawy steel. Universal mounting may be installed on dash or block! All fittings and flexible tubing included, complete with installation instructions. T1899—Each Delivered 8.35

REPLACEMENT ELEMENT

FOR ABOVE FILTER



Where oil filters were not original equipment on your tractor, or where we do not list your tractor in the application listings, then order from "cross-index" correct eartridges for your combines and swathers. NoTE: Oil filters on some tractors have been changed from the original equipment. To avoid error, check model of oil filter on your tractor before ordering, and if it does not check according to our application chart, then order from information below.

		1	Pri	Ce
Make of Filter	Original No.	Cat. No.	Each	Lots o
AC, 62	C110 C117 C115	T1831 T1817 T1818	1.00 1.99 1.29	3.66 6.39 4.85
Fram, F-3 Fram, F-4 Fram, F-21 Fram, F-30, F-35 Fram, F-31, F-36 Fram, F-40, F-40D	C3 C4 C21 C30 C31 C40	T1836 T1881 T1818 T1837 T1817 TF38	1.10 1.25 1.29 1.49 1.69 3.25	3.65 4.99 4.85 5.59 6.39 12.35
Krailnator KT-15 Krailnator	KT55 K75	T1855 T1818	1.23	4.65
Macleod P20 Macleod Powercrest	* * * * *	TF20X T1891	1.37	5.10
Michlana, 11W15400 Michlana, I1W2500 Michlana, HW2400 Michlana, Allie	• • • • • •	T1833 TF39 TF22	.99 1.59 1.23	3.69 5.98 4.69
Chalmers Michlana, Oliver. Michlana, Case Michlana, Cockshutt	204912 BS5507B VT3589 18717	TF60 TF50 TF51 TF51	.68 1.10 1.15 1.15	3.70 4.15 4.37 4.37
Military Std. Sr Military Std. Jr	ACS2 AC-S6	T1817 T1818	1.69	9.39 4.85
Mopar Mopar Mopar, MP701	MNE 15 MN 16 P70	T1827 T1821 T1827	.68 1.27- .98	3.99 4.79 3.69
Pick, P-2	P2X	TF20X	1.37	5.10
Purolator, P700 . Purolator, P900 . Purolator, N1500	P70 P90	T1827 T1823	.98 1.42	3.99 5.35
Series Purolater, 1600 Ser. Purolator, N1700	N15 N16	T1827 T1821	.98	3.99 4.79
Series Purolator, P15 Purolator, P20 Purolator, T109 Purolator, I18 Purolator, P16 Purolator, P26 Purolator,	N17 T15 T20 T109 T6 T12 T26, P90 P51,N51	TF25 TF32 T1828 T1830 T1841 T1840 T1823 T1818 T1817	1.45 .97 1.39 .98 .97 .95 1.42 1.29	5.45 3.95 5.15 3.69 3.65 3.59 5.35 4.85 6.39
Purolator, I.H.C. Super A; C Purolator, I.H.C.		TF35	1.10	4.15
A, B, 11, W4	T109	T1830	.98	3.69



TRACTOR OIL GAUGE

Order at these prices from Winnipeg, Regina, Saskatoon, Calgary or Edmonton. We sell no used or worn parts — quality guaranteed.

Cat. No.	Description	Price
T2551	O-5 low pressure gauge to fit 10-20, 15-30, 22-36, W30 I.H.C. Tractors	1.49
T2552	O-60 high pressure gauge to fit Case C, L, D, K and others: 1/4-in. pipe thread stem	°. 1.25
T2553	O-100 high pressure gauge to fit I.H.C. A. B. H. M. and others, 7/16-in, femule thread	1.28
T2554	O-60 high pressure gauge (universal type) to fit Allis-Chalmers 20-35. Oliver 70. 80. 80. Ford and others; %-inch pipe thread stem, clamp	
E	mounting	1.59
T2556	O.60 high pressure 7/16-inch ostem for flared tubing, elamp mounting, to fit Oliver 18- 28; Massey 101 and others	1.49

IMPORTANT: We offer and sell parts for farm tractor use only at these catalog prices. Government regulations require that parts for farm tractors can only be sold at these prices on customer declaration that parts are "for farm tractor use only." Orders must state this and show customer's name and address and section, township ond range of farm. If parts ordered are for other than farm tractor use, add 25% to catalog prices.

This does not apply to tractor lamps or bulbs, tire pumps and gauges, seat cushions, gear pullers, ring compressors, gasket packing.



CRANKSHAFT BEARINGS MAIN BEARING AND CRANKSHAFT BEARINGS CONNECTING ROD SHELLS

Always Replaca Worn Connecting Rod and Main Bearing Shells When Doing a Sleeve or Ring Job
Oil consumption is largely controlled by the condition of the bearings. Worn bearings allow excessive oil to be thrown up on the pistons, causing added oil consumption. Bronze back bearings, when other than standard size can he bored to your apperifications. Princ will be that of undersized hearings, the catalians that of undersized hearings are considered.

Connecting rod and main bearing shelis—very finest quality; duplicate of the originals! Accurately made of high grade long wearing materials. Babbitt lined and mirror finished. One pair needed for each connecting rod and for each main bearing. Available in undersizes as shown for worn or machined crankshafts. Note: undersized bronze shells must be fitted; undersized precision shells are ready for installation, they must not be scraped or filed. Sold in pairs only. Order by number. Pricas Shown Ara "For Farm Use Only"-Saa Important Note Balow

specifications. Price will be that of undersized bearings, plus mach	ine shor cl	harge.	Connecti		Front	Mains	Cantra	Mains	Raar	
TO FIT	Yesr	Size	Catalogue No.	Price Pair	Catalogue No.	Price Pair	Catalogue No.	Price Pair	Catalogue No.	Price Pair
Allis-Chalmers, 18-30, 18-36, 20-35 to Eng. No. 32749		Std.	2110B 2110BK	3.85		1				
WC, to Eng. No. W13664, W25	1933-36	.125 Std.	9390-SB	3.95 1.05	9391-B	3.15	9392-SB	1.80	9392-SB	1,90
WC, to Eng. No. W13664, W25 W. WC, after Eng. No. W13604, W25 B, RC, C, Combine 6011	1936-40	Std. Std.	9660-SB 9745-SB	1,28 1,28	9391-B 9746-8B	3.15 2.30	9392-SB 9747-SB	1.80 1.85	9392-SB 9747-SB	1.80 1.95
Case, IX, 10-27, 18-32	1916-28	Std. .125	7105-B 7105-BK	3.35 3.35						
R, RC, Rl, RO, Combines, C, CB, K	1930-45	Std.	9625-SB 9625-SB	1.25	9751-B	4.50	9752-B		9753-B	11111
R, RC, Rl, RO, Combines, C, CB, K C, CC, CI, CO, D, DC, DI, DO S, SC, SI, SO V, VA, VAC, VAI, VAO, VC, VI, VO	1940-51	Std.	1370-SB	1.25 1.23	1371-SB	2.13	1372-SB 1747-SB	4.45 5.48	1371-SB	3.50 2.13
	1840-91	Std. .002	1005-81 1065-81	.79 .80	1746-SB 1746-SB	2.15 3.28	1747-SB	2.36 3.25	1748-SB 1748-SB	2.08 2.70
Co-op, No. 1, Waukesha FC late No. 2, Dodge 3 1/8	1937-39	Std.	9625-SB 9075-SB	1.25 1.00	9076-SB	1.53	9077-SB	1.53	9078-SB	2.70
E3 using Buda 4B153 motor Cockshutt, 30, using Buda 4B153 motor		Std.	1615-SB	2.20	1616-SB	2.88	1617-SB	8.75	1619-SB	3.90
Farguson, TE20, TO20, (using Continental Z120 motor)	1948-51	Std.	1615-SB 1670-SB	1.09	1616-SB 1671-SB	3.00	1617-SB 1672-SB	8.75 1.80	1619-SB 1673-SB	1.82
Ferguson, TEA20 (using standard motor)		Std.	1730-SB	1.53	1731-SB	1.87	1672-SB 1731-SB	1.87	1731-SB	1.87
Ford, 2N, 8N, 9N	1939-52	Std. .002	1055-SB 1055-SB	1.09 1.12	1056-SB 1056-SB	1.19 1,23	1057-SB 1057-SB	2.42 2.45	1056-SB 1056-SB	1.19 1.23
John Deare, D, 15-27, 30400 to 94800 and 94901 to 103107 }	1925-30	Std. .125	8220-B 8220-BK	4.65 4.85	3221-B 3221-BK	4.85 4.95			3221-BK 3221-BK	4.95 4.85
D. 15-27, 94801 to 94900 and after 103107, DI	1931-47	Std. .125	3220-ABW	4.45 4.45	3221B 3221-BK	4.85 4.85			*3221-B 3221-BK	4.85 4.95
Olivar Hart-Parr, 16-30, 18-36	1925-32	Std.	8655-B	2.95	1 3656-B	4.85			3656-B	4.85
12-24, 22-40, 28-50	1925-31	.125 Std.	8655-BK 8650-B	2.95 2.95	3656-BK	4.85			3656-BK	4.95
60, 60HC, 60KD	1940-47	.125 Std.	8650-BK 1435-SB	2.95 1.18	1436-SB	2.17	1437-SB	2.89	1436-SB	2.17
60, 60HC, 60KD 70 Std., 70HC, 70KD, Rods 2-4-6 Rods 1-3-5	1935-48	Std. Std.	1065-SB 1065-SI	.78 .79	Note: Olive	2.15 r 70 uses	1067 SD	1.85 bearings	1068-SB	1.89
	1.	.002	1065-SB&I	.80 5.95	1066-SB	2.89	1067-SB	1.68	1068-SB	1.70
McCormick-Deering, 10-20, F30, W30, I30 15-30 after TG5094	1917-39 1929-36	Std.	8285AB	6.75	ball be	arings for	r exchanga McCormick-D	service on learing trac	crankshaft tor W30, 1	main 0-20,
F20, T20	1924-40	.125	8585-BK	1.95	15-30	and 22-36	•			
T35, WK40, W40, T40 series	1932-40	Std.	1200-SB	1.98	••••		• • • • • • • • • • • • • • • • • • • •	*****	• • • • • • • • •	
F12. II2. W12. F14. II4. W14 after FS41599	1933-34 1935-38	Std.	9515-SB 9520-SB	.95	9521-SD	1.53	8521-SB	1.53	9518-SB	3.75
A. AV. B. BN, Super A	1940-51	Std. .002	9520-8B 9520-8B	.95 .9 8	1096-SB 1096-SB	1.40 1.42	1096-SB 1096-SB	1.40	1097-SB 1097-SB	2.35 2.37
H, W4, I4, O4, T4	1040-51	Std	1105-SB 1105-SB	1.55 1.57	1106-SB 1106-SB	1.40 1.42	1107-SB 1107-SB 1102-SB	2.80 3.18	1106-SB 1106-SB	1.40 1.42 1.57
M, W6, I6, O6, T6	1940-51	Std. .002	1100-SB 1100-SB	1.79 1.80	1101-SB 1101-SB	1.57 1.58	1102-SB 1102-SB	3.78 3.80	1101-SB 1101-SB	1.57 1.58
W9, T9, I9, U0 WD9, TD9, ID9	1940-50 1940-51	Std. Std.	1350-SB 1240-CA	2.43 3.75	1351-SB	2.85	1352-SB	9.00	1351-SB	2.85
Massay-Harris, J. K. OK, 15-27, 20-30, 15-25, Cert. to 64155	1920-30	Std.	7055-B 7055-BK	2.90	2056-B 2056-BK	2.85	2057-B	3,35	2058-B	3.85
Industrial 25, 26-41. Cert., 20-30 after 64155. Drilled Crankshaft	1030-40	.125 Std.	9085-B	2.89	2036-31	2.85	2057-BK	3.35	2058-BK	3.65
22, 22K, 30, 30K, 30 Std., 81R, 82S, 101JR, 101JS.	1041-49	Std.	1065-SB 1065-SI	.79	1066-SB	2.15	9812-CS	3.39	1068-SB	1.69
22, 22K, 30, 30K, 30 Std., 81R, 82S, 101JR, 101JS, 102JR, 102JS, Cont. F124, F4124, F4140, F162, F4162; Roda 2 and 4 use 10658B. Roda 1 and 3 use 10658B		Std. .002	1065-SB	.79 .80	1066-SB	2.18				1.70
101SR, Cont. F226, Rods 2-4-6	1939-40	.002 Std.	1065-SI 1205-SB	.80 1,13	1066-SB 1206-SB	2.18	1207-SB	1.69	1068-SB 1208-SB	1.70 1.84
Rods 1-3-5 102R, 102S, Cont. A6-244, A244, rods 2-4-6	1042-45	Std.	1205-S1 9865-CS	1.13 1.75						
	1038-41	Std.	9805-CSI 9075-SB	1.75	1 9076-SB	1.53	9077-SB	1.53	9078-SB	2,70
101, 101R, to 258285 1018 to 357870 Using Plymouth motor before 42001 1018R, Dodge motor after Eng. 42001 44, using H260 motor	1938-40	Std.	9185-SB	liste or re	ar centre hea	ring, 1-use	d		9077-SB	1.53
44, using H260 motor	1000 10	Std. Std.	1665-SB 1680-SB	1.53 1.87	1666-SB 1681-SB	2.21 4.17	1667-SB 1682-SB	2.38	1668-SB 1683-SB	2.59 4.80
Minneapolis (Twin City), 12-20, 17-28, 21-32, FT, FTA, TW, TY [1919-45	Std. 1	7115-B	2.85						4.00
17-30A, 17-30B, 27-42	1921-34	.125 Std.	7115-BZ 4710B	2.65 2.75						
KT. KTA, V. M. MT	1930-48	.090 Std.	4710-BW 9780-B	2.75 5.80						
R. El series. Z. ZT series EE and RE engine	1937-48	Std.	9785-SB	1.00						• • • • •



Heavy Duty Gear Pullers

Reversible Arms — Fully Adjustable

Easy to use gear pulier, specially designed for use on the many gears, bearings, pulleys, etc., on modern farm machinery. Drop forged arms, wide adjustment range. Accurately machined and case hardened centre boit assure efficient, dependable service.



Two Arm Pullar. Width adjustment 2½ to 15-inches with 7-inch arms. Weight about 5-lbs. 6.85
T4778—Each 6.85
Three Arm Pullar. Width adjustment 2½ to 9-inches with 7-inch arms. Weight about 7-lbs. 9.95
T4777—Each 9.95
T0-inch Arms Only, to fit either of above gear pullers. Weight about 1½-lbs. 1.39

IMPORTANT

We offer and sell parts for farm tracparts for farm tractor use only at these catalog prices. Government regulations require that parts for farm tractors can only he sold at these prices on customer declaration that parts are "for farm tractor use only." Orders must state this and show customer's name and address, and also section, township and range of farm. If parts ordered are for other than farm tractor use, add 25% to catalogue prices.



Black Graphited Asbestos Gasket Material

For Gaskets on small cylinder heads, water connections, manifold.

T2490—In sheets, size 10x 40-inches; 1/32-inch thick. Price, Per sheet 1.15

T2491—In sheets, size 10x 40-inches; 1/10-inch thick. Price, Per sheet 1.98





(A) Sheet Cork For Cutting Gaskets

Highest quality fine grain in sheets, 12x36-ins. Price is per sheet.

(B) Oll-Proof Material For Cutting Gaskets

When shopping through this catalog, or at any of our retail stores, look for these brand names: Artisan, Arcadia, Coronado, Crest, Farmerest, Hi-Capacity, Hiawatha, Homeguard, Powercrest, Varcon . . . they are your guarantee of consistent bigh quality and downright dollar value. Macleod's Own Brands are specially selected lines of merchandise, ranging from auto batteries and washing machines to refrigerator and tractor repair parts. Every item of merchandise bearing one of Macleod's band names must measure up to rigid standards of quality and performance.

Quick Sarvice—We endeavor to dive quick service on tractor parts. When in a hurry and ordering tractor parts by long distance telephone, always ask the operator to connect you with MAOLEOD'S Limited, Tractor Parts Dapartmant.

Powercrest" REGULAR AND HIGH

NOTE: H.C. means High Compression. When H.C. follows the catalog number it means that high compression pistons are used in the assembly for burning gasoline. In ordering, give make, model and serial number of tractor; also state if tractor is used exclusively for farm purposes and give section, township and range of farm. Write for prices on models not listed.

Write for prices on models not listed.									
G-4 - 37	TO FIT	Bore	Wght.	F.O.B.	Gask or	Caig or			
Cat. No.	ADVANCE - RUMLEY Advance-Rumley L, 15-25, W, 20-30,	Ins.	each	wpg.	Regina	Eamon			
TG24	1925-33 2 cyl	5-13/16	52	12.50	13.00	13.25			
TG70HC	ALLIS - CHALMER6 Allis-Chalmers B, IB, Power Unit B15, to increase bore to 3 % -in 1938-42	3 %	7	8.10	8.25	8.35			
TG70HC	Allis-Chalmers B, C, CA, RC, combine 6011, (flat head piston) for gas to				8.25	8.35			
таззне	Allis-Chalmers B, IB, Power Unit B15, to increase bore to 3 %-in., 1938-42 Allis-Chalmers B, C, CA, RC, combine 6011, (flat head piston) for gas to 5000 ft, (5.7 to 1 ratio), 1940-52 Allis-Chalmers W, WC, WF, Power Unit W25, (flat head piston), 5 to 1 ratio	3 %		8.10					
TG1	1 ratio	4	12	8.95	9.15	9.30			
	ratio), 1922-34	4 %	35	8.75	10.15	10.50			
TG75HC	Case V, VC, VI, VO, with Continental		,	0.00	0.45	8.25			
TG71HC	gas. 1939-42 Case R. RC, RI, RO; combines C, CB, K. 8-10-12 cut. (flat head piston)	3	4	8.00	8.15				
TG95HC	for gas, 1935-47 Case, VA, VAC, VAII, VAI, VAO,	3 1/4	4	8,15	8.25	8.35			
TG74HC	r124 motor, that head piston) for gas, 1939-42 (Case R, RC, RI, RO; combines C, CR, K, 8-10-12 cut, flat head piston) for gas, 1935-47 (Case, VA, VAC, VAII, VAI, VAO, (flat head piston) for gas, 1941-51 (Case S, SC, SE, SI, SO; combines V, SI'-9, (flat head piston) for gas, 1940-50	3 1/4	7	7.85	8.00	8.10			
TG8H0	1940-50	3 1/2	8	8.85	9,10	9.20			
	1940-50 Case D, DC, DE, DH, DI, DO, DIM, DS, DC4, DV, C, CC, CD, CH, CI, CO, Also combines: Prairie P, SP 12, 12-16-20 cut, after No 304363								
TG5	1929-51	3 %	13	10.85	11.20	11.40			
	1929-91 Case 12-20, 12-20A; combines M, W. Hillside, 14-16 cut, Prairie P, 12-16- 20 cut, to serial 304364 (flat bead piston for kemostre or distillate.	4 1/4	19	7.00	7.35	7.80			
TG6	Case K, 15-27, 18-32, (flat head plston) for kerosene or distillate	4 1/2	20	8.00	8.40	8.80			
TG7HC	20 cut, to serial 304364 (flat bead piston for kerosene or distillate								
	head piston), 1929-51	4 %	20	14.25	14.60	14.90			
TG170	Co-op AND COCKSHUTT Co-op "E3" 4 cylinder; "E4" 6 cylinder; (flat head piston) for gas	3-7/16	8	12.25	12.45	12.60			
TG170	Co-op 'E3' 4 cylinder; F4 6 cylinder; (flat head piston) for gas Cockshutt "30" 4 cylinder; "40" 6 cylinder; (flat head piston) for gas	3-7/16	8	12.25	12.45	12.60			
TG169 HC	FERGUSON Ferguson TE20, TO20, with Coutlnent- al Z120 motor (flat head piston) for	0.0.11		40.00	10.00	44.55			
	gas, 1948-51		6	10.80	10.80	11.00			
TG190 TG190	Ford Tractor 8N, after engine 433578 (cast-iron sleeve) 2N, 9N, 8N to serial 433578, block	3-3/16	3 1/4	8.35	8.45	8.55			
	must be bored to larger diameter to accommodate these sleeves. (Can- not supply TG1098 assemblies with								
	steel sleeve)	3-3/16	3 1/4	8.35	8.45	8.55			
TG27	Massey-Harris J. K. K3, OK, OKO, Cub Jr. 15-17 (bevel head piston)	4.4	4.00			F 40			
TG165HC	Massey-Harris 44, 44K, 44RT (flat	3 %	17	12.75	12.95	5.40 13.10			
TG77HC	Massey-Harris Twin Power Challenger,	78							
TG26	Massay-Harris 12 12-20 Certified	3 %	12	11.70	11.95	12,10			
	Orcbard, Challenger, Pacemaker, Standard, (flat bead piston) com-								
	crease compression for gasolineuse	2 74	12	7.50	7.85	7.75			
TG40	Massey-Harris 25, 26-41, after serial 69000 (flat head piston) 1934-40. Massey-Harris 20-30, Certified, Orchard, to serial 69000, 1927-33	4 %	13		14.50				
TG28 TG166HC	Massey-Harris 20-30, Certified, Orchard, to serial 69000, 1927-33		14		7.70				
	piston)	4 1/3	15	17.25	17.50	17.75			
TG32	McCORMICK-DEERING, FARMALL McCormick-Deering, Farmall F12, 112, 012, W12, W14 (flat head piston) 1933-40	2	77	5.50	5 05	5.80			
TQ80HC	inicularmick-Deering, Parmail A. Al. Av.		7	7.40	7.50	7.80			
TG81	B, BN, C Farmall II, IIV, 14, O4, W4, Combine No. 122 (flat head piston) 1939-49	3 %	6	8.80	8.85	9.10			
TG61HC	piston) 11/32-in., 1939-49	3 %	6	8.25	9.35	8.50			
	Farmali—same models (stepped head piston) 11/32-in, 1939-49 parmali 1A40, WA40, Frac-Tractor T40, TA40, Power Unit PA40, (flat head piston) for kerosene or distillate 1929-39 Farmali—same models to lucrease bore	0.5/	10	0.00	7.40	7.00			
TQ28A	Farmall—same models to increase bore from 3 %-in, to 3 %-in, (Bevelled	3 %	10	6.80	7.10	7.20			
TQ11	head alloy piston) 1932-39	3 %	9	8.20	9.35	8.45			
	Farmall—saine models to Increase bore from 3 % in. to 3 % in. (Bevelled head alloy piston) 1932-39								
	7, 12-16 cut (flat head piston) 1924-39	3 ¾	13	5.50	5.70	5.80			

These "Powercrest" sleeve assemblies are carefully engineered—positively the equal in material and finish to the original assembly 'n your tractor. Precision made of the finest chrome nickel alloy; cast in a vertical position to assure uniformity and freedom from soft spots. In casting and manufacturing these assemblies special attention is given to machining the oil groove to assure maximum oil control. All rings are "thermodized" or coated to provide quick and safe breaking in. These rings are modern design with wide, bridge-free, heveled channel. All pistons are complete with pins.

The HIGH COMPRESSION sleeve assemblies are engineered and built for use when burning regular gasoline. More power, improved upper cylinder lubrication, less crank ease dilution and less oil consumption are the advantages of using high compression assemblies. When using high compression assemblies the approximate average increase of compression ratio is 15 to 20 per cent. With regular gasoline (70 to 72 octane) benefits up to 25 percent may be realized in actual power output, speed and flexibility. Note: the tractor equipped with high compression sleeve assemblies burns gasoline and requires a cold type spark plug.

requires a c	cold type spark plug.	siceve as	Wght.	PR	ICE EA	CH
		Bore	Ibs.	F.O.B.	Sask or	Calg or Edmon
_ Cat. No.	TO FIT	Ins.	each	wpg.	i negina	Eamon
TG29A	Farmall 140, IK40, W40, WK40, Trac-Tractor T40, TK40 (bevelled bead alloy pistons) 1932-39 Farmall M. MY. 16. 06, OS6, W6, Trac-Tractor T6, Power Unit U6,	3 ¾	9	8.20	9.35	9.45
TG62HC	(stepped nead piston) 1, 10-in.,	0.7/	11	10.75	10.85	11.15
TG78A	1939-51 McCormick-Deering Diesels MD, MDV, 1D6, ODS6, WD6, Trac-Tractor TD6 (plston nas flat head with concave cup). Replaces assembly 56621DB, 1940-49 Farmall 30, F30, Industrial 130, W30, 20, 30, 10-20, Industrial 20, Power Unit U10, P30, 200, (bevelled head piston), 1024-40	0 /8				
TQ18HC	56621DB, 1940-49 Farmall 30, F30, Industrial 130, W30, 20, 30, 10-20, Industrial 20, Power Unit U10, P30, 200, (bevelled head	3 %	9		21.50	
TG72HC	Unit U10, P30, 200, (bevelled head piston) 1924-40 McCormick-Deering 19, 09, W9, WR9, Trac-Tractor, T9 (flat head piston)	4 1/4	19	10.95	11.25	11.50
TG78A	McCormick-Deering Diesel ID9, OD9, WD9, WDR9, Trae-Tractor TD9 to engine No. 28501, (piston has	4.4	13	14.70	15.00	15.20
TG20HC	11/64-in, coneave head). Replaces assembly 56623DB	4.4	14	24.25	24.50	
TG21AHC	McCormick Deering—same models, to increase bore to 4 % -in. (flat head	4 1/4	25		13.00	
	mcCormick-Deering 15-30, after aerial TG99926, 22-36 (flat head piston)	4 %	22	12.50		13.10
	1928-39	4 %	23	12.50	12.85	13.15
TG22 TG25	MINNEAPOLI8 - MOLINE Minneapolis-Moline 17-30B (flat bead piston) 1926-35 Minneapolis-Moline 11-20, 12-20, 13- 25, 17-28, KT., M., MT., MTS, TW,	4 %	30	7.95	8.25	8.50
	TY (flat head piston) 1919-34	4 1/4	16	7.85	8.20	8.40
TG35HC	OLIVER Oliver 70HC Row Crop, Standard, Orchard, (flat head iron piston) for gas,		-			
тазънс	Oliver 70KD Row Crop, Standard, Orchard (for converting these models from kerosene or distillate to gasoline)	3 1/6	7	8.25	8.35	8.45
TG47HC	1935-46	3 1/8	7	8.25	8.35	8.45
TQ181 HC	Oliver 66HO Row Crop, Standard,	3-5/16	8	8.10	8.25	8.35
TG181HC	for gas (6.75 to 1 ratio) 1948-51 Oliver 77HC Row Crop, Standard, Orchard, 6-cyl (flat head platon) for gas, (6.75 to 1 ratio) 1948-51	3-5/16	10	12.75	13.00	13.15
TG182HC	for gas, (6.75 to 1 ratio) 1948-51 Oliver 88HC Row Crop, Standard, Orchard (flat head piston) for gas, (6.75 to 1 ratio) 1948-51	3-5/16	10	12,75	13.00	13.15
TG15HC	Plow, flat head piston with comp. distance of 2-21/32-in, for gas.	3 1/2	12	13.70	13.80	14.00
T049V0	(To increase bore to 4 ¼ -inches use TG46HC assembly.)	4 %	18	12.80	12.85	13.20
	Crop (flat head piston) for gas, 1938-44 (To increase bore to 4½-inches use TG52HC assembly.)	4 1/4	16	13.45	13.75	13.80
TG52HC TG14HC	Cron (flat head niston) 1938-44	4 1/4	16	14.95	15.20	15.35
	Oliver 90, 99, A, 28-44 (flat head piston) with 2-13/16-in. comp. distance for gas, 1930-1948	4 %	20	13.80	14.25	14.45

When Ordering: Al-ways state make, mod-el and serial number of truek; also state model of engine such aa; K7 model using BLD269 engine, or K7 model using FAB241 engine.

"POWERCREST" Truck Cylinder Sleeve Assemblies
on Ordering: Alstate make, modind serial number
truck; also state
el of engine such
K7 model using
0269 engine, or
m of el using
0279 engine, or
m of el using
0289 engine, or
m of el using
0389 engine
0489 engine, or
m of el using
0489 engine, or
m of el usi

Catalog No.	TO FIT		Weight lbs.each	Price
T8650	I.H.C. Trucks, models A4, A5, A6 (1930-35); C50, C50S, C850T, C850, 2-4T, all using FBB engine T885 Piston Pin Bushing to fit above motor	3 %	11	7.85 Each 88 Each
T8651	1.H.C. Trucks, models K6, K86, K7, K87, D35, D355, D35B, D835B, D216T, D40, 2-3T all using FAB241, FAC241, FAB259 or FAC259 engine. Note: These models are originally 3% or 3½ in bore, these sleeve assemblies increase the bore to 3-9/16-in.	3-9/16	6	8.75 Each 30 Each
T8653	I.H.C. Trucks, models K7 after serial 9100 K87 after serial 3036; KB7 using BLD269 engine T887 Piston Pin Bushing to fit above motor	3-9/16		8.85 Each 30 Each



Finet (Quality	Assuratoly Mado B	v Fitze	orald	
Order tractor par	ts from	—Accurately Made B Winnipeg, Ragina, Sask	atoon, (Calgary or	Edmonton;
where only one price is To Fit	Cat.	tha price applias at any o Description	No.	Replaces	Price
Allis-Chalmars, W, WC, WF		Head Gasket 12 stud Head Gasket 15 stud	Needed 1	U-3198	1.52 Each 1.60 Each
W, WC, WE	T2092	Manifold	8et	U-3198 U-3162-3	.13 Each
Allis-Chaimers, "B"	112000	Cyt. nead Cover Gasket.	1	U-3006 206893	.32 Each
1938-48; "R.O." 1939-48; "C"	T2228 T2131	Ch. Head Gasket	8 Set	200986 206947	.07 Each
Casa, A. AE. AI. 12-20 (1923-28)	li		1	206892	.39 Each
Coso, C, CC, C1, CO,	T2070	Cyl. Head Gasket	1	01598-AB	1.35 Each
17/27 (1929-40): almo 1), DC, DH, D1	T2009 T2007	Cyl. Head Gasket In. and Ex. Man. Gasket Oil Pan Gasket Cyl. Head Cover Gasket Hand Hole Cover Gasket	1	0891-AB 01595-AB 01594-AB	.19 Each .25 Each .49 Each
100 (1959-01)	T2121	Hand Hole Cover Gasket.	1 4	0700-AB	.13 Each
(1936-41); I.A. 20/	T2009 T2274	Cyl. Head Gasket	1 2	01172-AB 01576-AB 01437-AB	.22 Each
10 (10 10 01)	1122/5	Outlet Port Gasket	8et (01438-AB	.12 Each
	T2074	Hand Hole Cover Ceaket	of 8	01340-AB 01341-AB 01403-AB	.54 Sat
Cosa V VO VI VO	T2166	Hand Hole Cover Gasket.	i	01222-AB	.40 Each
nsing Continental F- 124 motor, 1939-42	T2167 T2233	Cyl. Head Gasket	l Set		.12 Each
Casa, VA, VAC, VAI,	T2234	ilead Gasket	1 1		.95 Each
Casa, K. 18:32, 15-27	T2276	Cyl Head Gasket	1 4	05713A-1 05715-A	1.70 Each .20 Each
	T2278 T2279	In. Man. Gaskat Oil Pan Gasket	2	0571-HA 05712-A	.09 Each
Casa RC, 1935-40 R, RI, 1939-np	T2142 T2144	Cyl. Head Gasket Oil Pan Set Valve Cover Gasket		68000-A	1.24 Each .59 Set
	T2217	Valve Cover Gasket	2	BD-196	.12 Each
	T2146 T2218	Cyl. Head Gasket Manifold Gasket Valve Cover Gasket	2		.22 Each .43 Each
Cockshutt "30" or Co- op E3 with Buda	T2250 T2251	Cyl. Head Gasket	1 1	T5300 T5390	1.20 Each .24 Each
motor 45155		(side strips)	Set 1	T5344 T5302	.23 Sat .93 Each
Deere, "A" "AN",	T2066	Head Gasket. 1934-39	1	A404 A2329	1.00 Each 1.05 Each
and A.R. (1935-48).	T2067 T2068	Cyl. Head Gasket, 1940 up Manifold Gasket Valve Cover Gasket Oil Pan Gasket Radiator Header Gaskets,	1 1	A405A R403	.24 Each
(1940-42]	T2220 T2204	Oil Pan Gasket Radiator Header Gaskets,	1		.24 Each
	T2221 T2222	top and bottom Trans. Case Cover Gasket. Tuppet Cover Gasket	2 1 1	A-432 A-399 A-1575	.10 Each .13 Each .31 Each
Daera, "D" 15-27 (1925-42): also D.	T2011	Cyl. Head Gasket	1 1	D-1787	1.20 Each
D1,15-30 (1936-50)	T2133	Cyl. Block to case; to serial 109948.	1 2	D-290 D-294	.40 Each
	12134	water Pipe Cyl. to radiator, bottom to	9	D295	07 Foob
	T2137 T2012	Radiator Ontlet	2	D-305 D-306	.07 Each .06 Each .40 Each
	T2013 T2014	Cyl. Block to case; to serial 10948. Water Infet. Water Pipe Cyl. to radlator, bottom to 53387 or top all "D" Radiator Ontlet. Man. Gasket to 100043. Man. after 109944. "Irans. Cover Gasket Front I'rans. Cover Gasket Real To Serial 109943 (4 pleces).	Set of 5	D-1788 AD-298	.32 Each .32 Sat
	T2016	To Serial 109943	Set	AD-299 AD-778	.30 Each .39 Sat
	T2017 T2281	After 109043 (4 pleces). Valve Cover Gasket. Oil Pan Set (4 pieces). Radiator Gasket, top.	Set 1	D-309 AD-962	.18 Each .30 6at
			1 piece		.24 Each
	T2137	Radiator Outlet	2	D-1786 D-305	.16 Each .06 Each
Daere, "Gen. Purpose"	T2018 T2019	Cyl. Head Gasket Man. to Head Gasket Valve Cover Plate Gasket	1 2	C-1005 C-1006	1.20 Each .40 Each
Farguson, TE20	T2255	Hood Coaket	1	C-1002	.70 Each
TO20	T2256	Manifold Gasket Oil Pan Gasket Valve Cover Gasket	1 1 1	Z120E400 Z120B401	.19 Each
Fordson 1917 to early 1927	,	Cyl. Head Gasket	. 1	N-6051	1.00 Each
Fordson late 1927 to 1939	T2061	Cyl. Head Gasket	1	N-6051 \$-203	1.28 Each
Fordson All models	T2062 T2093	Manifold Gasket (2 pleces) Manifold Gasket (1 piece)	8 Set	S-065 8-257	.10 Each .20 Sat
Fordson, 1017 to 1921 Fordson, 1921 on	T2095 T2064	Manifold Gasket (1 piece) Manifold Gasket (1 piece). Ton Tank Cone Casket.			.90 Each
Fordson, 1917 to 1927 Fordson, 1917 to 1927	T2139 T2140	Manifold Gasket (1 piece). Manifold Gasket (1 piece). Top Tank Cover Gasket Radiator Tank Top Gasket Radiator Tank Bottom	1	8-535 8-549	.28 Each
Fordson, 1917 to 1927	T2141	Radiator Tank Gasket	1 2 ;	8-550 8-548	.28 Each .12 Each
I.H.C. Farmall, A. AV. B, 1940-49	T2172 T2173	Cyl. Head Gasket	1 2	43353DB 48096D	.90 Each .09 Each
	112202	R VI. Head Cover Gasket.	1	43458D 43378DA	.18 Each
I.H.C. Farmall, II; W-4; O-4; I-4; 1939 on	T2190 T2161	Cyl. Head Gaskat Manifold Gasket	1 2		1.12 Each .11 Each
			1	43976-D [48957 DA	.36 Each .25 Each
1-6, W6, T6, 1940 on	T2164 T2165	Cyl. Head Gasket Manifold Gasket Oil Pan Gasket Valve Cover Gasket	1 2 1 ·	46173-DA 46173-DA 46109-D	1.17 Each .13 Each .58 Each
	T2232	Valve Cover Gasket	î	45952·D	.33 Each /

S CO		V				0
	To Fit	Cat. No.	Description	No. Needed	Replaces Part No.	Price
1.H.C. 1933-3 W12, I-14,	rarmall, F12, 38; O-12, 1-12, 1934-38, F14, O-14. W14	T2174 T2175 T2179	Description Cyl, Head Gasket Manifold Gasket Oil Pan Set (4 pieces) Valve Cover Gasket. Cyl. Head Gasket, 10-20	1 1 Set	24542DB 24519DA 24497D	1.08 Each .27 Each .45 Set
1934- McCormi 10-20	40 ck-Dearing F-80 W-80	T2198	Valve Cover Gasket Uyl. Head Gasket, 10-20 Oyl. Head Gasket, "W-30" "I-80"	1	24552D 10366-DE	.17 Each
I-80.	P-80			1	10905-DK 10413-DA	1.35 Each 1.40 Each
		T2027	Ex. and In Man. Gaskat. Crankcase to Oil Pan Gasket Radlator Gasket	1 2	10421-1) 10646 i)	.28 Each .11 Each
McCormil 15-80,	ck-Daaring. 22-86	T2028	Cyl. Head Gasket used below serial 52271	1	10422-D	.24 Each
		T 2026	Cyl. Head Gasket used	1	4271-DC	1.66 Each
		T2 030	from TG911926 np to	1	4271-DD	1.80 Each
		T2031	TG139568M Cyl. Head Gasket nsed from TG139508M up Valve Cover Gasket Ex. and In. Man. Gasket	1	175121) 29761-1)	1.60 Each
		12033	Grankcase to On Pan	1 1	11807-D 4245D	.75 Each
	1	T2034 T2035 T2039	W. Outlet Man. 1928-27 W. Outlet Man. 1928-29 Radiator Gasket "15-30" Radiator Gasket "22-80"	1 1 2 2	4308-DA 4308-DA 4544-DA	.32 Each .40 Each .18 Each
1.H.O. (1937	W-40; I-40; (-40); T-85; T-		Cyl. Head Gasket 22.80 Manlfold Set Oil Pan Set	I Set Set	81227-DA	.17 Each 1.65 Each .79 Set .94 Set
I.H.C., 1980	W9, T0 , I9, up	T2209 T2290 T2281	Cyl. Head Gasket Manifold Gasket	1 2 1	52795-DA 52755-DA 549 (7-D	1.24 Each .13 Each .59 Each
I. H. C.	1)iesel W1)9, 1D9, UD9,	T2262	Valve Cover Gasket	1 1 1	52793-DA 53437-1)13 51194-1)	.37 Each 2.23 Each .90 Each
T100, 1941	on ODO,	T2209 T2210 T2211	Cyl. Head Gasket Valva Cover Gasket Oil Pan Gasket Ex. Manifold Gasket Int. Manifold Gasket	1 3 2	51318·D 48311-D 51668-D	.59 Each .18 Each .17 Each
	Diesal, WD6, 1D6, UD6, all MD, 1940	T2212 T2213 T2214	Cyl. Head Gasket Oil Pan Gasket Ex. Manifold Gasket. In. Manifold Gasket. Cyl. Head Cover Gasket	1 1 3	53436-DC 52001-D 52649-D 52650-D	2.10 Each .37 Each .34 Each
Massay-H	iarris, 10-20.	T2216	Cyl. Head Cover Gasket	1 1	52650-D 52019-D	.21 Each .90 Each
12-20 (1929 ger. C	Orchard 0-35) Challen- OH, Pacemaker, 1936-42)	T2124 T2120	Cyl. Head Gasket	1 2	31740-A 11636-A	1.85 Each .37 Each
Massay-H 44-6, F228	larris, 101SR, Continental Motor	T2244 T2103 T2247	Cyl. Head Gasket Oil Pan (2 pleces) Valve Cover	. 1 Set 1	F600A-471 D600B-402	1.65 Each .15 Sat
Massey-H 22, 2	arris, 20, 2015, 2K, 30, 30K, 81R, 82, 828					
101JI GJR, ental F162	t, 102JR, 102- using Contin- F124, F140, motor, 1939-49	T2166 T2167 T2233 T2235	Cyl. Head Gasket Manifold Gasket Oil Pan Set Valve Chamber Cover	1 1 Set 1	F400A-325 F400E-303 C400A-217	.83 Each .12 Each .98 Set .25 Each
Massay 1939- ler mo	-Harris, 101, 42; with Chrys- otor	T2168 T2199	Cyl. Head Gasket	1 Set	620032 780477	1.70 Each .48 Set
Massey-F	larris, 44, 44K	T2264 T2295 T2266	Cyl. Cover Gaskat Manifold Gasket Oil Pan Gasket	1 2 1	760-411M1 700-236M1 761-705M1 760-234M1	1.90 Each .50 Each .27 Each .55 Each
Massey-I	larris, 55, 55K	T2297 T2268 T2266	Cyl. Head Gasket Cyl. Cover Gasket Manifold Gasket	1 1 2	760-483M1 760-054M1 761-611M1	1.20 Each .66 Each .42 Each
Wallis. 1929	20-30. Certified				760-004M1 343+A 2209A	.35 Each 1.88 Each .12 Each
Walls, 33); 1934-	20-30 (1932- also 25, 26-41 41	T2042 T2043	Cyl. Head Gasket Cyl. Head Gasket Cyl. Head Gasket Manifold Gasket	1 2	31864A 12073A	1.80 Each .49 Each
(1921 (1935	7-34); 17-30B. 2-34); 17-30A	T2048 T2047 T2048	Vlanifold Gasket Oil Pan Set (2 pleces)	2 2 Set	6418W	1.50 Each .40 Each .72 Set
Oliver-Ha	art-Parr, 18-36,	T2021 T2022 T2023	Cyl. 1lead Gasket Ex. Man. Gasket Cyl. Cover Gasket	2 2		1.60 Each .40 Each .12 Each
Offver of 80HC 48, 11	Cockshutt, 80. 3, 80 KD, 1938- 8-28 (1930-37)	T2284 T2285 T2286	Head Gasket Intake to Exhaust Gasket Intake to Exhaust Gasket Oil Pan Gasket Valve Cover Gasket Water Outlet Manifold	1 2 1	C-181 CA-422 CA-420	2.15 Each .38 Each .70 Each
		T2193 T2194 T2195	Oil Pan Gasket Valve Cover Gasket Water Outlet Manifold	1 1 4	C-166 C-192 C-387	.50 Each .50 Each .07 Each
Olivar of	Cockshutt, 90 (1938-45) 28- 1930-37	T2080 T2081 T2082	lyl. Head Gasket Gasket In and Ex. Man. Gasket Intake to Exhaust Gasket Intake to Exhaust Gasket Oil Pan Set Gasket Oil Pan Set Gasket Oil Pan Set Gasket Oil Canada Gasket Oil Canada Gasket Oalve Gover	1 1	A-181 A-422 A-426	2.65 Each .37 Each .81 Each
		T2083 T2084 T2087 T2088	Water Outlet Gasket Oil Pan Set	1	A-426A A-387	.58 Each .07 Each
Oliver, 7	0.7011C,70KD	T2199	Valve Cover Cyl. Head Gasket Cyl. Head Gasket Intake and Ex. Manlfold	1 1	B181 A BA-192	1.40 Each
	(1936-48)		Gasket	1	BA-192 B-422 (B 100 { B-177-A	.40 Each
Ollvar	80. 80110 00	T2200	Oil Pan Set (4 pleces) Tappet Cover Gasket	Set 1	1 B-177-A B-477	.85 Set .40 Each
KD,	1941 on	T2228 T2228 T2230	Cyl. Head Gasket Manifold Gasket Oil Pan Gasket Valve Cover Gasket	6 1 1	100100	.07 Each .45 Each .39 Each



Macleod's "Powercrest" Tractor Piston Ring Sets are of the finest material and workmanship obtainable. Each set is specifically designed for the tractor listed. Each ring is impregnated with grapbite. Oil rings have two steel segments and inner expander ring which makes "Powercrests" the Ideal riogs to reduce oil consumption. Supplied in standard size only, which is recommended for bore sizes from etandard to .015.

to .015.								
TO FIT	Year	Set No.	Price Per Set Delivered					
Allis-Chaimers, B, I, all. Size 3 1/4 x 1/4 x3/16-ine.		T-5713	5.75					
8 comp. 4 oil Cate, L. LO; 26-40. Size 4 %x								
	1929-46	T-5710	10.45					
Case, O. CC, CI, CO, OE, CD; (nsing 4 ring piston) D, DI, DC, DO. Size 3 1/2 x 1/4 x 1/4 -ins. 8 comp.— 8 oil, use this set for replacement in Macleod's								
F'1'-4+X and T-4+XHO sleeve assemblies;	1020-10	TK-5711	7.15					
Case, C, Cl, CO. Size 3 % x3/16 ins. 8 comp. 4 oil Case, C, D. Size3 % x3/32x % x3/16 ins. 12 comp.	1929-38	T-5712	5.65					
4 oil	1929-46	T-5715	7.10					
Case, R. RC, RI, using Waukesha FC. or FK. Size 3 ½ x ½ x 3/16-in. 8 comp.—4 oil	1935-50	T-5713	5.75					
Case, S, S1, SO. Size 3 ½ x ½ x3/16 ins. 12 comp. —4 oil	1940-46	T-5714	6.95					
Massey-Harris 81, 101, 102 Jr. using Continental F140. Size 3 3/16 x ½ x ½ -in. 12 comp.—4 oil.	1940-46	T-5731	6.95					
Massey-Harris 81, 101, 102 Jr. using Continental F140. Size 3 3/16x 1/x x3/16-in. 12 comp.—								
	1940-46	T-5732	6.90					
Massey-Harris 101 Sr., 44-6, using Continental F226. Sizes 3-5/16x % x ¼-in. 18 comp.—6 oit Massey-Harris 101, 102 Jr. using Continental F162.	1942-50	T-5733	10,95					
	1942-48	T-5734	6.95					
Massey-Harels 101 Jr., 102 Jr., using Continental F162. Size 3-7/16x % x 4 -ins. 12 Comp.—4 oil		T-5735	7.20					
Massey-Harris 102 Sr., using Continental A244, Size		T-5736	12,25					
Massey-Harris, Pacemaker, Challenger, Size 3 % x % x 3/16-ins. 12 comp. 4 oil	1936-40	T-5730	7.15					
	1940-42	T-5737	11.90					
3 % x 1/8 x 1/4 · 1n. 18 comp.—6 oil		T-5738	11.95					
	1940-41	1-5736	11.00					
McCormick-Deering, 15-30 after TG99926, 22-36 Ind. 30 PU300. Size 4. 4 x 14 -ins. 12 comp.—4								
oil (also used on Macleod's eleeve assembly T-G21A) McCormick-Deering, 15-30 to TG99926. Size: 4 % x	1929-38	T-5700	10.45					
%. 12 comp.—4 oil	1921-28	T-5721	9.65					
$4 \frac{1}{4} \times \frac{1}{4} \text{ ins } 12 \text{ comp.} -4 \text{ oil } \dots \dots \dots \dots \dots \dots$	1924-40	T-5722	8.85					
McCormick-Deering, 10-20, F30, W30. Size 4 % x 3/16-in, 12 comp.—4 oil	1924-40	T-5728	18.70					
I.H.C. Farmall, H. Size 3 % x % x5/32x % -ins. 12								
comp.—4 oil	1939-46	T-5723	7.10					
I.H.C. Farmall, M. T6, W6, O6, I6. Size 3 % x % x 5/32x ¼ -ins, 12 comp—4 oil I.H.C. Farmall, A, B. Size 3x ¼ x ¼ -ins, 12 comp.— 4 oil	1939-46	T-5724	7.15					
	1939-46	T-5725	8.95					
Otlver, 70 series using Continental DS6202. Size	1025.20	T-5750	10.75					
3 % x % x3/16-in, 18 comp.—6 oil	1935-36	5750						
No. 300001. Size 3 % x % x % -ins. 18 comp— 6 oil.	1938-46	T-5751	10.95					
Minneapolis-Moline, J. ZTN, ZTU, std Z, ZTS, RE motor, RT, RTN, RTU, EE motor, SE motor. Size 3 % x ½ x3/16-incbes, 12 comp.—4 oil	1927-42	T-5740	7.15					
O 78 A 78 AVY I O'HICOCO, I'D COMP. I OH								

In addition to our Mail-Order Service, we also operate retail stores "All Over the West," and Macleod Authorized Dealer Stores at many points. These stores are located at:

IN MANITOBA-Winnipeg, Brandon, Dauphin, Neepawa, Portage la Prairie, Swan River, Carman, Virden, Killarney and authorized dealer stores in Steinbach, Beausejour, Teulon, Lac du Bonnet, Glenboro, Somerset, Altona, Pilot Mound, Winkler, Souris, Boissevain, Deloraine, Ste. Rose du Lac, Ashern, Ethelbert, Rossburn, Gladstone, Minnedosa, Roblin and Russell.

IN SASKATCHEWAN—Saskatoon, Humboldt, Kamsack, Canora, Nipawin, Lloydminster, Melfort, North Battleford, Meadow Lake, Prince Albert, Regina, Moose Jaw, Weyburn Swift Current, Assiniboia, Maple Creek, Shaunavon, Rose-town, Yorkton, Melville and authorized dealer stores in Indian Head, Preeceville, Wynard, Wadena, Esterhazy and Foam Lake.

IN ALBERTA-Edmonton, Barrhead, Grande Prairie, Calgary, Camrose, Lethbridge, Medicine Hat, Brooks, Olds, Hanna, Ponoka, Red Deer, Vermilion, Wetaskiwin, Vegreville.

IN BRITISH COLUMBIA—Dawson Creek.





IGNITION WRENCH SET

High grade steel, hardened and cadmium plated. Will fit ell popular ignition sys-tems. Three double end wrenches, six blade feeler gauge, ignition point file. B13-8953-1'rice.

IGNITION POINT FILE

A handy file for filing igni-tion or coil points. Made of high grade double cut temper-B13-1538--Price15



Improve mileage and performance. Ceramle element filters thoroughly so that only pure gasoline reaches carburetor. Just blow through ele-ment to clean.

B8-1928B—To fit Chevrolet, Chrysler, Dodge, De-Soto, Plymouth 1933-52; Kaiser and Frazer 1947-Price, F.O.B. Winnipeg

RETAIL STORES: In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and satisfactory service.



To Fit Chevrolet and Ford Cars As Listed Original Price Each Part No. F.O.B.Wpg. Description Cat. No. Cat. No.

B9-2178
B9-8784
Wheel Bolt, front; fit Chevrolet, 1926-32 and 1935
Wheel Bolt Nut, to fit Chevrolet, 1929-47
Itim Bolt, to fit Chevrolet, 1929-47
Itim Bolt, to fit Chevrolet, 1926-31
B9-8721
B9-8721
Run Bolt, to fit Ford "T", 1909-27
Hub Bolt, front; to fit Ford A 1928-35; V8 1934-35 and 1937-38
B9-2180
B9-8711
Hub Bolt, rear; to fit Ford A 1928-31
Wheel Bolt Nut, to fit Ford A 1928-31
Wheel Bolt Nut, to fit Ford A, 1928-31
Wheel Bolt Nut, to fit Ford V8, 1932-42 and Mercury 1939-42
B9-8713
Hub Bolt, rear; to fit Ford 1932-34 models B, 18, 40, 46 and 1935 models 48, 50 0745B 16N 14C 10N .09 .08 .12 .08 F742 F742 F743 83N .10 .10 .10 84N {B1118 {48-1118 .09

Starrett High Speed Indicator



Precision made high speed indicator; measures revolutions of all rotating shafts. Dial has two rows of figures for right or left hand reading as the shaft may run. Working parts enclosed in nickel plated case. Order from Winnipeg only.

B13-4984-Price. 3.39 DELIVERED




"Tachometer" Speed Indicator Used when checking and adjusting speeds of gas engines, tractor pulleys, etc. Speed range of 500 to 3000 R.P.M.

.10

B13-4976-Price, F.O.B. 2.25 Winnipeg.

Men! Macleod's "Big-Fit" and "Made-Rite" brand overnlls are made to work-tested, work-comfort specifications feature wear, fit, value the best buy for your money. See page 13.



HYDRAULIC CONVERSION PARTS

Convert your present mechanical lift farm machinery to versatile, time and labour saving hydraulic lift control. Equally efficient for installation on loaders, hay stackers, plows, cultivators, wagon lifts, etc., Macleod's hydraulic conversion parts are precision bullt to agricultural standards, tested and approved by tractor and implement manufacturers. With the hydraulic parts lilustrated and described farm tractors and implements can he fitted for modern hydraulic control by making a simple mounting bracket to fit the machine.

(A) HYDRAULIC PUMP-for 8-inch and 10 3/4-inch Stroke Cylinder (A) HYDRAULIC PUMP—for 8-inch and 10 %4-inch Stroke Cylinder Driven directly by tractor power take-off the pump assembly is coupled to the power take-off shaft by the spline coupling (B). Pump torque ber (D) bolts to pump and tractor drawbar frame, preventing pump rotation and allowing it to loat on tractor power take-off shaft. This improved mounting eliminates possible damage to pumps which may be caused by a bent or wobbly power take-off shaft; there are no brackets required and no holea to be drilled. NOTE: Offset pump mounting bracket (G) is required if power take-off is to be used for driving a swather or other implement. Built to extremely close tolerance for high pressure, pump is 3-gear type operating counter-clockwise, with semi-bardened steel gears mounted on hardened shafts ground to a high finish. Housing is close grain cast fron. The 90 % dense bronze sleeve bearings are pressure relieved. The built-in pump relief valve is factory set at 1000 P.S.I. Designed primarily to operate at tractor power take-off speeds of 550 R.P.M. developing pressure up to 1000 P.S.I., pump may be run at speeds up to 800 R.P.M. where higher pressures are required. Fitted with %-inch pipe thread dis-harge outlet.

Two models available, providing a complete range of operating pressure.

(B) POWER TAKE-OFF PUMP COUPLING

Solid type coupling for tractor power take-off mounting of hydraulic pnmpa. Pum shaft and power take-off shaft are coupled diectly without use of other mountin bracketa. Constructed of heavy machined ateel accurately machined to fit pump shaft and power take-off spline shaft. Pump end fitted with No. 15 Woodruff key, bot shafts firmly secured by Allen type set screws.

(C) HYDRAULIC CONTROL VALVES

Designed to meet the execting requirements of agricultural atandards, these valves provide accurate and uniform control of hydraulic power throughout the entire pressure range. Fully balanced and self-centering plunger type, they are effortless to operate even at pressures of 1000 P.S.I. High pressures within the valve are always equalized or balanced, therefore, the unit never becomes pressure locked in any position. The self-centering feature means that when the control lever is released, it automatically returns to a neutral or hold position. These valves provide accurate and uniform control of hydraulic power throughout the entire pressure range. May be installed singly or in banks of one, two, three or four valves in any combination of three-way (single acting) or four-way (double-acting) units as required. Each control has a built-in pressure valve, factory set at 1000 P.S.I. unless otherwise specified for special requirements. Two models avsilable.

special requirementa. Two models available.

Three-Way Hydraulic Control Valve, for operating single acting cylinders, used on any machine requiring hydraulic pressure on outward stroke and having gravity return as on stackers, awather lifta, push-offa dumps, etc. Weight 8 ½-lbs.

TH460—Price, DELIVERED 16.50

(D) HYDRAULIC PUMP TORQUE BAR

For use when hydraulic pump is coupled directly to tractor power take-off shaft. Sturdy and simple in design, it prevents pump from revolving around shaft and winding up lose. No alignment problem even if tractor power take-off shaft is slightly bent or wobbly.

(E) OIL RESERVOIR TANK ASSEMBLY

Easily bolted to tractor platform with four bolta supplied, this pedestal type reservoir tank serves a dual purpose. Control valves may be mounted to its specially designed valve platform, and the tank is tall enough to give the operator readily accessible finger-tip control. Constructed of heavy gauge steel, welded at all jointa and seams. Assembly is complete with control valve mounting bracket. 4-foot x 1-inch low pressure tank to pump suction hose, hose fittings and clamps, tank filter, and mounting bolts. Two capacities.

Hydraulio Oli Reservoir Tank Assambly, 1-gallon capacity, as illustrated and deacribed. Weight 18-lba. 19.95
Hydraulic Oli Reservoir Tank Assambly, 2-gallon capacity, as illustrated and deacribed. Weight 24-lbs. 22.50
HH484—Price DELIVERED

Tank to Pump Low Pressura Hose—length 4-ft., diameter 1-incb; complete with pipe nipple to fit pump and hose TH257—Weight 5-lbs. Price DELIVERED 2.50

IMPORTANT: We offer and sell hydraulic controls and parta for farm tractor and agricultural implement use only at these catalog prices. Government regulations require that parts for farm tractor and agricultural use can only be sold at these prices on customer's declaration that parts are "for farm tractor and agricultural implement use only. If hydraulic controls and parts are implement use, add 25% to catalog prices.

AGRICULTURAL HYDRAULIC OIL

This hydraulic oil is apecially refined for agricultural nse. It contains inhibitors to realst rust, oxidation, and foaming. This helps prevent sludge and gum deposita which occur when regular motor oil is used. The resistance to foaming prevents air locka and allowa constant and absoluta control at all times. It is also developed for cold or warm weather use. Available in 1 and 2 gallon cans.

1-Gallon Can.

2-Gallon Can.

2-Gallon Can.

2-Gallon Can.

2-Gallon Can. 1-Gallon Can. 2.50 2-gallon Can TH465—Delivared 2.50 TH466—Deliverad. 5.00

(F) "FARMCREST" HYDRAULIC CYLINDER

(F) "FARMCREST" HYDRAULIC CYLINDER
Precision made to agricultural standards; for use with aingle acting and double acting installat,ona with ½-inch or %-inch hydraulic hose. Constructed of 3-inch aeamless steel tubing with ends of cast steel. Capable of withstanding pressurea over 1000 P.S.I. and has high resistance to shocks. Ends are held by four heavy tie rods. Polished steel 1½-inch piston rod has cast steel plunger fitted with "O" Ring aircraft-type seal. Neck aeal is "National Grease" seal with copper wiper, Piston rod end is removeable typa so extension brackets may be attached. Clevises are complete with and 10-inch stroke.

Farmcrest Hydraulic Cylinder, 8-inch atroke. Overall length from clevis pin centres: closed 20 ¼ inches, open 28 ¼ inches, working pressure 1000 P.S.I. Weight about 30-lbs.

25.50 DELIVERED

Farmcrest Hydraulic Cylinder, 10-inch stroke. Overall length from clevia pin centres: closed 20 ¼ -inches, open 30 ¼ -ins., maximum working pressure 1000 P.S.I. Weight about 32-lbs.

TH167—Price "FARMCREST" DEPTH CONTROL CYLINDER

Same construction as TH166 except 3 and 3½-inch diamete and fitted with a specially designed depth control regulator "Farmcrast" Depth Control Cylinder—8-inch stroke, 3-incl diameter: Overall length from clevis pin centres: closed 20¼ ins., open 28¼-ina, working pressure 1000 P.S.I. Weigh about 40-lbs. ... 32.50

"Farmerest" Dapth Control Cylinder—8-inch stroke, 3 ½-inch diameter. Length from clevis pin centres: closed 20 ¼-ins., open 30 ½-ins, working pressure 1500 P.S.I. Weight about 45-lbs. TH170—Price DELIVERED

TH171—Price DELIVERED 34.50

(G) OFFSET PUMP MOUNTING BRACKET

To fit Hydraulic Pumps TH475 and TH476. For use when power take-off is required to drive swather, etc., as well as bydraulic power. Consists of mounting bracket and chain drive sproket assembly. Weight 15-lbs.

TH466—Price DELIVERED 23.95

HEAVY DUTY OFFSET PUMP MOUNTING



Automatic Hydraulic Couplers

Steel ball checks for positive seal, maximum flow and long life. Guaranteed not to leak. Sealed at all times—no dirt gets in system and no oil gets out. Eliminates damage to hose assemblies from twisting. Quickly connects or disconnects hose lines.

• Quickly connects or disconnects hose lines.

A revolutionary coupling system for hydraulic equipment. Rugged in construction it will handle a greater volume of hydraulic fluid with less pressure drop... has a perfect seal... easy to clean and keep clean as it has ball checks that seat exactly in centre of coupler when coupled, this also eliminates any flow restrictions. Fully teated to 7000-lbs, pressure. Fast operating, light weight, all working parta hardened TH118—Hydraulic Coupler, with bushings 5.50 Hydraulic Coupler, to fit %-inch 7:50 TH118-



Automatic Hydraulic Pressure Coupler Same construction as automatic hydraulic couplers described above except with screw type fitting on one end as illustrated so that coupler may be coupled pre

119—Pressure Coupler with bushings to 6.50 % in. or ½-in. Price, DELIVERED



(A) Hydraulic Coupler Mounting Bracket
TH123—Heavy gauge formed steel bracket, adjustable
to fit above hydraulic couplers. Rustproof .60

(B) Hydraulic Coupler Dust Plug
TH124— Coupler Dust Plug, for sealing open coupler
on tractor and implement when not in use. Special
alloy atecl construction, fitted with chain and ring
to prevent loss. To fit above couplera.

Price DELIVERED
TH125—To fit %-inch hose,
Price DELIVERED
TH126—To fit %-inch hose,
Price DELIVERED
TH127—To fit %-inch hose.
Price DELIVERED
2.20



Reattachable Hose Connections

Reaftachable lose connections or hose cods. Easily attached to hydraulle lose to make up any length of hose and may be used when lose is being replaced, or repaired when ends leak or get broken. Consist of a sleeve with threaded male inaert. Simple to attach: first remove outside rubber coating, clamp sleeve in a vice, turn hose into aleeve, then lubricate, insert and thread it into the hose and sleeve. Made of cast steel or aluminum. Fits 1-wire braid hose only.

(A) Reattachable Male Connection

(A) Reattachable Male Connection

TH134—¼-in. plpe connection.

Price Dallvered 1.25
(B) Raattachable Swival

Hala Connection.

TH135—½-in. pipe connection.


Price Dellvered 1.45
(C) Swivel Adaptor Union

TH103—%-in. female x | TH105—½-in. female x | TH104—%-in. female x | TH104—%-in. female x | TH104—%-in. female x | TH104—%-in. female x | TH107—%-in. female x | T



(C) Black Malleable Reducer Bushings
TH110—Reducer Bushing, ½ to %-inch, pipe

TH112—Reducer Bushing, % to ½-inch, pipe thread. Price Dellvered



COMPLETE HYDRAULIC KITS FOR FARM TRACTORS AND IMPLEMENTS

Complete hydraulic kits with all parts necessary to convert your farm tractor and implements to efficient hydraulic control. Control pumps, cylinders, reservoir tank assemblies, etc., supplied with these kits are exactly as described and illustrated on page 86. Macleod's bydraulic kits are the most simplified hydraulic systems on the market—precision made to agricultural standards and readily adaptable to most farm made to agricultural stan

FARM TRACTOR HYDRAULIC CONTROL KITS

FARM TRACTOR HYDRAULIC CONTROL KITS

Easily installed in a few minutes, no special tools required. Pump is mounted directly on tractor power take-off by the spline coupling, requiring only two set screws to be tightened. The pump torque bar, which is fastened to tractor draw bar, holds pump in position and within take-off chaft. Tank oil reservoir assembly bolts to tractor platform by means of four bolts supplied. Control valves are mounted on specialty designed bracket on top of tank within easy reach of operator. This means added convenience and within easy reach of operator. This means added convenience and citigly of four-way (double acting) valves; by coupling with %-inch or 1½-inch single wire braid hydraulic hose. Available for operation of single acting of double acting cylinder.

with 1/2 inch hydraulic hose.

119.65

Hydraulic Tractor Kit, same kit as TH440 above hut with 2-gallon oil reservoir tank.

119.65

Hydraulic Tractor Kit, same kit as TH440 above hut with 2-gallon oil reservoir tank.

119.95

Hydraulic Tractor Kit, same kit as TH440 but with 2-gallon oil reservoir tank.

119.95

Hydraulic Tractor Kit, same kit as TH440 above hut with 2-gallon oil reservoir tank.

119.65

Note: If tractor power take-off is used to drive swather, etc., as well as any of the hydraulic control kits listed, offset pump mounting bracket TH469 or TH470 is also required. (See page 84).

Universal Hydraulic Control Farm Implement Kits-Less Mounting Brackets

Designed and manufactured according to the Agricultural Standards Association, these Universal Hydraulic Control Implement Kits are sdaptable to any farm implement that is fitted with mounting brackets to take a standard cylinder. Many older type mecbanical lift implements require special mounting brackets to take a standard cylinder. Many older type mecbanical lift implements require special mounting brackets, to the each machine. These brackets can usually he made in any farm workshop. (See listing at right for special kits complete with mounting brackets, Each Universal Kit consists of one 'Farmcrest' Standard Hydraulic Cylinder or 'Farmcrest' Depth Control Cylinder with '4-inch or %-inch hose, either 8-inch stroke (TH166) or 10 %-inch stroke (TH167) for double or single acting installations; two one-wire braid hydraulic bose (TH208), 5-ft. x %-in, diameter. If quick couplers or male tips required see page 84.

Implement Kits As Above With Depth Control Cylinder

Hydraulic Control Kits

Consist of a high quality cylinder fitted with adapter brackets to fit respective implements listed below. Also available with or without the necessary hose and bydraulic coupler assemblies. Does not include any parts to fit tractor, see other side of page for tractor kit).

Complete With Brackets, Legal Brackets and the complete with Brackets.

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	roge to macros hill;	Brackets, Couplers	Less Hose
=11000	To Fit	and Hose	Couplers
TH306 TH307 TH312	Case WPA One Way Disc	64.75 83.25	49.65 48.65
TH313 TH315	No. 240 Cockshutt 7 Combine Cockshutt and Co-op. No. 14 and E14 9½ and 11-ft. Cultivator. Cockshutt 14A, Co-op. E14, 9-tooth cultivator, 7-ft. Cockshutt No. 11, Disc Tiller, 1949 model	69.50 64.50	39.85 40.25
TH316	E14 9 ½ and 11-ft. Cultivator Cockshutt 14A, Co-op. E14, 9-tooth	105.50	74.50
TH317	Cockshutt No. 11, Disc Tiller, 1949	82.50	46.80
TH316			45.60
TH320 TH321 TH322 TH323	Cockshutt 35 Disc Tiller	98.25 89.95 87.50 83.75 84.75	53.50 48.50 45.80 47.50 48.75
TH323 TH328 TH327	Cockshutt 34 Disc Tiller Cockshutt 4A Mold Board Plow Cockshutt 24A, Co-op E24A Mold Board Plow	79.50 79.75	46.25 45.65
TH330 TH338 TH348	Board Plow Cockshuft 2, Co-op E2 Swather. John Deere, One Way Disc I.H.C. No. 8, 10-ft. Cultivator I.H.C. No. 8, 12-ft. Cultivator I.H.C. No. 8, 12-ft. Cultivator I.H.C. No. 8, 14-ft. Cultivator I.H.C. 2 and 3 Harrow Plow I.H.C. 10 Harrow Plow I.H.C. 11 Harrow Plow I.H.C. 10 Harrow Plow I.H.C. Nold Board Plow I.H.C. 5 Rod Weeder Massey-Harris Combine Lever Control Massey-Harris Combine Lever Control I.H.C. Massey-Harris Combine Lever Control I.H.C. 10 I.H.C. 10	73.95 82.50 102.75	48.50 47.25 71.25
TH350	I.H.C. No. 8, 12-ft. Cultivator	107.25	71.25 72.25 54.50
TH355	I.H.C. 10 Harrow Prow	65.45 95.45	47.50 47.50 46.50
TH380 TH384	I.H.C. 5 Rod Weeder	69.95	40.75
TH365	with Trucks	84.50	50.25
TH3 66	Jess Trucks Vassey Harris Combine Screw Control	73.75	50.25
TH367	With Trucks	79.50	54.50
TH368	Massey-Harris No. 25, 5 to 8 foot	77.50 76.50	54.50 44.25
тнз69	Massay-Harris No. 25 10 foot	118.00	87.75
TH370	Cultivator No. 25, 12 foot Cultivator	118.95	67,75
TH371	Cultivator Blassey-Harris No. 25, 14 foot Duplex Cultivator	124.50	62.75
TH373	Massey-Harris 22 Wide One Way Disc Massey-Harris 26 Wide One Way	87.50	45.60
TH375	Disc, 1951 and earlier Massey-Harris 26 Wide One Way	119.75	75.85
TH376	Massey-Harris 26 Wide One Way	88.50	36.85
TH379	with seeder throw out	98.50	84.80
тн380	(Lp to 8 ½ -It.)	97.75	59.75
TH385	(10-ft. model)	107.95 77.00 71.25	62.80 45.80 45.60
TH386	Massey-Harris 5 Swather	78.50 81.25	45.60
TH391	Oliver 164 and 106, One Way Disc	98.50 69.75	50.25 52.75 52.75
TH395 TH397	Massey-Harris 509 One Way Disc (10-ft. model) Massey-Ilarris 4 Swather	65.75	02.73
	and implements which a Standard		20.55
TH398	Surplex Cultivator Victory Blade and implements which a Standard Agricultural Cylinder will fit	66.25	39.50
	will fit same as above	65.25	39.50

Wire Braid Hydraulic Control Hose



Best quality. Made with compounds impervious to grease, asoline and oil. One wire breaker strip, with outside cover of lead pressed impression synthetic rubber. Eends easily, remains itexible under abort and made working pressures, has high resistance to twist. Available in length up to 50-ft., less fittings. By using reattachable hose owneed (see listing at right) can be under up to a supplementation of the pressure of the control of the pressure of the control of t

en.

—Price per foot, less fittings. DELIVERED .65

lee Brald Hydraulle Hose. ½-inch inside diameter,
-inch outside diameter. Working pressure 1500-lbs.

-Price, per foot, less fittings DELIVERED .79

Ready Made Hydraulic Hose Lengths

Best quality one-wire braid hydraulic hose, exactly as illustrated and describent to the describing of the describing the desc %-Inch Diameter

Catalog Number	Length	Pricc Delivered	Catalog Number	Length	Price Delivered
TH203	1-foot	2.49	TH228	1-foot	2.65
TH204	2-feet	3.37	TH229	2-feet	3.76
TH 205	3-feet	4.10	TH230	3-feet	4.89
TH206	4-feet	4.78	TH231	4-feet	5.55
TH208	5-feet	5.60	TH232	5-feet	6.39
TH209	6-feet	6.29	TH233	6-fcet	7.25
TH210	8-feet	7.80	TH234	8-feet	8.69
TH211	10-feet	6.35	TH235	10-feet	10.80
TH212	12-feet	10.80	TH236	12-feet	12.60
TH213	13-feet	11.50	TH237	13-feet	13.50
TH214	14-feet	12.25	TH238	14-feet	14.35

In addition to our Mail-Order Service, we also operate retail stores "All Over the West," and Macleod Authorized Dealer Stores at many points. These stores

IN MANITOBA—Winnipeg, Brandon, Dauphin, Neepawa, Portage la Prairie, Swan River, Carman, Virden, Killarney and authorized dealer stores in Steinbach, Beausejour, Teulon, Lac du Bonnet, Glenboro, Somerset, Altona, Pilot Mound, Winkler, Souris, Bossevain, Deloraine, Ste. Rose du Lac, Ashern, Ethelbert, Rossburn, Gladstone, Minnedosa, Roblin and Russell.

IN SASKATCHEWAN-Saskatoon, Humboldt, Kamsack, Canora, Nipawin, Lloydminster, Melfort, North Battleford, Meadow Lake, Prince Albert, Regina, Moose Jaw, Weyburn, Swift Current, Assiniboia, Maple Creek, Shaunavon, Rosetown, Yorkton, Melville and authorized dealer stores in Indian Head, Preeceville, Wynard, Wadena, Esterhazy and Foam Lake.

IN ALBERTA—Edmonton, Barrhead, Grande Prairie, Calgary Camrose, Lethbridge, Medicine Hat, Brooks, Olds, Hanna, Ponoka, Red Deer, Vermilion, Wetaskiwin, Vegreville.

IN BRITISH COLUMBIA—Dawson Creek.

MACLEOD'S BRAND NAMES ARE SYMBOLS OF QUALITY AND VALUE

When shopping through this catalog, or at any of our retail stores, look for these brand names: Artisan, Arcadia, Coronado, Crest, Farmcrest, Hi-Capacity, Hiawatha, Homeguard, Powercrest, Varcon... they are your guarantee of consistent high quality and downright dollar value. Macleod's own Brands are specially selected lines of merchandise, ranging from auto batteries and washing machines to refrigerators and tractor repair parts. Every item of merchandise bearing one of Macleod's brand names must measure up to rigid standards of quality and performance... good value, too!




INSIDE WIRING FOR EVERY

	1			1	PRIC	E DELIVERED
	DESCRIPTION	USED FOR	Geuge	Catalog Number	Per Foot	Per Footin Standard Coil
(A)	"Loomex" two-conductor non-metallic sheathed ceble, braid covered		12 14	B17-2119 B17-2117	.11	.10 (200-ft. coil) .07 (250-ft. coil)
(B)	"Loomex" three-conductor non-metellic shcetbed cable. braid covered		12 14	B17-2123 B17-2124	.18 .14	.18 ½ (200-ft. coil) .12 ½ (200-ft. coil)
(0)	Ncoprenc "Loomex" two-conductor non-metallic cheathed cable, Neoprene covered		12 14	B17-8802 B17-9803	.13 .09	.11 ½ (200-ft. coil) .08 (250-ft. coil)
(D)	Neoprene "Loomex" three-conductor non-metel- lic sheathed cable, Neoprene covered	Barn Wiring. Resistant to moisture, ammonia fumee, fungus, etc.	12 14	B17-8804 B17-9805	.21 .18	.19 (200-ft, coil) .141/2 (200-ft, coil)
(E)	Single conductor "Flemeseal" solid copper, plas- tic insulated. Aveilable in Black, White or Red. (State color wented)	Porcelain knob end tube wiring or	10 12	State Gauge and Color	.04 1/2	.04 (250-ft, coil) .03 (250-ft, coil)
(F)	Rubber covered extension cord. Two-conductor	Trouble lemps, electric motors, vecuums, etc.	16 18	B17-9873 B17-9879	.09	
(G)	Rubber covered extension cord. Three conductor		16 18	B17-8874 B17-8977	.121/2	
(H)	Cotton covered lamp cord. Two-conductor	Drop light fixtures, etc.	18	B17-9999	.04 1/2	
(1)	Rubber covered lemp cord. Two-conductor		18	B17-9895	.03	
(J)	Appliance cord, asbestoa lined. Two-conductor	Irons, toestere, hotplates, etc.	18	B17-9772	.05 1/2	

ELECTRIC WIRING For Home and Farm



Gives bome end ferm wiring. Mekes it easy for you to plan and install edditional outlets, ewitches, or e complete wiring system in your bome, barn, garege, etc. Write to Mecleod'e Limited, Winnipeg, for your free copy.



(A) METAL COVER PLATE
Galvanized to fit 3 ½-incb octagonal box B17-3429—Price cech, Delivered.... .08

(D) OCTAGONAL BAKELITE BOX

For use with Loomex cable only. Diameter 4-ins, x 1 %-ins. deep, with 3 cable con-B17-1009—Price each, Dellvered54

(E) RECTANGULAR METAL BOX (F) RECTANGULAR BAKELITE BOX For use with Loomex cable only. Size 2 x 4-3/16 x 2-ins., with 4 cable con-B17-1019—Price each, Dellvered49 (Q) OFFSET HANGER BAR

For mounting octegonal or rectangular boxes. Length 18-ins. with 1 ½-inch offset. B17-5253—Price cech, Delivered.... 33 (H) CABLE CONNECTORS For connecting Loomex or BX armoured cables into junction boxes, switch boxes, etc. B17-2995—Price each,

Delivered

(1) LOOMEX CABLE CONNECTOR
For connecting Loomex cable into metal or
bakelite junction boxes.

2 for .15
(J) GALVANIZED CABLE CLAMP
For use with 12 or 14-gauge Loomex cables.
Less screwnails.

B17-8837—Packege of 10. Delivered .03
B17-8837—Packege of 200.
Price Delivered
(K) "MARR" SOLDERLESS
CONNECTORS
For connecting whes witbout using tepe.
Use with Nos. 18, 16, 14 and 12 gauge
wire.

(N) PORCELAIN CLEATS
For two-wire surface instellations.
B17-5704—Price pair, Dellvered.... .15

(0) PORCELAIN SPLIT KNOB Slze 1 ½ -ins, x 1 ½ -ins, diameter; 2 perallel groves, B17-5701—Price eech, Delivered .03 $^1\!/_2$ PORCELAIN SOLID KNOB
1 % -ine. x 1 % -ins. diameter; single

groove. B17-5700—Price each, Dellvered.... .07




DUPLEX RECEPTACLE Perallel Slots. Brown bekelite. B17-7737—Price each, Delivered.... .20 (B) T-SLOT DUPLEX RECEPTACLE Perellel and tendem slots. Brown Bake-(C) COMBINATION RECEPTACLE Single combination recepted for either 2 or 3-prong caps. Bakelite. B17-7725—Price each, Delivered 1.45 (D) DUPLEX RECEPTACLE PLATE To fit duplex receptacle (A). Bekelitc. B17-7392—Brown. B17-7395—Ivory. Price each, Delivered .

(E) SINGLE RECEPTACLE PLATE To fit eingle receptacle (C). Brown bekelite. B17-7391—Price each, Delivered.... .10 (F) FLUSH MOUNT TOGGLE SWITCH "On-Off" type. Bekelite. B17-8102-Price each, Delivered.... .25 Three-way type for controlling one light from two points as in balls, steirways, etc Bake-B17-9107—Price each, Dellvered43 (G) PORCELAIN TOGGLE SWITCH

"On-Off" type. Porcelain with brown bake lite tumbler. B17-9085—Price each, Delivered.... .65



White porcelain receptacle for 2-prong caps. B17-7760—Price each, Dellvered.... .69





(A) DUST-PROOF HAY-LOFT LAMPS Porcelein base; beavy cleer gless globe, takes up to 100-wett bulb. Two types as below. For 3 % in. or 4 % in. outlet box mounting. With globe, less bulb.

B17-8591—Price cach, Delivered 2.75 (insert) As above except for drop mounting with knob and tube wiring. With globe, less hulb, B17-8562—Price each, Delivered 2.25

(B) WHITE PORCELAIN SOCKET (E) PUSH THROUGH SOCKET Brass shell, takes all stenderd bulbs. B17-8891—Price cech, Delivered.... (F) PUSH THROUGH SOCKET
White porcelain, Stenderd size; for heat
lamps, etc. B17-9694—Price each, Dellvered.... .87

(G) PORCELAIN SURFACE SOCKET 2-piece socket for eurfece mounting B17-9707—Price each, Delivered.....39 (I) PULL CORD SOCKET
White porcelain. To fit 3 ½-in. or 4-in.
octegonal boxes. For walls or ecilings.
89

BLACK FRICTION TAPE Friction tape, 2-oz. roll, % inch wide B17-8390—Price per roll, Delivered ,13 Friction tepe, 8-oz. roll, % -in. wide, 60-ft B17-9392—Price per roll, Delivered .42 Rubber Splicing Tape, % incb wide, 21-ft. B17-8380—Price per roll, Delivered .59

Electrician's Tepe, % inch wide, for teping wire joins—no edditional rubber or friction tepe required. Roll conteins 20-ft. 75



Solid copper conductor wrapped in special weatherproof cotton braid and treated for severe weather conditions. The gauge of the weatherproof wire to be used for wiring is determined by the connected load and the span of the overhead feeders. Consult the handy table below.

B17-9942—Solid Copper Weatherproof Wire, 10-gauge, for outside wiring. Per foot DeLIVERED .04½ Price per foot in 250-foot.

B17-9941—Solid Copper Weatherproof Wire, 8-gauge, for outside wiring.

Price per foot,

Wire, 8-gauge, for outside wiring.

Price per foot, Delivered wiring.

1. Including removeable interior, neutral bar and terminal assembly. No breakers or covar plate.

1. O6 1/2


1. Including removeable interior, neutral bar and terminal assembly. No breakers or covar plate.

1. O8 1/2

1. O8 1/2

1. Including removeable interior, neutral bar and terminal assembly. No breakers or covar plate.

1. O8 1/2



Panel Boxes-70 Amp. Rating





Thermal Magnetic Circuit Breaker Equipment The modern service entrance for

The modern service entrance for bouse, harn, garage, workshop, pump house, etc. No more fusea to replace, easy to install. More reliable with positive protection, C.S.A. ap-




complete inetructions included.





Diagram below shows typical service entrance installation.



	(A) Porcelain Insulator Knob Used for fastening 6, 8, or 10-gauge weather- proof wire to building. B17-5528—Price, each Dallvarod	£ 1
)	(B) Galvanizad Cabla Straps Used for fastening service entrance cable to building. Supplied less screwnails. To fit 2-wire. 8-gauge cable. B17-8831—Per Dozen, Dallvered	
)	(C) Entrance Weatherhead Cap Protects top end of service entrance cable. To fit 2-wire, 8-gauge cable. B17-5301—Each, Dallverod To fit 3-wire, 8-gauge cable. B17-5302—Each, Dallvarad To fit 3-wire, 6-gauge cable. B17-5303—Each, Dallvarad	
	(D) Matal Sill Plata Protects service entrance cable and seals hole in huilding. Supplied with sealing compound. Fits all size cables. B17-7310—Dallvered	
7	(E) Watartight Cable Connactor For outdoor connections of cable to switch boxes, etc. Less locknut. % inch; to fit 2-wire, 8 gauge cable. B17-2959—Each, Dallvarad	
	Non-watartight Cabla Connector (Not illustrated) For indoor connections of cable to switchboxea, etc. Complete with lock- nut. To fit 2-wire, 8-gauge cable, B17-2965—Delivarad	-

(F) Copper Stranded Ground Cable Seven strand, 8-gauge bare copper cable for ground connections. B17-9882—P'er foot, Delivered
(G) Bushing for Pipe Nipple To fit 1/2-inch nipple
B17-1801—Price each, Delivered
B17-1803—Price each, Delivered
To fit 1/2-inch nipple. B17-7105Price each, Delivered
B17-7106—Price each, Delivared
(O) 3-Inch Pipa Nipple Used for coupling switch boxes to fuse boxes, etc. Length 3-inches. B17-7085— ½-in. diameter. Each Dallyered .21 B17-7087— ½-in. diameter, Each Dallyarad .25 B17-7087—1-in. diameter, Each Dellyarad .34
(H) Sarvice Entrance Cable Two conductor, 8-gauge stranded copper wire. One insulated wire, one hare, which is grounding or neutral wire. Weatherproof braid covered, B17-2134—per foot, Dallwared
(1) Servica Entranca Cabla Three conductor, 8-gauge stranded copper wire. Two insulated wires, one bare, which is grounding or neutral wire. Weatherproof braid covered. B17-2137—per foot, Delivered
(d) Servica Entrance Cable Three conductor, 6-gauge stranded copper wire, Two insulated wires, one bare, which is ground- ing or neutral wire, Weatherproof braid covered, B17-2138—per foot Delivered
(K) 30-Amp. Three Pola Switch Box Three pole, solid neutral for 110 or 220-volt service. Takes two plug fuses (not supplied). Size 7 ½ x 4 ½ x 4-ins. A17-713—Each, Dellvared

USE THIS TABLE TO SELECT SERVICE ENTRANCE EQUIPMENT AND OVERHEAD FEEDERS

Information contained in this table is general and conforms to wiring codes and regulations in most districts. However, as regulations vary in each province you should consult your local wiring inspector or power commission representative for approval of your wiring plans. Catalog Numbers of items described in this page are shown in black. Choose either fuse type or circuit breaker type service entrance materials. Either type bigbly satisfactory and are approved by Canadian Standards Association.

- 1000	AND OFF OF CALCULATION OF STATE OF STAT											
	Type of Service	Connected Load Not Over	Practical Application	Branch Circuits at 110-Volts	Overhead Weather- proof Wire	Maximum	Sine of Couries	Main Switch	NCE Distribution Panel			
)-Volt amp.	2400 watts	Chicken house, garage, etc.	2	B17-9942 10-gauge	80-ft.	8-gauge	30-amp.	B17-701—2 circuit fuse cabinet			
inst	e either tallation required	2400 watts	Chicken house, garage, etc.	2	B17-9942 10-gauge	80-ft.	B17-2134— 2 conductor, 8-gauge	B17-713—3 pole solid neutral 30-amp.	Main switch will ac- commodate 2 branch circuits			
)-Volt amp.	3600 watts	Barn, work- shop, etc.	3	B17-9941 8-gauge	120-ft.	B17-2134— 2 conductor, 8-gauge	solid neutral	B17-703—4 circuit (3 circuits only to be used.)			
)-Volt amp	7200 watts	Barn, house (no range) ½ to 1 H.P. motor	6	B17-9941 8-gauge	120-ft.	B17-2137— 3 conductor, 8-gauge	B17-718—3 pole solid neutral 30-amp.	B17-704— 6 circuit			
60-	o-Volt amp.	12000 watts	House with range	4plus range circuit at 220-volts		150-ft.	B17-2138— 3 conductor, 6-gauge	B17-710—3 pole solid neutral 60-amp.	B17-697 —combin- ation range and 4 circuit panel			
inst	elther allation required	12000 watts	House with range	4—plus range circult at 220-volts	B17-9940 6-gauge	150-ft.	B17-2138— 3 conductor, 6-gauga	B17-699— Contained in switch panel	B17-S99—60 amp. combination panel			

CIRCUIT BREAKER MATERIALS

Use chart at left as a guide in ordering wire. Order from Winnipeg only.

Order from Winnipeg only.

Panel Box 817-2515 will accommodate up
to four 110-volt circuits or two 110-volt circuits plus one 220-volt circuit.

Panel Box B17-2517 will accommodate up
to cight 110-volt circuits or equivalent.

Plates
Plates
Panel hoxes require front cover plates, available for either flush or surface mounting.
Breakars
Order circuit breakers to meet your specific requirements (One breaker for each 110 volt circuit: two breakers for 220-volt circuit; Use 15-amp, our B17-2520, for general lighting or convenient outlets.
Use 20-amp our B17-2521 for heavy duty circuits such as for kitchen appliances, electric motors to ½ H.P. etc. Use 40-amp, our B17-2524, for 220-volt electric range circuit.
Tla Handle
One is required for each 220-volt circuit.

One is required for each 220-volt circuit.













LIGHT FIXTURES -

ing colons: Pink, white Ivory of thic.

B17-4622—Price.

less bulbs, Dellvered
(C) For Bedroom. Single light 12-in. bowl in white, ivory, pink or blue colors. State color wanted.

2.29

B17-4609—Price, less bulb. Dellvered.

CD) For Bedroom. Attractive 12-in. square flat glass bowl in pink, green, ivory, white or blue. State color wanted.

Uses two 60-watt bulbs.

B17-4611—Price, less bulbs, Dellvered.

2.75

Modern design to harmonize with the modern home - or to modernize an older house. Order from Winnipeg only.

(F) For Kitchen. 8-in. diameter white octagonal design bowl with chear glasa bottom. Uses single 100-watt bulb.

RETAIL STORES: In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give complete and satisfactory arrice.



★ WESTINGHOUSE ELECTRIC MOTORS, ¼ TO 1 H.P.

How to Order Electric Motors: (1) Select proper type—either Capacitor Start, General Purpose Split Phase, or Intermittent Duty. (2) Select horse power required for specific purpose. (3) Select proper combination of hearings and mounting. Sleeve bearings for horizontal use only; requires occasional oiling, silent running. Ball bearings for vertical or horizontal use; dependable, long lasting; requires oiling only once or twice a year. Solid hase mounting for most general applications; simple, compact, easy to mount. Rubber mounted; cradle type frame suspends motor from base—silent and smooth running, ideal for washing machine use or wherever motor silence is desired.

General Purpose Split Phase—110-volt A.C. 60-cycle single phase designed for starting easy loads or when maximum load is applied after motor gains full speed of 1725 R.P.M. Precision built—for small machine tools, wood-working machinery and similar devices. Sturdy construction for continuous operation.

Catalog No.	H.P.	Watts Drain at 110-V. Full Load	Shaft Size	Weight	Description	PRICE
B17-7037	3/4	450	½ -in.	25-lhs.	Sleeve Bearing, solid base	24.55
XB17-7033	3/4	450	½ -in.	25-lhs.	Sleeve Bearing, rubber mounted	25.45
XB17.7029	1/4	450	½ -in.	25-lbs.	Ball Bearing, solid base	29.95
B17-7038	1/3	770	% -in.	26-lhs.	Sleeve Bearing, solid base	28.95
XB17-7034	1/3	770	% -in.	26-lbs.	Sleeve Bearing, rubber mounted	29.85
XB17-7030	1/3	770	5/8 -in.	26-lbs.	Ball Bearing, solid base	34.40

Capacitor Start—110-220-volt A.C. 60-cycle single phase precision built, heavy duty, designed for starting under full load and to maintain speed of 1725 R.P.M. when used on such applications as refrigerators, stokers, pumps, compressors and similar devices. Special built-in capacitor prevents motor stalling when starting under load.

Catalog No.	II.P.	Watts Drain at IIO-V. Full Load	Shaft Size	Weight	Description	PRICE
XB17-7016	1/4	450	% -in.	27	Sleeve Bearing, solid base	30.25
XB17-7011	1/4	450	% -in.	27	Sleeve Bearing, rubber mounted	31.15
XB17-7005	1/4	450	% -in.	27	Ball Bearing, solid base	35.70
B17-7017	1/3	770	5% -in.	33	Sleeve Bearing, solid hase	41.85
XB17-7012	1/3	770	5% -in.	33	Sleeve Bearing, rubber mounted	42.75
XB17-7006	1/3	770	% -in.	33	Ball Bearing, solid base	47.30
XB17-7018	1/2	880	¾ -in.	53	Sleeve Bearing, solid base	64.10
XB17-7013	1,6	880	3/4 -in.	53	Sleeve Bearing, rubber mounted	67.15
XB17-7007	3/2	880	¾ -in.	53	Ball Bearing, solid base	71.00
XB17-7019	3/4	1100	¾ -ln.	58	Sleeve Bearing, solid base	81.95
XB17-7008	3/4	1100	3/4 -i11.	58	Ball Bearing, solid base	88.85
XB17-7009	1	1375	¾ -in.	70	Ball Bearing, solid base	

Intermittent Duty— 110-volt A.C. 60-cycle single phase. Lighter construction for use on washing machine, small machine tools, woodworking tools, etc., which are used intermittently. For continuous use see "General Purpose Split Phase" or "Capacitor Start" motors.

Catalog No.	п.Р.	Watts Drain at 110-V. Full Load	Shaft Size	Weight	Description	Price Delivered
B17-7041	1/4	450	½ -in.	24	Sleeve Bearing, solid base	21.40
XB17-7022	1/4	450	⅓ -in.	24	Siceve Bearing, rubber mounted	22.25
XB17-7026	1/3	770	5% -in.	24	Sleeve Bearing, solid base	24.95
XB17-7023	1/3	770	% -in.	24	Sleeve Bearing, rubber mounted	25.90



1/2 H.P. UTILITY ELECTRIC MOTOR

110-volt, 60-cycle single phase. Specially designed for home workshop power tools such as saws, grinders, etc., where infounted in a horizontal position. Equipped with manual reset theimal overload switch to protect motor from overheading. Solid base mounting, sleeve hearing with % inch keyed shaft. Full load drain 8-amps 1725 R.P.M. Not recommended for use on pump jacks.—See capacitor start motors.

1/2-H.P. Utility Electric Motor. Shipping weight 29-lbs.

29.95

Monthly Poyment Plan: Electric motors priced at \$25.00 or more available on monthly payments-see table on page 117.

RETAIL STORES: Our retail stores have hundreds of items that are never shown in our mail-order catalogue. Make it a point to visit our nearest store often. ELECTRIC LIGHT BULBS INSIDE FROSTED Order from Winnipeg, Regina, Saskatoon, Calgary, or Ed-

| Delivered | .25 | B17-1497—115-volt, 25- watt, Ivory colored. | .25 | Each Delivered | .25 | Each Delivered | .25 | Each Delivered | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 | .25 AG

LUMI—BOWL BULB
50-watt, 115-120-volt. Pastel yellow enamelled bowl throws soft adds new beauty to light fixtures.

MINTRA-RED HEAT BULBS

250-wat, 110-voit Infra-red heat bulbs, white bowl; fits standard socket. Its faat penetrating heat helps soothe aching nuscles and relieve pain . . . used also for drying hair, in chick brooders, hot heds, etc. Low power consumption.

B17-1677—Price each,

1.55

3.95 Delivered



Westinghouse 1 ½ to 3 H.P. Electric Motors



to 3 H.P. Electric Motors


Heavy duty electric motors sturdily built for farm and industrial use. Ideal for grain grinders, conveyors, heavy machine tools, etc. 220-volt A.C. single phase with constant speed of 1725 R.P.M. Designed for atarting under full load. Ball bearings, solid base mounts, single end keyed shaft. Note: Motors 1½ H.P. and larger require special motor control switch. See listing at right.

187.00

187.00 x817-6942--Price each, DELIVERED 187.00 x3 H.P. Repulsion Start Induction run, 1-in. shaft. Model H47662. 10 %,-ins. wide, 11-ins. high, 17 %-ins. long. Shipping weight about 236.50 XB17-6943-Price each, DELIVERED



Motor Control Switch





Corrects Alignment and Tension.

Use in any position or angle.

No Slippage, Trans-fers full power.

• Floating Drive, Reduces vibration.

To fit motors up to ½ H.P., permits one motor to be used on many applications. Metal base mount bolts to motor—mounting brackets are fastened in position at each machine, motor can be quickly moved from one machine to the other. Locking feature assures secure mounting, floating action automatically corrects belt tension. For use with bench saw, lathe, drill press, etc. Instructions supplied.

Motor Mounting Kit: consists of motor mount size 9 x 6-ins, and two mounting brackets.

B17-7060—Price DELIVERED 3.69

FALL and WINTER Catalogue-1953-54



ticks off the seconds, 4½-ins. bigh.

B42-2529—Green. B42-2530—Ivory.

Price DELIVERED

(F) "Blg-Ben" Loud Alarm—Wakes the heaviest sleeper. Intermittent alarm. Black with nickel trim.

5½-ins. high. Made by "Westclox."

B42-2521—Luminous dial. Price Delivered..... 8.50

(G) "Bahy-Ben" Alarm Clock—Steady call adjustable loud or soft. 3½-ins. high. Made by "Westlox."

B42-2525—With Luminous dial. Delivered..... 8,50

B42-2525—With Luminous dial. Delivered..... 8,50

B42-2525—With Luminous dial. Delivered..... 8,50

CH) "Travalarm"—Sliding shutter front and easel back encloses clock for travelling, Luminous dial, unbreakable crystal. One key for alarm and time spring. 3½-ins. high. Made by "Westclox."

B42-2546—Ivory. B42-2545—Brown. Price Delivered 8.95

(i) "ORB" Electric Wall Clock Easy to read 5-ln. dial, black numerals and hands. Convenient reset knob, red eweep hand. 842-2635-White. Dellvered 6.95 842-2634-Red. Dellvered 6.95 842-2636-Yeilow. Dellvered 6.65 | March | Control | Contro

(J) "Dunhar" Electric Wall Clock Plastic case tilted forward for reasier reading 4% in dial, black numerals, red eweep hand. Cur-rent interruption eignal. B42-2630—White. Delivered 8.95 B42-2628—Green. Delivered 8.95

A. COMMERCENCY

with cord and plug.

842-5607-Two

(1) Dormeyer Portable Food Mixer—This handy portable food mixer has full size beaters, is lighter in weight for one hand operation. Receipe tested dial selector gives 5 full powered speeds. A touch of a lever releases beaters; storee easily in a drawer. Stands on its base for convenience and quick draining. Operates on 110-volt A.O. power, Fully guaranteed.

Two Burner HOT PLATE: LOW PRICED! Smooth modern lines, heavy gauge etcel construction attractively finished in white haked-on enamel. Maximum heat 1500 watts. One element is 750-watts. Watte; the other element is 750-watts. Measures 17½x10x4½-ine. Complete

Smooth modern lines, heavy are the congauge etcel construction attractively finished in white haked on enamel. Maximum heat 1500 watts. One element is 750 watts, and 750 watts, the other element is 750 watts, Measures 17 ½ x10x4 ½ -ine. Complete lng.

Burner Hot Plate. Price, DELIVERED 7.65

Sturdy etcel congetration with white baked on enamel finish, The two 600 wat single heat elements are constructed by expanding the congetration of the co


Complete with

A handy single burner hot plato with one 660-watt open element, 110-volt, fast heating. Sturdy construc-tion. Baked-on white enamel finish. Size 9 x 9 x 5 % -inches high 5.49 One Burner Hot Plate (less cord)
B42-5602—Price each, DELIVERED

ONE BURNER

HOT PLATE

2.49



(A) EXTENSION CORD SET Three-way bakelite outlet and cap with 9-ft. of 18-gauge rubber covered wire. B17-3247—Price each, Delivared.... 89 (B) APPLIANCE CORD SET
Bakelite connections with 6-ft. rayon covered and asbestos lined 18-gauge wire,
B17-3208—Price each, Delivered.... 65
With off-on switch. Bakelite connections with 6-feet rayon covered and asbestos lined
18-gauge insulated wire.
B17-3218—Price each. Delivered 1.09
(C) BAKELITE HEATER PLUGS
Brown hakelite. Standard size to fit irons, toasters, coffee makers, heaters.
B17-7507—Price each. Delivered.... 15
Minlature heater plug. Brown bakelite: for toasters, coffemakers, auto heaters, etc.
B17-7521—Price each, Delivered.... 19 (B) APPLIANCE CORD SET

Switch heater plug. Standard size with huilt-in switch. hullt-in switch.

B17-7512—Price each. Dellvered... 49
(D) HEAVY DUTV APPLIANCE PLUG
Standard size for Irons, toaters, etc.
B17-7509—Price each. Dellvered... 19
(E) THRU-CORD SWITCH
For irons, toasters, heaters, lights, etc.
B17-6060—Price each. Dellvered... 39
(F) THRE-WAY OUTLET
Cube tap, parallel blades. Brown bakelite
B17-9205—Price each. Dellvered... 47
Cuhe tap, parallel blades. Rubber.
B17-9207—Price each. Dellvered... 45
(G) BA7CLITE AYTACHMENT CAP
B17-2311—Price, each.

(1) FLAT TYPE TRIPLE TAP
Two prong parallel blades,
B17-9214—Price each Delivered... 44
(J) QUICK-FIX AITECHMENT CAP
No wires to strib, has no second (L) 3-PRONG ATTACHMENT CAP B17-2813—-Heavy composition cas-ing, 3-prong blades. Each, Delivered .39 (M) BAKELITE CORD CONNECTOR

(N) COMBINATION CORD CONNECTOR Combination 2 and 3-wire cord connector to fit 2 and 3-prong caps. Metal armored hase and cord clamp.

B17-2957—Price each, Delivered 1.25

(0) TWO-WAY SOCKET Provides extra outlet. Brown bakelite. 27 B17-8601—Price each, Dellvered.... 27

(Q) SCREW-IN ATTACHMENT PLUG Screw-in light socket for toaster, etc. Prov

B17-7505-Price each, Delivered

Caranada REFRIGERATORS

SUPER 709" •7.09 cubic ft. Capacity

• Cold Clear to Floor

• Full width 25-1b. Freezer Chest • 10-sq. ft. of Shelves

Big and roomy on the inside, small on the outside, with deluxe features usually only found in the larger size, higher priced refrigerators. Cold clear to the floor, with more than ten square feet of easy-to-reach shelf space, two handy door racks. A 25-lb., full width freezer chest and a 10-lbs. cold chest give a total of 35-lbs. frozen food capacity. Two plastic lce cube trays. sliding type clear plastic 12-quart Garden-Fresh crisper. Built-in light. Sparkling porcelain

enamel interior finish, with durable Duralux enamél exterior. Snap action latch, leg levelers. C.S.A. Approved; 110-volt, 60-cycle A.C. Five year warranty on famous "Polar-Power" unit. Overall size: 241/2-ins. wide; 28-3/16-ins. deep; 581/4-ins. high. Shipping weight, 315-lbs.

B44-2037F-"Super 709" Electric Refrigerator. Order from Winnipeg only. Price, DELIVERED

MONTHLY PAYMENT PRICE: \$26.45 Down and \$10.90 per Month for 24 Months

"SUPER 936" •9.36 Cubic ft. Capacity
Built-in Butter Compartment

A roomy family size refrigerator planned for the convenience of the modern home. A 35-lb, full width freezer and a 15-lb, cold chest gives a frozen food capacity of 50 pounds. Four Everbright shelves have an area of 15 square feet. Two handy door racks give an extra 4 feet of shelf space. Two ice cube trays, 12-quart clear plastic drawer-type crisper, automatic flood light. No doubt about it, Coronado engineers have designed this refrigerator with the features that mean added convenience. convenience. Gleaming Duralux exterior and porcelain enamel

MONTHLY PAYMENT PRICE: \$29.85 down and \$12.30 per month for 24 months,

"SUPER 1115" •11.15 Cubic ft. Capacity •63-lbs. Frozen Food Cap

You can

Purchase on **Monthly Payments** Only 10% Down

•63-lbs. Frozen Food Capacity

A sparkling beauty featuring the utmost in modern convenlences to add a new brilliance to your kitchen. Full 11.15 cubic feet capacity, with 53-lb. full width freezer chest, 10-lb, cold chest and built-in butter compartment. Four fice cube trays hold 42 cubes or 6-lbs, of ice. Four shelves have an area of 17 square feet, with three door racks giving an additional 6 feet of space. Has 12-quart crisper, automatic floodlight and chrome plated shelf fronts. Duralux exterior, porcelain enamel interior with door panel and moulding trimmed with a dainty pastel yellow. C.S.A. Approved; Five year warranty on "Polar-Power" unit. Operates on 110-voit, 60-cycle A.C. Overall size: 31-lns. wide; 28-15/16-ins. deep; 62-ins. high. Shipping weight 410-lbs. 10-lb. cold chest and built-in butter compartment. Four

B44-2122F-"Super 1115" Electric Refrigerator. Order from Winnipeg only. Price, DELIVERED

MONTHLY PAYMENT PRICE: \$33.90 down and \$13.95 per month for 24 months.

**CUSTOM 1022" •10.22 Cubic ft. Capacity •53-lb. Freezer Chest
•Automatic Defrost

• Door Racks & Butter Compartment

Truly a deluxe model with its special automatic defrost feature-no possibility of excessive frost retarding refrigeration, because defrosting is completely automatic and thorough. The Coronado-Matle defrosting system operates only long enough to remove all frost accumulation. The defrosting is done so quickly that ice cream, Ice cubes and frozen foods remain frozen solid and other foods stay cold in the food compartment. Has 17 square feet of easy-to-reach shelf area, with two of the shelves sliding out and adjusting to seven different positions. Full width 53-lb. freezer chest, 4 ice cube trays holding 56 ice cubes or 8 pounds of icc, Coronado-Matic defrost drip tray. Has 3 door racks, built-in butter compartment and 2 big 12-quart clear plastic "Garden-Fresh" sliding crispers. Chrome plated shelf fronts, automatic Interior floodlight. Sparkling white Duralux exterior with porcelaln, seamless interior liner attractively trimmed with pastel yellow. Ultra smart snap action latch, leg levelers. C.S.A. Approved, 5 year warranty on famous "Polar-Power" 1/6 H.P. unit. Operates on 110-volt, 60-cycle A.C. Overall size: 31-ins, wide: 28-15/16-ins. deep; 62-ins. high. Shlpping weight, 420-lbs.

B44-2132F-"Custom 1022" Electric Refrigerator. Order from Winnipeg only. Price, DELIVERED

Monthly Payment Price: \$38.90 Down and \$16.05 Per Month for 24 Months

Coronado

5 Years on motor compressor, evaporator and condenser.



Caranada: 'Family 15" Home Freezer • 15-Cubic Foot Capacity. • 25 Cubic Foot Fast Freeze Compartment Steel cabinets are electrically welded to insure against heat entering or cold escaping. Exterior is bonderized, interior liner in white Dulux.

. Cold Control Adjustable from Zaro to 10-Below.

• Flat Table Top Provides Extra Work Space.

The "Family 15" is a 15-cubic foot home freezer . . . just the size required to freeze and store a greater variety of foods . . . It is a necessity for those who raise or who can buy meats, fruits and vegetables in larger quantities at reduced prices. Separate freezing and storage compartments—heavy wire separators and two sliding wire haskets make 6 convenient sections. Total meat capacity 750-lbs, or 524-lbs, mixed foods, The "Family 15" is only 64-inches long and has built-in front temperature indicator and cold control. New dense fibre glass insulation (thinner, but more efficient), built-in wall condenser. Special construction eliminates condensation in high humidity areas. The all steel electrically welded cabinet bas Bonderized white Duralux exterior and interior finish. Full balanced lid with one-piece formed rubber gasket, flood light in lid with automatic mercury switch, wide grip locking type lateb bandle. Handy food preservation charts on inside of lid, 4.H.P. "Polar Power" unit operates on 110-120 volt A.C., 6-cycle—C.S.A. approved. Overall dimensions: 64-ins. long, 27 ½-ins. wide and 36-ins. high. Shipping weight about 456-lbs.

419.50

MONTUL V. DAVMENT DDICE: \$41.05 | Daym \$17.20 par Month for 24 Months

MONTHLY PAYMENT PRICE: \$41.95 Down \$17.30 per Month for 24 Months.

oronado "Kitchen 9"

• 9-Cubic Foot Capacity.

Separate Fast Freeze and Storage Compartments.

Incorporates all of the deluxe features above, but designed for families who do not bave the space or Incorporates all of the deluxe features above, but designed for families who do not bave the space or who do not need a home freezer of more than 9-cubic food, capacity. Overall dimensions 44½-ins. long, 27½-ins. wide and 36-ins. high. Has 2.5-cubic feet fast freezer capacity . . . total capacity 450-lbs. meat or 314-lbs. of mixed foods, 1/6-H.P. "Polar Power" unit operates on 110-120 volt A.C., 60-cycle—C.S.A. approved. Has special built-in-wall condenser which prevents condensation on outside of freezer in high bumidity areas. Sbipping weight about 359-lhs.

B44-7036F—Order from Winnipeg. Price, DELIVERED

MONTHLY PAYMENT PRICE: \$32.50 Down and \$13.40 per Month for 24 Months



Fibre Glass Insulated to keep cold inside . cuts down electric hills. Special condenser keeps outer walls moisture-free always.



Safety Control is tamper-proof (coin operated). Indicator point to danger zone if freezer Interior temperature should run too high



oronado "Custom 22"

• 2.5-CUBIC FOOT FAST FREEZE COMPARTMENT.

22-CUBIC FOOT STORAGE CAPACITY.

HOLDS 789-LBS. MIXED FOODS OR 1100-LB8. MEATS.

• TWO SEPARATE LIFT-UP LIDS.

The "Custom 22" has the same quality features as the other Coronado models, being larger it provides the lowest cost per cubic foot of space-divide the price by 22 and see what you save. Specially designed for the rurai or suburban home requiring additional storage space for larger quantities of meats, fruits and vegetables. Overali dimensions are 89-inches iong, 271/2-inches wide, 36inches high (goes' through a 28-inch door). Convenient two iid construction with each lid having a floodilght with Automatic Mercury switch-means easier lifting. Has 2.5 cubic foot fast freeze storage compartment, separate storage compartment has 19.5 cubic foot capacity. Wide-grip locking type latch handies. Three baskets have adjustable dividers for handier storage. Electrically welded all steel cabinet is finished in Bonderized white Duraiux enamel inside and outside; recessed toe space; skid type base, easy to siide. 1/3-H.P. "Poiar Power" unit operates on 110-120 volt A.C. 60-cycle, C.S.A. Approved. Shipping weight 593-lbs.

B44-7040F—Order from Winnlpeg only.
Price DELIVERED

MONTHLY PAYMENT PRICE: \$55.90 Down and \$23.05 per Month for 24 Months.



Powerful "ARCADIA" Flashlight Batteries

One Year on All Other Parts.

Dependable quality, more power and ionger life are assured because of the new "safety seal" and more active material used in "Arcadia" long life flashlight batteries.

Standard Large "D" size unit cell, 1¼-inch diameter. Use two for 2-cell and three for 3-cell flashlights. B17-430—Eacb.

DELIVERED

\ Standard Medium "C" size unit cell, 1-inch diameter. Use two for 2-cell and three for 3-cell flashlights.

and three for 3-ceil Hashing 2 for .35



Popular Eveready Flashlight Batteries The popular Eveready dry cell in standard large "D" size unit. 14 -inches in diameter. Guaranteed fresh. B17-403 — Eveready Flashlight Cell. Each Delivered .20



Ray-O-Vac Leakproof Flashlight Batteries

Standard large "D" size. Cell is enclosed in metal case, guaranteed not to leak and corrode flashlight.

817-438 — Ray-O-Vao Flashlight Cell. Each Delivered .20 Order flashlights, flashlight batteries and flashlight hulbs from Winnipeg, Regina, Saskatoon, Calgary or Edmonton.



B17-4750—Price, Delivered 2.59



FALL and WINTER Catalogue—1953-54

oronado'

Look! Guaranteed "Coronado" Washer With Balloon Wringer . . . Gleaming Porcelain Enamel Finish Inside and Outside ... Engine Power or Electric.

• Family size tub . . . takes 9-lbs. of dry wash; speeds washing, saves soap and hot water.

Splash proof porcelain enamel cover with lifetime rubber gasket seals steam in, keeps water hot longer.
Silent sealed-in-oil transmission.

Superbly constructed . . . simple to operate . . . fully guaranteed.

Equipped with latest design wringer
 . . large oversize balloon type rollers;
 chrome drain boards.

Has safety push bar release on both sides for instant releasing.

• Wringer locks in four positions . . . makes a complete circle.

Available with gasoline engine or 110-voit A.C. electric motor.

The "Coronado" gasoline powered or electric washing machine is a good investment . . . it takes the work out of washday . . . it does a thorough job, yet is gentle

feature to make washday easier. It's the washer value wise women have been waiting for—large slzc tub, takes 9-lbs. of dry wash... new streamlined design ... adjustable balloon type wringer rolls with safety release bar ... silent sealed-in-oil transmission; never needs oiling as it runs in a constant bath of oil ... over the trivial large covery desirable feature and as it runs in a constant bath of oil ... Features such extra sturdy legs—every desirable feature and easy to operate too. Features such as these recommend the guaranteed "Coronado."

With Gasoline Engine

Cararada

"Coronado" Gasoline Powered Washing Machines, as described. Supplied with %-H.P. Johnsou engine. Shipping weight about 185-ibs. Takes first-class freight rate. Order from Winnipeg, Regius, Saskatoon, Calgary or Edmonton. Regiua, Sasi B45-8021 F-

\$17.25 Down and \$14.00 Per Month For 12 Months.

With Electric Motor

"Coronado" Electric Washing Machine, as illustrated and described. Supplied with 4-H.P., 110-volt, 60-cycle A.O. electric motor. Shipping weight about 167-lhs. Takes first-class freight rate. Order from Winnipeg. Regina, Saskatoon, Calgary or Edmonton.

B45-7162F—Price, DELIVERED 124.95

MONTHLY PAYMENT PRICE: \$15.85 Down and \$10.00 Per Month For 12 Months.

"Coronado" DeLuxe Electric Washer

- New Full Length Skirt designed with with five easy rolling casters to prevent tipping.
- Bulit-in Pump drains water out of tubs; saves time and mess.
- Automatic Time Control shuts off washer when washing is complete.
- Lifetime Sealed-in Oil Transmission: exceptionally quiet and smooth run-
- Four Position Wringer with adjustable pressure turns in a complete circle.
- 1/2 H.P. 110-volt 60-cycle A.C. Electric Motor; permanently lubricated, rubber mounted.

An ultra-modern streamlined beauty as efficient as it is good looking. Precision bullt with all the latest features. Gleaming porcelain enamel finish that is scratch and stain resistant. Splash-proof style tub prevents spill over and tight-fitting lid keeps water hot. Push-pull safety type release bars on wringer with easily accessible reset lever. Automatic drain board means no water spills. Balloon type rollers thoroughly remove water yet are soft and gentle on the most delicate fabrics. Truly a deluxe machine that you'll want to own. An ultra-modern streamlined

Coronado Deluxe Electric Washing Machine, 110-volt, 60-cycle A.C. as illustrated and described above. Shipping weight about 180-lbs. Order from Winnipeg, Regina, Saskatoon, Calgary or Edmonton.

B45-7183F—Price, DELIVERED 160-volt, 60-cycle A.C. as illustrated and described above. Shipping weight about 180-lbs. Order from Winnipeg, Regina, Saskatoon, Calgary or Edmonton.

MONTHLY PAYMENT PRICE: \$17.25 Down and \$13.50 per Month for 12 Months.

Coronado Deluxe Electrio Washing Machine, as illustrated and described but without semi-automatic time control. Shipping weight about 180-lbs. Order from Winnipeg, Regina, Saskatoon, Calgary or Edmonton. 149.50

MONTHLY PAYMENT Price: \$15.85 Down and \$12.25 per Month for 12 Months.

Toronado Automatic Clothes Dryer

- Fully automatic . . . just set it and get it, does all the drying automatically. . just set it and for-
- Dries 18 to 20-lbs. wet wash in 30 to 60 minutes depending on type of fabrics and dryness required.
- Thermostat control . . . automatically retains correct heat for safe and thorough drying.
- Automatic timer . . . set the time control dial to suit the type of fabrics and dryness desired. Stops it automatically when the
- Tumbler drum . . . finished in satin-smooth enamel; will not snag or tear delicate fabrics.
- Positively safe . . . when the door is open the dryer automatically shuts off.
- Cabinet . . . sparkling white Dulux enamel finish. Note flat top provides a smooth work-Ing surface.

with the washday freedom Enjoy "Coronado" Automatic Clothes Dryer. No more weather worries-dry

clothes anytime, rain or shine, day or night—no more lugging of heavy wash up and down stairs, out to the yard—no more clothesline worries—no more solling from dust, smoke or soot.

Just toss the wet clothes through convenient front opening-holds up to 20-lbs. of wet clothes. The "Coronado" method of drying tumbles the clothes through wet clothes. The "Coronado" method of drying tumbles the clothes through heated air currents and assures maximum drying efficiency,.. the clothes never come in contact with heating element... no danger of scorching fabrics. In 30 to 60 minutes the clothes are fluffy dry, sparkling clean. Any articles that can be put in a washer can be dried in the "Coronado" Clothes Dryer.

Modern design steel cabinet is finished in sparkling white Dulux enamel, measures only 36-inches high, 30-inches wilde and 27%-inches deep. Top rear-mounted lint trap. Adjustable levelling legs. Fowerful 4-H.P. electric motor. Requires 3-wire, 220-volt 60-cycle A.C. power (consult your local power company). C.S.A. approved.

"Coronado" Automatic Electric Clothes Dryer as illustrated and described above. Shipping weight about 205-lbs. Order from Winnipeg only. 269.50 B45-1403F-Price, DELIVERED

MONTHLY PAYMENT PRICE: \$29.50 Down and \$11.00 per Month for 24 Months. 7 1/2-10s. B34-2012—F.O.B. Winnipeg.... 4.98 our desire to give satisfactory service.



Folding Clothes Dryer

Select, clear wood smoothly finished to prevent snagging of fabrics. Size 59-ins. high, 36-ins. wide with 13 bars. Only 5-ins. wide when folded. Weight about 10-ibs.

B19-6913F--Price, F.O.B. Winnipeg 2.95

Folding Tub Stand

Sturdly made of clear, well seasoned fir. Legs held firmly with steel knife type locking hinges. Measures about 48-ins. long. 16-ins. wide, 20-in. high. Folds flat for storage when not in use. About 7-lbs. B19-8315F-Price, F.O.B. 2.59 Winnipeg. 2.59

All Steel Medicine Chests With Mirror Door



All steel medicine chests in white enamel finish that may be mounted on the wall or set into wall as desired. Finished with two handy metal shelves. Good quality mirror swinging door, steel backed. Postitve acting snap latch.

Metal Medicine
Chest with mirror
door. Cahinet size
10 % x 16 ½ x 4ins. Shipping weight

about 6-lbs, B34-2010—F.O.B. Winnipeg.... 3.98

Metal Medicine Chest with mirror door as described above. Cabinet size 13 % x 18 4 x 4-inches. Shipping weight about

Kitchen or Bathroom Mirrors



Handy mirrors that you'll use in the kitchen, bathroom, etc. Finished with 1-inch wide wooden frame in white en-amel finish. Three popular sizes.

Mirror, size 7 x 9inches B50-5633F—Price, each..... .49

Mirror size 8 x 10-inches **B50-5634F**—Price, each**59**

Mirror, size 9 x 12-inches. B50-5635F—Price, each...... .72

Retail Stores--In addition to our mail-order catalog service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and

92 MACLEONS

Items Not Marked ★ to be Ordered From Winnipeg Only
Delivery Charges Extra Except Where Prices State "Delivered"



16-CELL Light Plant Batteries

- Heevy giass Jar, extra large, permitting adequate electrolyte above end below plates.
- Gravity Indicating halls show state of charge. One pilot cell with each set of hatteries.
- Large acid space permits low acid gravity which lengthens the life of the plates.

Double Insulation; Multi-Life
Woven Glass Mats and strong,
porous, grooved wood separators
of Port Orford cedar definitely
prolong life of positive plates.
Positive and negative plates of
heavy duty construction, designed
especially for farm lighting service; hand-pested by experienced
workmen.

hie service is assured with a lightin.

With 1165 watt maximum discharge closest to the above estimate, the battery to order would be XB38-393F; 210 ampere capacity.

Also Sold on Monthly Payments—See Table on Page 117.

Easy to Order Proper Size 16-Cell. 32-Volt Battery—Note Daily Bischarge Rates

Cetelogue Number	Ampere Hours Capacity (Int. Rating)	Number of Plates per cell	Maximum Charging Rate in Amperes	Maxlmum Discharge in 24 Hours Should Not Exceed	Shipping Weight Lhs.	Cash Price F.O.B. Winnipeg	Cesh Price F.O.B. Regine or Sasketoon	Cash Price F.O.B. Edmonton or Celgery
XB38-392F	180	13 regular	18	-1000 watt-hours	750	263.00	286.00	295.00
XB38-393F	210	15 regular	20	1165 watt-hours	820	283.25	308.25	317.25
XB38-394F	315	15 oversize	30	1750 watt-hours	1000	370.25	399.00	412.00
XB38-395F	360	17 oversize	34	2000 watt-hours	1250	443.90	482.00	497.00
XB38-396F	450	21 oversize	42	2500 watt-hours	1350	518.50	559.50	575.00

6-Volt and 12-Volt LIGHT

GUARANTEED FIVE YEARS—For all makes of Windcherges and Gesoline Driven Lighting Pients. Varcon three 6-volt glass jar batteries (If 12-volt unit is required order two 6-volt battery units). Made same as above. Com-

Catalogue Number]	Ampere Hours Capacity (Int. Rating)	Number of Plates per Cell	Maximum Charging Rate in Amperes	Maximum Discharge in 24 Hours Should Not Exceed	Shipping Weight Lbs.	Cash Price F.O.B. Winnipeg	Cesh Price F.O.B. Regine or Seskatoon	Cash Price F.O.B. Edmonton or Calgary
XB38-357F	6	180	13 regular	18	190 watt-hours	140	48.75	52.95	54.75
XB38-358F	6	315	15 oversize	30	330 wstt-hours	185	69.95	75.75	77.95
XB38-359F	6	360	17 oversize	34	375 watt-hours	235	89.95	94.25	99.95



Fibre Matched Luggage

Tough, light weight Swedish fibre. They are lighter, brighter, smarter and more durable—low in price, too! Attractive two-tone finish with contrasting trim. Steel frames, nickel-plated locks, binges and corner reinforcements. Plastic swing handle. One sbirred pocket. Train case has mirror and tray. Choice of Fawn with Tan trim or Grey with Ivory trim. State color wanted when ordering

Overnight Case: 18 x 11½ x 6½ -inches B50-5813F—Weight about 5-lbs....... 5.75

Weekend Case: 21 x 14 x 7-incbes. B50-5814F—Weight about 6 ½-lbs..... Pullman Case: 24 x 16 x 7½-inches. B50-5815F—Weight about 7½-lbs..... 9.50

Grained Fibre Suitcases Made of black grained fibre on a sturdy wood frame with metal corner reinforcements. Nickle plated centre lock and two end catches. BLACK GRAINED FIBRE SUITCASE Suitcase, 26x13 ½ x7-ins. Weight about 5-lbs. 4.89 BLACK GRAINED FIBRE UTILITY CASE
Utility Cese, 18x10x5 ½ ins. Weight about 3 B50-5723F—Price, F.O.B. Winnipeg...... 3.69



Brown Hard Fibre Suitcases

7.75

B50-5733F—Price, F.O.B. Winnipeg......

Gladstone Bag Big 24-inch size allows you to allows you to pack flat withpack flat with-out crushing with every art-icle easily acces-sible. Strongly made. smartly styled of grain-ed split cowhide on steel frame. Outside straps and buckles give pack

Outside straps and buckles give additional security and strength. Brightly plated centre lock and curity and strength. Brightly plated centre lock and cond fasteners, comfortable post type carrying handle. Completely equipped with suit hanger, centre dividend shirt fold. Durable cotton lining. Black or Tan. Gladstone Bag. State if black or tan wanted. Weight about 12-lbs.

B50-5770F—Price, F.O.B. Winnipeg.... 27.95



Ladies' Matched Luggage Sets

Ladies' Matched Luggage Sets

Attractive durable coverings are combined with lustrous rayon satin interior furnishings to make this an outstanding value, Smooth grain leather bindings, brightly polished nickel plated set-in locks and bardware. Molded plastic post-type bandles. Available in Brown or Blue Tweed or Brown, Red or Blue grained fabricoid resembling leather. Overright Case: 18x12x5 ½-inches, has two pokets. Wardrobe Case: 21x16x8-inches, bas two plastic dress hangers and shirred elastic retaining bands to hold garments in place, One pocket. Two Plece Set, state covering and color wanted.

B50-5803F—Weight about 15-lbs. F.O.B. Winnipeg
Overnight Case only. State covering and color. Weight 6-lbs. ering and color. Weight 9-lbs. B50-5804F—
F.O.B. Winnipeg.... 11.50

F.O.B. Winnipeg.... 17.45



Steel Covered Dress Trunk

Excellent for travel-

STEEL COVERED TOURING CASE

The strong steel covering discovering discovering

Steel Covered Touring Case. Measures 28x15x9-ins. deep. Weight about 12-lbs.

B50-5708F—Price, F.O.B. Winnipeg...... 9.45



Items Not Marked * to be Ordered From Winnipeg Only

FALL and WINTER
Catalogue—1953-54 Order luggage from Winnipeg only. Hand luggage takes 1st class freight rete; trunks 11/2-times first-class freight rate. MACLEUIS 93



(A) HIAWATHA .22 Repeater Rifle

(B) HIAWATHA .22 Single Shot Rifle

(C) STEVENS .22 Automatic Rifle

Model 87, 22 calibre. Take-down model . 24-in, round barrel. Tubular magazine, canacity fifteen .22 long rifle cartridges when used as an automatic rifle; when used as a reneating rifle magazine canacity fifteen .22 long or twenty canacity fifteen .23 long rifle, severated .24 long in proved cylinder, modified or full choke. Cha porting rear sight with aliding each soot. Length overall 43-tiches. Shipping weight about Shipping weight about

(D) SAVAGE 30-30 Repeater Rifle

An ideal utility rifle for the farmer, ranger or sportsman. Round, tapered 22-ln. barrel, One-piece walnut stock with wide, full fore-end, full pistol grip, corrugated butt plate. Thumb operated safety lock. Detachable 3-cartridge clip. Additional cartridge in ebamber gives 4-shot capacity.

B25-5339—Savage Model 340, 30-30 Rifle. Order from Winnipeg. Shipping weight about 6-lbs.

Price, DELIVERED 59.95

(E) HIAWATHA 12 Gauge Shotgun

(F) STEVENS Pump Repeating Shotgun

Slice action. Special gun steel barrel, proof tested, 28-inch length. 12-gauge improved cylinder, modified or full choke. Chambered for 2 % inch shell. Hammerless action, solid frsme, side ejection. Cross bolt lock push button safety at front of trigger guard. Selected walnut stock with pistol grip and fluted comb. Grooved walnut slide handle. B25-5560—Stevens 12-Gauge Pump Shotgun. Shipping weight about 7 ½-lbs. Order from Winnipeg only.

72.95

(G) SAVAGE .300 Calibre Repeating Rifle—A bigb powered lever action repeating rifle with open sights for medium steel barrel, completely enclosed mechanism with rotary magazine. Walnut stock with shotgun type butt plate, pistol grip and full-sized positive trigger control. Lever action is quick and positive in cjection and reloading.

B25-5356—Savage Repeating Rifle, Order from Winnipeg only. Sbipping weight about 7% lbs. Price, DELIVERED.... 135.00

(These precision built firearms are available on the Monthly Payment Plan-see Table on page 117.)

RIM FIRE CARTRIDGES

RIM FIRE CARTRIDGES
HIGH VELOCITY — WHIZ BANG
B25-315—.22 short.
Bov of 50. Price. Delivered ... 51
B25-317—.22 long.
Bov of 50. Price. Delivered ... 74
B25-319—.22 long riffe.
Box of 50. Price. Delivered ... 81
Standard Velocity Superclean
B25-303—.22 short. 51
B25-305—.22 long.
Box of 50. Price. Delivered 74
B25-307—.22 long riffe.
Box of 50. Price. Delivered 81
B25-305—.22 long.
Box of 50. Price. Delivered 81
CENTRE FIRE AMMUNITION
B25-348—.25/20 Winchester soft point. Box of 50. Delivered 85
B25-348—.25/20 Winchester soft point. Box of 50. Delivered 85
Price. Delivered 3.50
Price. Delivered 3.50
Price. Delivered 3.50
B25-477—.303 Savage soft point. Box of 20. Delivered B25-481—.303 British soft point. Box of 20. Delivered B25-481—.303 British soft point. Box of 20. Delivered B25-487—.32 Winchester soft point. Box of 20. Delivered B25-487—.32 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.38 S5 Winchester soft point. Box of 20. Delivered B25-487—.39 Winchester soft point. Box of 20. Winche

(K) (1)

(H) Stevens 12-Guage Super Choke Pump Shotgun

825-5558—Price DELIVERED

(I) Stevens 12-Gauge Bolt Action Shotgun

Special alloy gun barrel steel, 26-inch length, tapered and proof tested, chambered for 2 % -inch shells. Full choke, self-locking bolt-action with safety cam to prevent firing before bolt is closed. Modern design bolt fitted with band type double extractors; thumh control safety at right rear of receiver locks trigger. Detachable two-shot clip with one in chamber makes three ahot capacity. Selected walnut stock with full pistol grip. Shipping weight about 7-lbs.

(J) Stevens .410 Ga. Repeating Bolt Action Shotgun

Special alloy gun barrel steel, 24-inch length tapered and proof tested; full choise; chambered for 3-inch shell. Bolt action with safety cam to prevent firing before bolt is closed. Thumb control safety on right, rear side of receiver locks trigger. Three shot detachable clip with one shell in chamber, makes four shot repeater. One-piece walnut finished stock with full pistol grip. Shipping weight about 5 ½-lbs.

B25-5853—Price, each Delivered 28.95

(K) Suede Finished Gun Case

Keep your gun clean and protected when not in use with one of these handy gun cases. Outside of case made from a special suede finish (velvet textured nap) rubberized material with plaid cloth lining. A practical accessory for the particular sportsman. Available in two lengths.

52-inches long, to fit most shotguns,

B25-3414—Frice, DELIVERED

1.69

B25-3411—Price, DELIVERED

RED RYDER 1000 SHOT AIR RIFLE It looks, feels, and handles like a real western saddle gun. Equipped with lightning loader. B25-5152—Price, DELIVERED

"DOMINION" SHOTGUN SHELLS

Canuck Standard Load. 12-gauge; sizes 4, 5 and 6. State gauge and size wanted. Box of 25. size wanted. Box of 20. 3.00 Price Delivered Canuck Heavy Load. 12-gauge; sizes 2, 4, 5 and 6. State gauge and size wanted. Box of 25. Price Delivered Standard Load. 16-gauge; sizes 4 and 5. State gauge and size wanted. Box of 25. 2.75 Price Delivered 25. 2.75 3.00 **IMPERIAL**

2.55

1000 Shot Repeating Air Rifle

Lever action pumps shot into chambers, Length 35-inches, B25-5151-Price, DELIVERED

AIR RIFLE SHOT

An order for rifles, air rifles or ammunition (including air rifle shot) by a minor under the age of 14 years, or an allen, must be accompanied by the appropriate permit required by law.

Sure Hold Single Spring Traps



High grade steel for greatest possible strength and bolding power.

Long Spring Trap. No.
1 for Skunk, Mink
and Muskrat. Jaw
spread about 4-ins.
Weight about %-lb. B25-9681-Price each,

.59

.50 B25-9680-Price each, Dellvered

Sure Hold Double Spring Game Traps





B25-9658—Price each, Delivered.... .92

(B) Under Spring Trap. This is the trap that leaps from the ground to acize a high secure girp well up on the leg. No. 1 size for muskrats, skunks, etc. Jaw spread about 4% 4n-hes. Weight about 2/3-lbs.

B25-9660—Price each, Delivered.... 99





5-in.Blade Hunting

Knife
Good quality, crucible steel tempered
to hold a keen, durable edge. Smooth, suregrip "Expert" pattern handle with aluminum end. Gennine leather sheath.

Hunting Knifa, 5-Inch blade, complete with leather sheath.

B25-7007—Price each, Delivered 2.29



DELUXE "HIAWATHA" Streamlined American Model

. Here is the bicycle you want. So neatly streamlined with its modern good looks—it is a winner for a smooth almost effortless ride. "It's the best bicycle around here," writes Steve Sipko, Biggar, Sask. These are simple words yet they express pride and satisfaction. And you, too, will agree that this streamlined motor bike style bicycle with balloon tires has everything you want in a bicycle. It's a beauty to look at... it's speedy...and ruggedly bullt with double bar frame that will take plenty of rough handling.

Motor bike style with double bar frame... Front forks complete with chrome truss rods... Front and rear fenders double braced... Balloon type tires, size 26 x 2.125. Deluxe equipment includes: chain guard, 20-inch Scout handle-bars complete with rubber grips, coil spring saddle. Perry coaster brake, one-piece hanger, red jewel reflector on back fender.

Men's and Boys' Model — 19-inch frame. Seat easily adjusted to individual requirements. Color: Vermillion. Shipping weight about 50-ibs.

B24-1016F—Price, DELIVERED 59.95

Beliver the development of the price of t

Monthly Payment Plan: Only \$5.20 Down and \$6.00 per Month for 10 Months

`HIAWATHA'' STANDARD Noted for Easy Pedalling

Easy to see that here is real bicycle value! When you sit in the roomy, comfortable saddle . . . when you feel how easy it is to pedai and how comfortable to ride . . . you'll be on friendly terms with the Hiawatha Standard. Smart in apprearance—built for lengthy service; It's a bicycle any cyclist will be proud to own. Precision construction is assurance that the Hlawatha will give its rider satisfaction through every mile.

Note the illustration carefully; see the rugged design tubular steel frame and quality features that assure you pride and satisfaction in a new Standard Hiawatha. Handle bars, pedal arms, sprocket gear, and hubs are brightly chrome plated; spokes are rustless stainless steel; Perry coaster brake; dropside mudquards. Complete with 28 x 1½-inch tires and tubes which are interchangeable with 28 x 1½-inch tires and tubes. Seat adjustable to individual requirements. Baked on ename; finish.

Men's and Boys' Model — Frame | Ladies' and Giris' Model — Frame | 22/20-inch size. Color: Maroon. Shipping weight about 45-lbs. B24-1029F—Price, DELIVERED | 51.50

Monthly Payment Plan: Only \$5.25 Down and \$5.10 per Month for 10 Months



"Crest" Bicycle Tires and Tubes

"Crest" Blcycle, Tires—Size 28 x 1 ½ Inches. Non-skid trend, the popular choice for bicycles using 28 x 1 ½-inch tires. B24-3667F—Each, DELIVERED 2.45 "Crest" Bicycle Tubos to fit above and all 28x1 1/2 B26-3692—Each, DELIVERED 1.15 B26-3692—Each, DELIVERED 1.15

DUNLOP BICYCLE TIRES. For blcycles using 24 x 1 %-inch tires.

B24-3656F—Each, DELIVERED 2.75

P24-3680—Dunlop Bicycle Tubes. Size 2.4x1 %-in. Each DELIVERED 1.40

"Crest" Balloon Tires—Size 26 x 2.125 to fit all hicycles using balloon type 26 x 2.125 tires. Rugged, nonskid tread. Check size on your old tire before ordering. If size is worn off measure uside diameter of wheel rim. 3.65

"Crest" Balloon Tubes, to fit "Crest" halloon tires and any 26 x 2.125 halloon type tires. 1.50

Order Bicycle Tires and Tubes from Winnipeg, Order Bicycle Tires and Tubes from Winnipeg, Regine, Saskatoon, Calgary or Edmonton.



DELIVERED B24-1238F-Price, DELIVERED

"Hiawatha" Juvenile Bicycle

Completely modern . . . with Hiawatha "big blike" features that assure the good looks, easy pedalling, and sturdy construction that will win the favor and approval of all the crowd.

vor and approval of all the crowd.

Sturdy 18-inch frame... Chrome handle bars with rubber grips... Adjustable spring seat ... Three piece Chrome hanger ... Perry coaster brake... enamelled rims... Reflector, Complete with 24x1%-inch tires and tubes. Baked-on enamel finish.

Boys' Hiawatha Juvenile Bicycle, 18-inch frame. Color: Maroon. Shipping weight about 38-lbs. B24-1208F—Price, 49.95

Girls' Hiawatha Juvenile Bicycle with enamelied chain guard, 18-inch frame. Color: Blue. Shipping weight about 38-lbs.

Monthly Payment Plan: Only \$5.20 Down and \$4.90 Per Month for 10 Months.



Good Quality, Low Priced Coaster Wogons

Town and Country Steel Wagon

Removable interlocking steet stake panels on this dandy big wagon make it just right for higger loads, for milk cans and pails. With the stake sides off, it's a snappy coaster wagon. Size of box 41 ½ x 17 ½ x 10-inches. Big 10.00x1.75 super cushion senti-pneumatic moulded tires for heavy loads; ½-inch round axles with Congo lifetime bearings. Bright red baked enamel body, wheels and stake panels sparkling grey enamel with red trim. Sturdy steel handle with "D" grip. Weight about 46-lbs.

B24-8921F— F.O.B. Winnipeg.... 19.45

Retail Stores—In addition to our mail-order catalogue service we have retail stores "all over the West." These retail stores further emphasize our desire to give a complete and satisfactory service. Our retail stores have hundreds of items that are never shown in our mail-order catalogues.

STURDY COASTER SLEIGH

An exceptional value is offered in this sturdily built coaster sleigh. Smart streamlined design in wood with smooth, easy ruuning steel runners. Light in weight with good snow clearance. Length 34-inches, Natural finish, Shipping weight about 5-lbs.

Sturdy Coaster Sleigh. B55-6811F-F.O.B. Winnipeg..... 2.79

STEERING SKI SLEIGH

Exceptionally fast on either deep snow or icy surfaces. Sturdity constructed—high grade hardwood with steel under gear, round spring steel shoes and wide ski runners. Steering arm provides easy effective steering. Brilliant red balted-on enamel and glossy varnish finish. Length 40-ins. Shipping weight about 10-lba.

Steering 8ki Sielgh. B55-6818F—F.O.B. Winnipeg..... 6.49

STEEL RUNNER STEERING SLEIGH

Youngsters owning this sleigh will be the enry of the neighborhood. It's handsome—with streamlined body, painted brilliantly in red. It's tough—with hardwood top, high carbon steel runners. Cross lever steering, too. Two sizes.

Steering Sielgh. Length 36-ins.; shipping weight about 6-lbs.

B55-6813F—F.O.B. Winnipeg..... 3.39 Steering Sleigh. Length 42-ins.; shipping weight about 8-bs.
BB5-6815F—F.O.B. Winnipeg..... 3.75

HARDWOOD TOBOGGAN

Made from selected Canadian Hardwood, finished with a penetrating protective wax to assure easy running. Slats are %-inch thick, securely fastened to cleats by heavy gauge screws. Sturdy rope hand rail passes through cardinium plated screw eyes. Two sizes.

Length 4-feet; width 11-inches. Shipping weight about 8-lbs. B25-9604F—F.O.B. Winnipeg.... 5.15 Shipping weight about 12-lbs. B25-9606F—F.O.B. Winnipeg.... 7.25



This low-priced baby sleigh has been re-designed and now has a wider, longer seat which slopes gradually to the back. The height of the rails has been raised to allow better support and more cover space. Extra long handle folds under seat when not in use. Finished in two coats of waterproof varnish; runners in baked red enamel.

Two Rail Baby Sielch.

Two Rail Baby Sleigh. Length 30-ins.. width Shipping weight about

15-ins. Shipping we 10-lhs. B55-6808F—Price.

6.59

See page 95 for De Luxe Hlawatha and Hlawatha Standard Bloycles **Tubular Steel Frame** TRICYCLES

"HIAWATHA" • Chrome plated handle • One-piece jumbo rub-ber tires. Replaceable tangent spokes.

Heavy tubular steel frame, chrome handle bars, adjustable rubber covered spring seat, three-piece hanger. Maroon frame with grey fenders with contrasting trim; one-plece jumbo rubber tires. Tangent spokes, rubber pedals, large full step piate with hole in the centre for towing.

Tricycle for kiddies 3 to 5 years. 16-inch front wheel with ball bearings; 1¼-inch jointless rubber tires. Shipping weight about 22-lbs.

B24-8020F—Price, F.O.B. Winnipeg 18.25

Tricycle for kiddles 4½ to 6 years, 20-inch front wheel with ball bearings; 1½-inch jointless rubber tires, Shipping weight about 24-lbs.

B24-8021F—Price, F.O.B. Winnipeg 19.95

'HIAWATHA" JUNIOR TRICYCLES With Easy Running Ball-Bearing Front Wheel



Ail steel Construction Maroon With Grey Trim

For Kiddles 1 1/2 to 3

Keep the youngster happy and healthy with one of these easy - to - pedal, streamlined tricycles. All steel construction with adjustable seat and handle bars, rubber tread tires, 10-inch front ball bearing wheel. 6-inrear roller bearing im. Shipping weight

wheels. Maroon with grey trim. Shippin about 8-lbs. Order from Winnipeg only.

B24-8005F-Price. F.O.B. Winnipeg



Streamlined! Junior Pedal Bike



2½-Years

Specially designed for the toddler — sturdy, well balanced, easy to ride. Bucket-type steel seat; Sinch front wheels with %-in rubher tires, double disc wheels, plated hub caps. Rubber pedals and hand grips. Roomy rear step plate, 1½-inch frame tubing, one-piece fork. A streamlined dandy to keep your children happy and healthy.

B24-8002F— 5.49

F.O.B. Wpg... 5.49

Collapsible All-Steel Stroller




Hore's one of the light-Here's one of the lightest, neatest strollers ever built!

Adults appreciate the light easy weight; the way it folds-up and fits into the back of a car. Children like the smooth comfortable frame; metal foot rest. Form-fitting, sturdy carvas scat, piped at seams for added strength. Four 6-inch steel disc wheels and enamelled strip steel handle. Collapses to a neat 23x-7x16-inch size. Shipping weight 12-18x.

B50-B302F— 7.25

Items Not Marked ★ to be Ordered From Winnipeg Only Delivery Charges Extra Except Where Prices State "Delivered"

B24-4806F—F.O.B.Winnipeg 4.65







GENUINE STAG HANDLED PEN KNIFE
Genuine stag bandle with two, mirror polished blades of
bigbest quality steei, razor sbarp. Brass lined nickel bolster
tips, shield, length 3-inches. This number also available
with Grey, Buff or Pearl Celluloid handles. State which

B15-4364-Price, DELIVERED



"PEARL" HANDLED PEN KNIFE



BEST QUALITY 3-BLADED STOCK KNIFE Our best quality—three mirror polished steel hlades; large blade, pen hlade, castorator hlade, Gennine bone stag handle. Brass lined; nickel silver shield and bolster. About

3 % ins
B15-4341—Price, DELIVERED
BOY SCOUT OR CAMPER KNIFE
Three-hladed knife; can opener, cap lifter, screw driver and blade. Imitation pearl handle with R.C.M.P. picture. With chain, Nickel boister tips, brsss lined. About 3 %

B15-4372-Price, DELIVERED

"Westclox" Pocket Ben Watch WITH LUMINOUS OR PLAIN DIAL The champion of economy priced pocket waches. Nickei-piated case with non-hreakable crystal. Easy-to-read dial has black figures and bands. With Luminous Dial. B42-9709—Price, Delivered 5.75

With Plain Dial.

842-97109—Price, Delivered.

Westclox "Dax" Pocket Watch.

Sturdy, nickel-plated case,
figures on two-tone dial. Non-breakable crystal.

842-9704—Price,
Black
Black
3.95

"PILOT" POCKET WATCH

A serviceable low priced watch for men or boys. Nickel-plated case, shatterproof crystal. Large black figures on white disl; small second disl. B42-9707—Price, Delivered 2.98





SHEFFIELD STEEL CHROME-PLATED SCISSORS Stainless Sheffield ateci chrome-plated scissors, E. ceptional value at this low price. Choice of two sizes.

(A) Stainless Steel Sissors, length 6 1/2 -inches. B19-7263-Price each, DELIVERED

3-PIECE HOME BARBER 9ET

Set consists of blgh quality clippers, size 000, with keen cutting plates of quality Sheffield steel, strong side spring action; quality steel barber shears and barber comb. Com-

Hair Clippers only as above. 1.65



DUSTPROOF GOGGLES

These are perfect fitting goggies, have celluloid ciear lenses. Plush cushioned, hinged at centre, adjustable elastic band.

Dustproof Goggles. Price DELIVERED

Genuine Leother Billfolds

Genuine leather, Morocco grained billfolds with three sided flap zipper, two clear plastic card bolders and snap change purse. Black, brown or tan. State color wanted.

855-3691—Delivered 1.19 Similar to above only larger size with four clear plastic card B55-3688—Delivered 1.69

Genuine Leather Key Case Genuine leather key case with dome fastener. Leather thong holds up to six keys.

B55-3852—Delivered .19

All Plostic Billfolds All plastic billfold in simulated Alligator leather effect, two clear plastic card or identification holders and snap change purse, or green. State color wanted. B55-3694—Price, Delivered





BOYS' SKATING OUTFIT Black "Elk" Boots--"Sliver Arrow" Skates Here's a sturdy outfit for active boys. High quality black "Elk" leather boots with duck webbed ankle support, felt lined tongue, black rubber composition soles and brown box toe. Fitted with "Silver Arrow" tube skates. Sizes 1 to 5, no half sizes—state size. "Silver Arrow B25-8401----Pair 8.45 DELIVERED




Loether Boots With Built-in Arch Support Neatly styled, well built boots, designed for skating comfort and enjoyment. Popular hicut style white "Elk" uppers, with snug fitting inside counters, Leather heels and rubber soles, Rocker design skates have Precision hollow g round blades with saw edge toesecurely riveted to soles, screwed to leeds.

Women's Figure Skating Out-fit. Sizes 3 to 8, no half sizes,

State size wanted.

B25-8514—I'air
DELIVERED 11.35

Misses' Figure Skating Outflt, as above except fitted with "Club Special" skates. Size 11 to 2, no half sizes—state size wanted. B25-8502—Pair,



Correctly styled and built for skating pleas-nre. The comfortable fitting felt lined white "Fik" leather hoots have white rubber soles. Fitted with nickel-plated "Silver Arrow" tube skates securely rivetted to the boots.


Women's Sketing Outfit. Sizes 4 to 8, no half sizes. State size wanted. B25-8527—Pair Q 15

DELIVERED 8.45

Misses' Skating Outfit, as above. Sizes 11 to 2, state size wanted.

B25-8521—Pair, 7 25

DELIVERED



(C) MEN'S "SPORT" HOCKEY STICK A moderately priced stick of high quality ash wood. Full sized, well balanced with strong laminated and lacquered blade. Right or left.—state which wanted. Ice lays 4 5, 6, 7. 1.39 (E) "RAMBLER HOCKEY STICK (H) "HAND MADE" GOAL STICK
A high rated senior model, well selected for grain and stiffness. Full regulation size. Pinned, laminated and lacquered blade, centered as preferred by all goal keepers today. Ice lays 12, 13, 14, 15, 16.

B25-5994—Price, each Delivered 3.25 (1) BOY'S HOCKEY PUCK
Good quality, hard rubber pucks; 2½-inches diameter, inch thick. (J) REGULATION HOCKEY PUCK Gloves, Shoulder Pads and Hockey Equipment

For information and prices on our complete line of hockey gloves, shoulder pads, shinguards, etc., visit your nearest Maclcod's retail store. Maclcod's guarantee of quality is your assurance of complete satisfaction.











"Coleman" Deluxe Camp Stove
Streamlined, two-burner came stove.
Burns gasoline; lights instantly; folds
compactly and carries like a small suitcase—when closed measures 17.4 x 11x5-ins. Positive locking legs; removable
cooking grate. Lid acts as a wind baffle.
Fuel tank is removable for filling. Finished in green haked enamel.

225-205-205. Shimping weight about 13c B25-9054P-Shipping weight about 13-

"Monarch" Deluxe Hot Plate

Two burner gasoline store, hot plate type. The "hlue-flame" burners regulate to high, low or medium heat. Removable fuel tank, capacity 2 Imperial phits. Top is brown enamel, base finished in cream baked enamel. Size 20 ½ x15 x6 ½ -inches.

B25-9057P-Shipping weight about 18-lbs. Price, DELIVERED 21.95

Generator 412-262 for above stove. B25-9071—Price, 1.50 -Single Burner "Coleman"

Single "hibe flame" burner instant lighting; gives intense heat. Odorless, windproof, quick cooking—will give efficient service indoors or out. Built-in pump. Fuel capacity 2 Imperial pints.

Coleman Single Burner Stove. fleight 6 % -inches. Shipping weight about 5 ½ -ibs.

BZ5-9055P—Price, DELIVERED 13.95

Generator 500-299 for above stove.

BZ5-9086—Price DELIVERED 1.44

RETAIL STORES:

In addition to our mail-order catalogue service we have retail stores "all over the West," These retail stores further emphasize our desire to give a complete and satisfactory service.

When shopping through this catalog, or at any of our retail stores, look for these brand names: Artisan, Arcadia, Coronado, Crest, Farmerest, Hi-Capacity Hiawatba, Homeguard, Powercest, Varcon... they are your guarantee of consistent high quality and downright dollar value. Macleod's Own Brands are specially selected lines of merchandise, ranging from auto hatteries and washing machines to refrigerators and tractor repair parts. Every item of merchandise bearing one of Macleod's brand names must measure up to rigid standards of quality and performance... good value, tool





BRIDAL WREATH PAILERN

Rich cream colored English china in the
popular Bridal Wreath rose pattern with
gold trim. Suitable for every day use and
special occasions—lovely enough to give to
a bride, yet so inexpensive you'll want to
enjoy this dinner set on your own table.

B21-3039P—33-Plece Dinner Set., 12.95

B21-3040P—53-Piece Dinner Set, 19.50 (8 person service, see chart) 19.50
B21-3041P—66-Plece Dinner Set, 28.50
(8 person service, see chart)



LADY HELEN PATTERN

dainty set with attractive floral A damy set with attractive floral pattern in delicate pastei shades on pale cream background. An all occasion set that will add new beauty to your table. Good looking, yet so inexpensive. Quality English semi-porcelain.

porcelain. B21-3258P-32-Piece Dinner Set, 12.75



DOROTHY PATTERN

Another attractive set with rich floral patterns in natural colors and floral patterns in natural colors and dainty border trim finished with gold line. Cups are the popular deep shape, a favorite with particular hostesses everywhere. A richlooking set you'll use for those special occasions, E21-32019—38-Piece Dinner Set. 14.50 E21-3202P—53-Piece Dinner Set. 22.25 (8 person service, see chart). 25 Cup and Saucer only, as above. 57

B21-3205—Price

Distinctive! Colorful

Pastel Shades!

20-Piece Lunch Set

Extravaganza Pattern

Extravaganza Pattern
Four person set of English semi-porcelsin in pastel shades of blue, green, pink
and yellow. Each one-person setting is
a different color—of course, the pieces
can be mixed for smart color variety.
Cups are deep shade and nicely accented
with gold handles. Set consists of 4
each: Cups, saucers, 8-in, plates, 6-in,
plates, coupe soups.

Cream Jug and Sugar Bow! only, match above.

18-Piece Colorful Glass LUNCHEON SET Heatproof Glass . . . Very PracticalI

Soft Peach shade in classic embossed

design. Smartly modern - wili add new charm to your table. Heat proof glass is noted for serviceability. A practical setting for four persons. Set consists of 4 each: Large dinner

plates, cups, saucers, dessert dishes, one creamer and one sugar bowi. Shipping weight about 10½-ibs.

..... 5.95

20-Piece Lunch Set. B21-3151P—Price

COMPOSITION OF SETS Number of Pieces | 82 | 38 | 53 | 68

6 6 6 6666 8888

1

1

Approx. Wgt. in lbs. | 16 | 20 | 27 | 33 NOTE: Covers and saucers are counted as separate pieces.

OPEN STOCK—All our 38, 53 and 66-piece sets illustrated on this page are purchased from ene of the oldest English potteries. They are open stock patterns: any dish in these sets can he purchased at any time to replace a hreakage

Number of Pieces
8-inch Plates
8-inch Plates
10-inch Plates
10-inch Plates
Cups and Saucers
Cereal Bowls
Fruit Nappies
Coupe Soups
Covered Vegetable
Open Vegetable
Gravy Boat
Gravy Boat
Gravy Boat
Gravy Boat
Covered Sugar Bowl
Cream Jug
Small Platter
Large Platter
Large Platter



Hand Decorated SUGAR AND

Dainty Hand Painted

Complete

Individual Coffee Mugs

Coffee Mugs same as above except in green

6-in diameter. B21-8573P-Ea. .37



CHERRY PATTERN

Modern and charming. Ivory shade English semi-porcelain, attractive-ly decorated in red and brown. Note how gracefully each piece is shaped with scalloped edges and daintly embossed—smartly set off with gold edge to add even greater loveliness.

CREAM SET

Salt and Peppers

Colorful hand painted designs on clear glass with plastic tops. Assorted colors and patterns. An ideal set for your own table or for gift giving. Favorite table size Co in colorful gift box. Height 3½ sin. B21-9568P—Price, per pair

Made from heatproof "Fire-King" glass in large 8-oz. size. Popular shape with large easy-grip hanfrom heatproof Attractive lvorv


B21-8935P—Each .15

B21-8934P—Each

Glazed Whiteware Mixing Bowls

For many kitchen and table uses. Sturdy, high-ly glazed whiteware. Three sizes.

8-in. diameter. B21-6574P—Ea. .75 10-in. diameter. B21-6575P— 1.15





Set of four mixing bowls in vibrant colors—Glashake ovenproof ware, too! The outside of bowls are colored, the inside finished in gleaming white. Set consists of 5½-in. diameter Red bowl, marked in graduated measures of ½ cup to 3½ cups (4 to 28-02s.); 7-in. diameter Green bowl; 8-in. diameter Blue bowl; 9-in. diameter Yellow howl.

B21-6935P—F.O.B. Winnipeg

24-PIECE GLAZED WHITEWARE BREAKFAST SET

B21-6557P—Cup. Price each17 B21-6558P—9-Inch Plate. Each29 B21-6571P—Saucer. Price each11 B21-6559P—Coupe Soup, 9-Inch. Ea. .27

B21-6569P-7-Inch Plate. Each18 B21-8566P-Cereal Bowl, 8 1/2 -In. Ea. .17



16-PIECE GLASSWARE SET

An attractive, colorful setting for four. Consists of four 5-oz. Junes tumblers, four 9-oz. water tumblers, four 7-oz. sherbets and four 6-in. plates Dainty Vineyard pattern in pastel shades of pink, hlue, green or yellow. State color wanted.

16-Plece Glassware Set, B21-6705P—F.O.B. Winnipeg..... 2.49



DECORATED TUMBLERS

Gally decorated glass tumblers, assorted floral and handed patterns. Please state preference. Decorated Glass Tumbler, 5-oz. size. Floral or banded pattern—state which.

B21-9625P—Each, F.O.B. Winnipeg.

10
Decorated Glass Tumbler, 9-oz. size. Floral or banded pattern—state which.

B21-9635P—Each, F.O.B. Winnipeg.

MINI-VASES
Attractive miniature hand decorated hlown glass. Assorted colors and patterns, 3 % -inches high. Nicely boxed. B21-9812P-



Twenty-Four Piece Set, as illustrated B21-6552P—Price, per set

B21-2873P-Saucer. Price each14

B21-2888P--Dessert Bowl 4 % -in. dia. Price each

B21-2869P-Dinner Plate, 9 1/8 -In. dla.



Note: Open stock—order extra pieces for a larger setting or to replace broken pieces (see listing below). 18-Piece Luncheon Set, as illustrated. 3.79
B21-2885P—Price F.O.B. Winnipeg



"Supreme" quality means greater durability, Heavy gauge mirror-finish hard sheet aluminum polished to a high lustre finish. Heats so quickly and evenly, and so easy to keep clean, Fise "Su-preme" Aluminumware for supreme satisfaction. (A) Vegeteble Pot end Lid—Lock-title handle holds lid on securely for safe draining of potatees and vegetables. Capacity 8-pints. B19-292—Price, Dellvered 2.50

(D) Double Bollers—The handiest pot in the kitchen. Top section has 3 ¼-pint capacity, bottom section 4 ½-pint capacity—each "pot" can be used separately. Sung fitting cover. 275 Price, Dellvered



3-pint capacity. B18-170—Price, F.O.B. Winnipeg..........63 4-pint capacity.
B18-171—Price, F.O.B. Winnipeg79

(B) Streight Side Covered Saucepen—Straight side 7½-pint saucepan with lid. 1.45 B18-173—Price, F.O.B. Winnipog 1.45 (C) Aluminum Doublo Boller—Designed for quick heating—capacity of top section 3½-pints; lid fits both top and bottom sections.

tions.

B19-144—Price, F.O.B. Winnipog 1.79
(D) Household Size Tea Kettle — Capacity 7½-pints. Seamless welded spout; sturdy handle with wood grip.

B18-152—Price, F.O.B. Winnipog 2.79
(E) Vegetable Pot with Lockilla Life.

(E) Vegetable Pot with Lockite Lid—Capacity about 8-pints. Lid is held securely when pouring.

B19-181—Price, F.O.B. Winnipeg 1.79

(F) Family Size Cowee Perculetor—Holds about 8-cups. Black handle with non-burn flame guard. B19-178—Price, F.O.B. Winnipeg 2.09



Supreme DeLuxe Aluminum Ware - New Ultra Modern Cooking Ware

Supreme DeLuxe Aluminum Ware in smart, modern, streamline design. Highest grade aluminum polished to a sparkling mirror finish to guarantee lasting beauty and complete cooking satisfacton. Made to last a lifetime. Handles are designed for easy, cool, sure grip with end hang-up rings. Attractive knobs and deep insert flavour-saver lids.

(B) Double Boller-1-quart capacity.



(A) Round Aluminum Roaster

Aluminum Roaster
Polished medium weight
aluminum roaster
just right for a 6-lb.
roast or fowl. Can be
u sed in conventional
way or you can use top
and bottom individually. Measures about
10 %-inches across top.
Four handles are securely riveted to roaster
body.

body.

B19-185—Price
F.O.B. Winnipeg...... 1.59



(B) Oval Shape Aluminum Roaster

Lustrous mirror-like finish aluminum roaster in a useful size. The oval shape means extra conveni-ence for smaller ovens. The medence for smaller ovens. The medium weight assures even, thorough heating. Holds 10-12-lb. roast or 6-8-lb. fowl; measures 17x11 x6-inches. Bottom section about 4-ins. deep. Fitted with wide aluminum handles for easy carrying, riveted for greater strength.

B19-184—Price,

COR Winniper.

3.15



Double Coated Blue Enamelled Roaster

Big enough for 10-lb, fowl or 13-lb, roast, "Tree well" underflow channels or 13-lb. for easy basting and more gravy. Fits standard 16-



Weighs up to 250 lbs. pendable, eurate

curate scales with magnifying lens that makes numerals easy to read without stooping. All-metal construction with non-skid flat rubber top. Choice of pastel colors to match your bathroom; pale jade, sky blue, citrus yellow and shell pink.

B19-7220P—Bathroom Scales. State color wanted, Shipping weight about 8-lbs.

Price FOR Winning 7.65

Price, F.O.B. Winnipeg...... 7.65

RETAIL STORES: Our retail stores have hundreds of items that are never shown in our mail-order catalog. Make it a point to visit our nearest store often.



Highly polished aluminum sauce-pan with large nickel-plated wire frying basket. Capacity of sauce-pan section is 7-pints; measures 8 ½ -ins. diameter, 4 ½ -ins. deep. B19-147—Price, F.O.B. Winnipeg 1.98



Aluminum Oblong Pie Plate

Polished aluminum pie plate in the new, space-saving oblong shape. Measures approximately 14½ x 6 ½ -inches. B18-285P—Price,



Double Coated Enamel

Double coated that the provided his back and 3.98 F.O.B. Winnipeg



sparkling clean with soap and water. (A) LONG HANDLED SAUCE PANS Practical sizes for many uses. Long. welded haudles.

quickly.

B18-3142P—Price, F.O.B. Winnipeg 1.43

(C) DOUBLE BOILER
Capacity top section 1-1/3-quarts; bottom section 1½-quarts; Cover fits both top and bottom sections.

B18-3104—Price, F.O.B. Winnipeg.... 1.30

(D) 4½-QUART TEA KETTLE
4½-quart capacity. Easy-fill spout; flat, quick heating bottom. Heavy wire bail handle, wood grip.

grip.
B18-3147—Price, F.O.B. Winnipeg.... 1.69

(F) 12-QUART WATER PAIL 12-quart capacity. Strong rolled rim; heavy wire ball handle, wood grip. Will not rust. B18-3118P—Price, F.O.B. Winnipeg 1.59

(G) VEGETABLE POT WITH HANDLE
Convenient size for vegetables, potatoes, etc.
Capacity about 6-quarts. Measures 10½-inches
diameter, 6-inches high, two side grip handles
(not as illustrated).
B18-3140P—Price, F.O.B. Winnipeg

(!) DISH PAN
Size 17½ x 12½ -inches; 4-inches deep. The
right size and shape to fit most sinks.
1.15
B19-3120P—Price, F.O.B. Winnipeg

(J) SEAMLESS ENAMELLED CHAMBERS Sanitary, smooth seamless enamel finish. Wide flange rolled top. Height 5-inches by 9-inch diameter.

B18-3106—Price, F.O.B. Winnipeg....... .86 Baby Chamber, height 3 %-inches by 7 ½-inch diameter.

(K) COMBINET

Wide rolled rim, rounded easy-to-clean bottom. Size about 9%-inches diameter, 8-inches deep. deep. B18-3108—Price, F.O.B. Winnipeg.... 1.69



"Blossomtime" Pattern Lithographed Kitchen Ware Colorful Red Trimmed (A) OVAL WASTE PAPER BASKET

Space-saving oval shape, tapered sides. Oval top is 11%-ins, x 8-ins, high. Red inside. 75 .75

(B) COVERED DUST PAN

Wide, smooth straight edge picks up all the dirt. Covered part holds dust while carrying. About 11 1/4-inches wide x 7/8-inches.

(C) STEP-ON REFUSE CAN

(D) FOUR-PIECE CANNISTER SET
Snug-fitting red tops with white plastic knobs. Sizes: 7%inches diameter x 7-inches high; 5%-inches dfameter x
6%-inches high; 5-1/16-inches diameter x 6%-inches high;
4-3/16 ins. diameter x 5%-ins. high. White inside
1.49

(E) SAFETY MATCH BOX HOLDER
Holds large size hox of matches ready for instant use yet
safely away from children. Side opening for striking
matches. B19-7189-Price, each

Cover fastens securely to metal serving tray, Ahout 12-inches diameter x 5 %-inches deep. Bright nickel-plated handle, white enamelled inside.

1.33

(G) OBLONG BREAD BOX.
Pantry shelf size: 13 ½ ins, long x 8-ins, high, Gles
white inside is easy to clean. Snug-fitting red top,
air wents

white inside is eash
air yents.

B19-1004P—Price, each
(H) BREAD AND CAKE CABINET
Large family size, Two roomy compartments with individual doors. About 12 %-ins. long x 11 %-ins. deep x 11 %-ins. high.

B19-1003P—Price, each 2.79

In the important consideration of Quality Value .

Service . . . Macleod's Limited, today, as always in the past, is huilding for the years ahead; we realize that the confidence of each customer gained through goodwill, as the result of satisfaction, is the main foundation on which the successful growth and continued expansion of this company can be huilt.



Cast Iron Fry Pans Inside surface highty polished Cost iron fry pan, top diameter.

Steel Frying Pans Cool hollow handle. Steel frying pan, 7%-inches top diameter 40



Daisy Tea Kettle

Quick heating tin teakettie. Capacity 1%-quarts. Measures 8½-ins. across thebottom — 4%-inches decrease of the strainer specific of the strainer s



ss the strainer
-inches B21-1459P— Each .75
Similar to ahove with hand painted flower pattern.
About 7 cups.
B21-1467P—Each 1.15



Colorful Plastic Utility Bowls |

Attractive plastic bowls. Choice: red, yellow, hlue or green. State color.

(A) Size 9-inches diameter, 3-inches

Butter Dish
(A) Colorful plastic hutter dish. Measures 4½ x 1 x 2½ - in s. Choice of red, hlue, green or yellow. State color wanted. 23 B21-7837—23 B21-9608—23 Serving Tray

| Bun Dish (B) Sparkling plastic with tumbler track. Measures rack. Measures hue, green or yellow. State color wanted. 23 B21-9608—23 B19-8961—89

(c) Heavy plastic with tumhler rack. Measures 9 x 15 ½ inches. Choice of red, blue, green, yellow or clear. State color wanted 89 H19.8961—89

(C) Colorful plastic tumhlers for every-day use, 8-oz. size. Choice of red, hlue, green, hlack. yellow.



Milk Jug (A) Pint size ex-tra heavy "Sty-ron" plaatic." Choice of blue, yellow, red, white green State color wanted.

Utility Bowl

(A) Pint size extra heavy "Styron" plastic, "Choice of blue, yellow, red, white green, State color wanted.

B21-0424P • 32 | Useful plastic to wit; measures 3 ½-ins. diameter, 1 %-ins. dep. Assorted red colors. State color preferred.

B21-7080— .05 | Covered Bowl (C) Colorful plastic, tight fitting flexible cover; 6-in. diameter 2 %-ins. dep. Clear, preferred.

State color, State color, State color, State color, B21-7433-.33



Self Feeding Plastic Flower Pot

Square Shape Plastic Flower Pots

Attractive square shape flower pots complete with matching saucer base, 3½ inch square. Bronze, cherry red, hlack, coral, lemon yellow, chartreuse, grey and blue with contrasting decorations. State color wanted.

Colorful Plastic Planter



Self-watering planters complete with matching saucer hase, 8-inches long, 3 ½-inches wide, 3 ½-inches deep. Bronze, cherry red, hlack, coral, lemon yellow, chartense, grey or hine with floral decoration. State color ted.

B21-1194-Price, each75



(A) ALUMINUM SOUP LADLE

Highly polished aluminum. Diameter 4-inches, 1%-inches deep. Double riveted 9-inch handle, pierced for hanging.

(B) ALUMINUM DIPPER

Capacity 2-pints, Has wide, flat bottom, rolled bead edge 9-inch pierced handle firmly riveted,

(C) ALUMINUM DISH PAN

Serviceable weight aluminum. Capacity 6 ½ -qts. Measures 15-ins. across top, 11 ½ -ins. bottom diameter, 4½ -ins. deep. Wide rolled edge. 1.35

(D) 8-Inch SQUARE ALUMINUM CAKE PAN

(E) ANGEL CAKE TIN

Removeable insert makes it easier to remove cake. Wide centre tube assures quick, even haking everytime. Highly polished diameter ahout 9 % ins. depth 4-ins. 69

(F) ALUMINUM CAKE PAN WITH CUTTER

(G) ALUMINUM WASH BAŞIN

Handy, serviceable weight wash hasin, made of polished aluminum with wide rolled edge, pierced for hanging, Measures 12 %-inches across the top; 4-ins. deep. .85



CAREOLIC SOAP

You'll like the refreshing and cleansing lather of Carbolic cleansing lather of Carbolic Health Soap.
B19-7815P—Price, each .06



Without a doubt the strongest and most popular food chopper on the market. Tinned finished parts are easy to clean and wash. Clamps to table or bench.

Capacity 2½-ths. per min-ute, hopper measure, 3 %-in. diameter. Weight about 5-ths. B19-1835—Each

3.25

Capacity 3-lbs. per minute. Hopper measure 4 %-in. dia-meter. Weight 10-lbs
5.98

Handy Size Food Chopper
Sturdy food chopper of cast iron, tinned finish. Clamps to table or bench. Capacity 2-ibs. per minute; hopper measures 2-ins. in diameter. Weight about 4-ibs. or bench. Ca minute; hopped in diameter. W B19-1839—Price,



Chrome Plated Kettle Chrome plated on copper, tinned inside. Big family size kettles like these are a favorite in every home. Large easy pouring type spout, wood grip hall handle. Capacity ahout 5 ½ Imperial qts, Weight ahout 3-lhs, 5.25

Cookie Tin Keep your cakes cookies fresh and t Measures 10½ - ir neep your cakes and cookies fresh and tasty. Measures 10½ - inches across the top, 3½-ins. deep. Gieaming white with attractive red trim and rose pattern.


B19-1010-Price. each



Plastic Refrigerator Set

Plastic Measuring Cup

Standard 8-ounce, one cup size with clear, easily read markings. Also graduated in liquid ounce measure. B21-7223—Price,



white trim. Strong, well-made shanka

(b) MIXING SPOON
Always need for an extra mixing spoon. Length 13-in. Each Dellvered. .27

(E) TWO PRONG FORK
Strongly made for turning roasts
and carving.
B17-4476—Each, Delivered .27 CAKE TURNER Excellent for turning cakes, lifting B19-4877—Each. Delivered .27 SPATULA icing cakes. Length 10 1/2 B19-4735-Each. Delivered .27

Our retail stores have hundreds of items that are never shown in the mail-order catalogue, Make it a point to visit our nearest store often,

(H) and (!) FOOD STRAINERS
Tinned wire mesh, completely enclosed rims, Removable bowls, Three popular sizes.

Medium mesh, 2 ½-in. bowl. 23
B19-4823—Each, Dellvered .23 A19-4825—Medium mesh., 5-inch bowl. Price each, 2737 Medium mesh. 7-in. bowl. B19-4827—Each, Delivered .55

(J) POTATO MASHER Sturdy potato masher. Length 9-

B19-4574—Each, Delivered .29 a



Popular size "Ovenex" cookie sheet—easy to clean. Measures 12x 18-ius, 1-inch deep; rolled edges.

Ovenex tinware; 12 cups 2 %-in. diameter. Well made. will give plenty of service.

B19-4784-

(A) COOKIE SHEET (B) MUFFIN PANS (C) LAYER CAKE

Ovenex tinware; 12
cups 2 %-in. diameter.
Well made, will give
plenty of service.
B19-8777—
79
Covenex tinware; 9-ins.
diameter, 1-in deep.
The jiffy cutter swirls
around and loosens
cake from pan.
B19-8800—
27

B19-8865— .65 B19-8777— .79 B19-8800— .27 B19-8813— .33 B19-880

(D) BISCUIT

Easy to clean Ovenex biscuit pan, Measnres 13x9 4 x2-ins.

(E) BREAD PAN Ovenex tinware-hread

Ovenex tinware—hread or loaf pan. Attractive, easy-to-clean finish. Measures 9 % x 5 % x 2 % -ins.

B19-8831— 20



WIRETOASTER wire for transverse wire for transverse for broiling. Measures about 9-inches square. Toasts bread evenly and quickly.

Price, each....

(B) CAN OPENER! (A) WIRE TOASTER
Bright nickel -plated
wire for toasting or
broiling. Measures
about 9-inches square.
Toasts bread evenly
and quickly.

(B) Can Orelle.

can obelle.

Combination can open
er and bottle cap
lifter. Opeus all cans
having standard rims.

Hardened blued steel
cutting blade. B19-4604-

.24 Price, each

(C) EGG BEATER (D) ROLLING PIN Has eight electro-plated steel beater wings; dee-shaped handle; centre drive mesh with silent gear. Overall length 11½-B19-4403—75

Smoothly finished, top quality hard-wood, Revolving red enamelled handles. Length 18 - inches; diameter 2 % - ins. B19-4403— .75 Price, each.... .59 B19-4660— Price, cach ...

(E) POTATORICER
Potato ricer and fruit
press. Made of sturdy
stainless steel; red
enamel handles. Detachable cup for easy
cleaning. Length overall, 11-inches.
B19-4660— ... 79



Potato Peeler Double or parer— ither right peeler or parer-nse either right or left handed. Rounded point for removing eyes.



B19-8796---Price, each .15 B19-8796— .49



Peeler cutting parerer right handed, point and point handed, point and point tou and spout. Diameter 9-ins, 3 ½ ins. deep. Price each 3.25 B19-4408-


Double Action Flour Sifter
Double action flour sifter
with triple screen bottom. A
slight pressure of the fingers
on the handle sifts flour
three times. Sturdy white
plastic, red handle and trim,
Capacity about 5 cups.
B19-4727—
1.35



Plate Scraper

and bowls clean in a jiffy, Rub-ber blade with varnished wood

1.35 B19-4693.13



(A) HANDY 3-PIECE SHREDDER SET

For quick grating of fruit and vegetables. Brightly polished tin. Set has fine, medium, coarse graters.

B19-4505—Price, 3-piece set.... •53

(B) WALL TYPE CAN OPENER

Removable wall type, complete with mounting bracket. Finest tempered tool steel cutting wheel. Open any size can quickly and safely. Cadmium plated.

B19-4912—

200 Price 2.29

(C) WIRE CAKE COOLER



(A) COPPER SPONGE POT CLEANER

Copper strands woven into pad cleaner. About 4-in. diameter. B19-2092—

(B) "CHORE" MIRACLE POT CLEANER

Fine copper strands knitted into pad, secured to large wood handle. About 3-inch diameter. B19-2054—



Smart On Any Table Designed for

a long period of satisfactory table service. table service.

The graceful shuplicity of the Dattern will add distinction and charm to any table service.

The white service will be to the control of the charm to any table service that the control of the control



Polished Stainless Steel Flatware
Distinctive "Admiral" pattern. Highly polished stalnless steel needs no polishing. no plating to wear off ... won't rust, stain or tarnish. Withstands rough everyday use yet keeps its lustrous finish for years.

(A) Table Knife. Length 8 ½- (C) Tablespoon. Length 7-inches.

B19-7304—Delivered... .42
(B) Table Fork. Length 7 ½- (D) Teaspoon. Length 6-inches.
B17-7303—Delivered... .47

Colorful Plastic Cutlery Tray

(E) Bright red plastic cutlery tray. Corners rounded for easy cleaning—Five separate sections. Measures 12x7x1 %-ins. 65



Good quality carbon steel hlades; rosewood handles. Blade and tang is one solid piece with the rosewood handle securely hold by three brass rivets. Sturdy, keen cutting knives that take an edge and hold it.

(A) Paring Knife, length of (C) Butcher and Silcer Knife, blade 3 ½ -inches.

B19-5003—Delivered.... .55 | length of hlade 8-ins. 1.25

(B) Butcher Knife, length of blade 8-inches.
B19-4977—Delivered 1.15 (D) Slicer Knife, length of blade 8 ins.
B19-5023—Delivered 1.59

B19-4963—Stainless Steel Bread and Cake Knife, serrated edge 8-inch blade. Price each, DELIVERED



Heavy gauge stainless steel hlades, hardened and tempered, honed to the finest razor sharp edge and then full mirror polished. Never peels, rusts or tarnishes. Haudles made of the new stain-proof, fire resistant "Pakkawood" will last the life of the

(A) Paring Knife, length of (D) Butcher Knife. length of blade 7-inches. blade 3-inches.
B19-5000—Dellvered... .75 blade 7-inches.
B19-4975—Dellvered 1.49



(A) Heavily Tinned Shipping Cans Heavy steel plate, seamed, rivetted and beavily tinned. Imperial gallon size. Weight ahout

3 1 5-lh B38-1459P—F.O.B. Winnipeg .. 6.75 5 Imperial gallon, size, Weight about 19 lhs.

B38-1490P—F.O.B. Winnipeg .. 7.95 8 Imperial gallon size. Weight about 22-lbs. B38-1461P—F.O.B. Winnipeg .. 9.65

(B) Heavy Gauge Creamery Cans Heavy gauge tin plate. Holds 3 % Imperial gallons. Has gauge and faucet. Complete with strainer top cover. B38-1439P—F.O.B. Winnipeg ... 2.25 3 1/4 Imperial gallon Creamery Can, exactly as shown but without gauge or faucet. B38-1438P—F.O.B. Winnipeg .. 1.98

(C) Galvonized Pails

General purpose farm pails—will give good service. Galvanized steel with stundy bail haudle, well riveted. Galvanized Pail; 8½ Imperial Quart Capacity. .75 B19-6200F-F.O.B. Winnipeg .. Galvanized Pail; 9 1/2 Imperial Quart B19-6194F—F.O.B. Winnipeg95

Galvanized Pall; 11 1/2 Imperial Quart B19-6165F—F.O.B. Winnipeg .. 1.15 (D) Heavy Galvanized Pails

Ruggedly constructed. Heavy galvanized shect steel; wood grip ball handle. Finished with two red bands as illustrated. Capacity 11 ½ quarts, 11 % inches across B19-6190F—F.O.B. Winnipeg . 1.29 Capacity 15-quarts, 12 % -inches across

Same as above except 15 imperial quart 838-8015F-F.O.B. Winnipeg .. 1.55 Well made bright tin dalry palls; lugs securely riveted wire hail handle, 14 Imperial quart capacity.

B38-6024F—F.O.B. Winnipeg ... 98

(F) 10-Quart Milk Strainer Heavy rust resistant copper alloy tin plate with an extra coat of tin. One-piece construction, Perforated disc holder with wire lock, Takes 6 or 6 ½ in. filter disc 2.65 B38-8302—F.O.B. Winnipeg2.65

(G) Tinned Milk Strainer

(H) Milk Strainer Filter Discs

Diameter 6½-ins, for milk strainers, Made of fluffy white cotton gauze faced on one side. Box of 100.

B38-5992—Box of 100, 1.35

(I) Glass Butter Churn

Genuine Blow glass butter churn—the 4-quart size clear glass jar has a wide mouth easily cleaned. Hardwood dasher. Gears fully enclosed for safety and attractively finished in red enamel. Churning capacity ahout 5-pints, British made. Shipping weight shout 8-lbs.

B19-1881—F.O.B. Winnipeg4.95

(J) Metal Butter Churn

top.

B19-6161F—F.O.B. Winnipeg .. 1.45

(E) Bright Tin Dairy Pails
Heavy, bright tin; ear rivets soldered as well as inside seams, Capacity—11 ½ city 2½-gallons, Weight about 10-lmperial quarts. Wood hail handle 1.45

B38-6014F—F.O.B. Winnipeg .. 1.45



B25-7045 — Coleman Jr.
Mantle No. 21. Use on all
2-mantle kerosene or gasoline
lamps and lanterns.
Each DELIVERED15
E25-7046—Coleman Mantle
No. 999. Use on Nos. 242A,
242B, 242-K, 200, 247 and
249 one mantle lanterns.
B25-7048—Coleman Mantle
No. 1111, Use on No. 236,
237 one-mantle lanterns. Price, Dellwered .20
Coleman Generators

Coleman Generators

Coleman Filter Fun-nel No. O. Removes water and sediment from fuel for lamps, lanterns and irons. Diameter 2 ½-ins, B25-7032— Each Delivered .85

Coal Oil

Genuine Aladdin "Loxon"
Type Mantles
for models 12
and B.A.
B15-4529—
Each Delivered .50

Aladdin

"Loxon"

Mantles

Lanterns Wind

B15-4619— F.O.B. Winnipeg 2.39



No. 2 or "B" Size
B15-4505—Regular Coal Oll
Lamp Burner. Price,
Each Delivered29

Coleman "Duchess" Kerosene Lamp

De-Luxe instant lighting lamp with the new improved built-in pump. Creates a bril-liant white light from ordinary kerosene-will ordinary kerosene—will also burn gasoline. Attractively styled metal font is finished in durable baked-on golden-tone Ivory enamel. Font has fuel capacity of 12 to 15 hours. Complete with two No. 21 Mantles. (Uses R55 Generator)

eleman "Duchess" Lamp (No. 18), less shade and pro-B15-4499P—Delivered 12.95

Coleman "Floodlite" Gasoline Lantern

Instant lighting single mantle type lantern that will burn either kerosene or gasoline. Specially designed for outdoor use — the designed for outdoor use - the polished metal reflector concentrates a flood of steady, brilliant light where wanted. Genuine light where wanted. Genuine Pyrex heat-resistant globe protects the mantle and is wind, storm and the mantle and is wind, storm and insect-proof. Fitted with wire bail carrying handle as well as a sturdy hand grip handle. Has built-in pump, Roto-cleaning generator No. 766, and No. 99 mantle.

Coleman "Floodlite" Gaspline
Lantern (No. 200) less reflector.
B25-7019P— 1/ OC Price, each Delivered .. 14.95

Coleman "Major" Gasoline Lantern

Coleman "Major" Gasoline (No. 236) Lantern, Instant lighting single mantle lantern; steady, hright light equal to approximately 500 candle power. Overall height 14 ½-ins, Uses 236-299 Generator, No. 1111 "Silk-Lite" mantle. B25-7017P—Price. DELIVERED 17.95

Coleman Gasoline Iron

Coleman Aristocrat, self-heating and lights instantly. Bevelled ironing edges, cool handle. Com-plete with stand, pump, wrench, measuring can and directions. Price, Delivered 13.95

No. 604299 Generator for above Coleman Iron. 90



RETAIL STORES: Our retail stores have hundreds of items that are never shown in our mail-order catalog. Make it a point to visit our nearest store often.



English Made Vacuum Bottle

Bluc enamelled metal case; met-al capped cork. Plastic cover may he used as a cup. B25-2939-

Delivered 1.19

Retail Storss: In addition to our mail-order service, we oper-ate retail stores "All Over The West," and also Macleod Author-ized Dealer Stores at many points.

THERMOS LUNCH BOX

SUPER THERMOS BOTTLE

Genuine Super Thermos Bottle Capacity 15-ozs. Navy blue metal base, metal screw-on cap. B25-2906—DELIVERED 1.89

Super Thermos Bottle

Thermos Corks. B25-2970—Ea -Each, Delivered07 Thermos Replacement. Filler only for 15-oz. Thermos Bottles, B25-2979—DELIVERED 1.25

Sturdy School Lunch Box

Handy size metal lunch box with hinged cover and carrying handles—just right for the kiddler school lunch. Measures 7-ins. long, 4 % ins. wide and 4 % ins. deep. Enamel finish with white enamel interior and trim. B25-6909— Price, Delivered49

Sturdy "Homeguard" _5-ft. Step Ladder

Rigidly constructed of Rigidly constructed of well-seasoned hardwood with metal braces under each step. Treads are grooved to afford a safe, sure footing. Pail holder makes cleaning or painting faster, easier; folds out of way when not in use. Shipping weight about 13-lbs.

B30-2978F— Price, F.O.B. Winnipeg 3.69 See page 49 for "Homeguard" Extension Ladders





.45 Lady Helen Outdoor Thermometer

Easily attach-ed to outside of window



Heavily galvanized, strongly handled; screw cap on spout, One Gallon. B15-1320—F.O.B. Wpg. Two Gallon. B15-1321—F.O.B. Wpg. 1.55

Five Gallon. B15-1323-F.O.B. Wpg.

2.55




Galvanized GARBAGE CAN

Hesvy galvanized sheet metal. Has spug fitting lid and firmly rivetted side handles. Measures 23-inches high; 15-inches at bottom; 17-inches at top. Weight about 12-ib. top. 12-lb.

B19-1443F — Price, F.O.B. Winnipeg 3.89





Bath Tub and Wash Tank

Made of 26-gauge beavily galvanized steel; reiniorced at top with a round steel rod and fitted with wood at end to attach wringer. Measures 48-ins, long, 21-ins, wide at bottom and 24 ½-ins, wide at top Combination Bath Tub and Wash Tank, Weight about 15-lbs.

B19-8970F—F.O.B. Winnipeg 7.25



Large Size Galvanized Bath Tub

Sturdy galvanized iron construction; no centre scams. Large enough for an adult to hathe comfortably! Legs are of heavy gauge flat steel, specially shaped; securely riveted below top rolled edge for maximum strength, Measures 54-ins, long, 24-ins, wide. 17-ins, deep. Fitted with ½-inch iron pipe connection (pipe not supplied). Shipping weight about 25-ibs. Takes 3rd class freight rate B19-8972F—Price, F.O.B. Winnipeg. 11.35

12-Inch Utility Faucet Brass finish faucet for house tanks, combination haths, etc. Outside thread for ½ in. pipe and hose connection. 98



Folding Tub Stand Sturdily made of clear, well seasoned fir. Legs held firm with steel knife type locking hinges. About 48-ins. long, 16-ins. wide, 20-in. high. Folds flat. About 7 lbs.

7 Ihs. B19-8315F— Price, F.O.B. Winnipeg 2.59



Ins. B19-6913F-F.O.B. Winnipeg 2.95

Strong Folding Ironing Board



Sturdy wooden construction, metal hraced. Folds easily; locks in position when setup. Measures 48-ins. long; 14-ins. wide; 32-ins. high. Weight about 15-th.

lbs. Takes 1st class freight.

B19-861F—F.O.B. Winnipeg...... 4.35

All Metal Ironing Board



Ironing Board Pads, Covers

Hand Tailored white felt cushion pad and drill cover. Boil-proof elastic edge fits snugly over nose and heel of all metal and large size boards. B19-6114— 2 20 2.39 Complete set 2.39

Brown felt and halr pad with white drill eyelet cover and lace. Size 54x15x13-ins.
BB19-6113—

1.35 Hawes' No-Rubbing Floor Gloss

Just wipe it on—dries in 20-minutes to a rich, lustrous finish. For all wood or composition floors. Will not cause colors to run. Self-Polishing Floor Gloss.

B19-6635—1-quart tin.

Hawes' Paste Floor Wax HAWES For hardwood floors, linoleum, autos, etc. Not reconnueuded for composition floors.

HOSE WAY

HOSE in weight, padded corners. The

.55 B19-6644—Hawes' Paste
Wax, 1-lb, tin Dellvered
Wax, 2-lb, tin Dellvered
Wax 2-lb, tin Dellvered

55 socket so that it and directions.
B19-6720—Price, each
B19-6644—Hawes' Paste
B19-6645—Hawes' Paste
B19-6644—Hawes' Paste
B19-6644—Hawes' Paste
B19-6644—Hawes' Paste
B19-6645—Hawes' Paste



High Quality Brooms. Similar to above except with four string bindings. Smoothly finished handle.

1.15

Best quality hroom corn with six-string binding for longer service. Smooth, metallic green painted wooden handle. B19-1080P—F.O.B. Winnipeg.... 1.49 Viouse Traps. Sure tatch traps if pro-perly set. Strong B15-8615— .07

Each (A) **(B) (C)**

Weighted Floor Polisher

Polisher for waxed floors, 15-lbs.

4-ft. long handle is set in a ball

socket so that it swivels in all

(E) Open centre head dust mop good quality yarn. Long handle. 1 25 quality yarn. Long handle. 1.25
B19-5605—Price, each ... 1.25
(F) Mitt Type Dust Mop. Cotton mop head easily removed for cleaning fits on wire frame attached to the 54-inch varnished wood handle B19-5604—Price, 1.98

Galvanized House Tanks Made of heavy gauge

Made of heavy gauge gal anized iron with reinforcing e dg es and rolled rim at top. All seams locked and soldered.
30-ganon capacity diameter 19-inches, height 28-in. Not littled with drain plug. About B34-9085F

46-gallon cspacity; diameter 22-ins, height 34-ins, Fitted with ½-ln. drain plug at bottom. About 15-lbs.

F.O.B. Winnipeg 4.98
Go-gallon capacity; diameter 27-ins, height 28-ins, Fitted with 45-in, drain plug at bottom, Ahout 18-ihs.

80-gallon capacity; diameter 29-insheight 34-ins. Fitted with 4-in. drain plug at hottom. About 21-lbs. B34-9088F—

F.O.B. Winnipeg 8.25 Take 1 ½ -times 1st class freight rate

10-lhs 3.45

6.55

8.25



B19-1072 Price, each .55

(A)

Whisk of fine hroom corn. Length 11-ins. filled with my fine fill white tampic fibre hristles. B19-1072 — B19-1072 — B19-1072 — B19-1072 — B19-1207 — B19-1204 — B19-2919 — Price, each each each .10

Price. ea Price, each Kneeling Pad Heavy sponge type rubber pads, for those down-on-your knees jobs, such as scrubbing or waxing floors. Oblong shape, size 14 x 7-lns.

.17

Nail and Vegeta-hle Brush. Tough white hristes set in wood hase. Oval shape; 5x2-ins. B19-1291

Indoor Ciothes
Line. Durahle
plastic case contains 29-ft. or
line on easy winding reel. Screw
hooks supplied.
B19-5324
59 Price, each .19

Vinylite plastic covered wire dlsh drainer. Size 17x13x3 % -B19-2927 .59 B19-2927



Utility or Scrub Tub Handy small size galvanized tub—Messures 14 ½-ins. across the top. Height 8 ¾-ins. Weight 2 ½-lhs.

B19-8967F-F.O.B. Winnipeg 1.29

Square Tub Popular 8 quare shape galvanized Iron Wash Tubs. Size 20 ½ inches square and 11 ¼ -ins. deep. ins. deep. B19-8994F-F.O.B.

Galvanized Wash Tubs Heavy sheet steel, heavy rim, corrugated wringer lugs. Solid easy grip handles.

| Size | 20 ½ -inches | 23-in. | galvanized | 25 ½ -inch | color | col



Wash Tubs
heavy rim, corrugated easy grip handles.

25 % -loch gelvanized this—11 % -los.

26 tubs—11 % -los.

1819-8993F—

Winnipeg

3.15

Winnipeg

3.15

Winnipeg

3.15



B19-5341—Bright 6-strand galvanized clothes line 50-foot length. Price, F.O.B. Winnipeg

PLASTIC KORDITE CLOTHES LINE 334—14-strand steel wire core with white plastic cor-Will not stretch. 50-ft. 100-ft. 150-ft. 200-ft. 250-ft. 300-ft. 200-ft. 100-ft. 250-ft. 300-ft. 300-ft. B19-5334-

(B) 50-FOOT SISAL CLOTHES LINE B19-5302—Rest grade 3-strand Sisal clothes rope. Price, per 50-foot length, F.O.B. Winnipeg (C) ALUMINUM CLOTHES LINE DIVIDER
B19-3421—Keeps clothes lines untangled with a 10-in.
separation. Rust-resistsnt. Price, F.O.B. Winnipeg....



(E) ALUMINUM CLOTHES LINE PULLEY
B19-6801—Measures 5 ½-inches diameter. Extra deep
groove to take any thickness of clothes line. Price, each .63



CLOTHES LINE SCREW HOOK B15-3834—4½ in. Wire screw hooks.

Price, per package.





Modern styled chrome suite designed to add charm to your home. Extension type table measures 30 x 42-inches, opens to 52-inches to seat six persons comfortably. Attractive Arborite table top is staln and heat resistant. Attractive Queen Anne legs and two 1-in. triple plated chrome tubes separated with gleaming 1-in, diameter chrome ball spacers, all securely fastened to table top. Smartly styled four legged chairs with chrome tubing around the front, and genuine air foam rubber padded seats covered with washable plastic in pearl-tone effect; slip-on back with nickel-plated nail head beading. Table and chair legs rubber capped to protect your floors. Table top and chairs available in red, green, grey, yellow, blue and hlack. Order table and chairs to match or in contrasting colors if you prefer. Weight about 145-lbs.

5-Piece Chrome Kitchen Suite. State color wanted.

95.45
B50-2644F—Price, F.O.B. Winnipeg
B50-2542F—Table only, as illustrated and described above. State color wanted.

43.65
B50-2492F—Chair only, as illustrated and described above. State color wanted.

43.65
B50-2492F—Chair only, as illustrated and described above. State color wanted.

43.65

7-PIECE CHROME KITCHEN SUITE

RANCH STYLE - WITH LARGE TABLE AND SIX CHAIRS

The extra large table measures 36-inches by 48-inches when closed and opens up to 72-inches in length, will seat those extra guests with comfort. Table is extension type and has heat and stain resistant Pearl-tone Arborite Table is extension type and has heat and stain resistant Pearl-tone Arborite top, full 3-inch chrome moulding, each of the two 12-inch leaves also have this 3-inch moulding. Queen Anne style table legs give de luxe appearance. Smartly styled 4-legged chairs with chrome tubing around the front, and genulne air foam rubber padded seats covered with washable plastic in pearl-tone effect; nickel-plated nail head beading around backs. Table and chair legs rubber capped to protect your floors. Table top and chairs available in red, green, grey, yellow, blue and black. Order table and chairs to match, or in contrasting colors if you prefer. Welght about 143-lbs.

Table of the colors if you prefer. Weight about 143-158.

7-Piece Kitchen Suite. State color wanted.

B50-2633F—Price, F.O.B. Winnipeg

B50-2520F—Table only, as illustrated and described above, wanted Sbipping weight about 73-lbs.

State color price, F.O.B. Winnipeg

B50-2488F—Chair only, as illustrated and described above, wanted. Shipping weight about 17%-lbs.

Price, F.O.B. Winnipeg

11.95



"Queen Anne" Style 5-Piece Chrome Suite

chrome plated Queen Anne table legs will win favor in the modern kitchen. Table has heat and stain resistant plastic top with 3-inch chrome moulding; measures 30 x 42-inches and with extension leaf opens to 52-inches. Chairs are 4-legged style, with comfortable curved backs, padded seats and backs, and are covered with washable pearl-tone plastic. Table top and chair uphostery available in red, grey, green, yellow, or blue. Order chairs the same color as table top, or in any of the colors listed. Weight about 108-ibs.

BSO-2501F—Table only, as illustrated and described above, state color wanted. Shipping weight about 52-lbs.

34.95
BSO-2452F—Chalf only, as illustrated and described above. State color wanted. Shipping weight about 16-lbs.

7.45 7.45 Price each, F.O.B. Winnipeg



gated aluminum covered step treads. Gleaming chrome-plated steel con-struction. Legs are rubber tipped. Height to seat 24-ins. to top of 37-ins. Scat measures 12 x 13-ins. Choice of red, blue, yellow green, grey or black seat and back. State color wanted. Weight about 20-lbs. First class freight rate.

B50-8337F-Price. F.O.B. Winnipeg 14.95

Furniture is available on monthly payment plan if to the amount of \$20.00 or more. See page 117 for mouthly payment chart.




5-Piece Chrome Suite—Drop Leaf Table

5-Piece Chrome Suite—Drop Leaf Table
This modern 5-piece suite is practical and attractive in any kitchen. The drop leaf table measures 30 x 24-inches when the leaves are down and opens to 54-inches in length with the leaves up; the gleaming pearl-tone Arborite table top is stain and heat resistant. Chairs are 4-legged style, covered with washable pearl-tone plastic . . backs are form fitting, have gimp and nailhead edging . . seats are padded with foam rubber. Capped table legs and chair legs to protect your floors. Table top and chair upholstery available in red, grey, green, yellow, blue or black—order chairs the same color as table top, or in any of the colors listed. Weight about 116-lhs.
5-Plece Chrome Sulte, state color wanted.

84.95
B50-2616F—Price, F.O.B. Winnipeg
B50-253F—Table only, es illustrated and described above, state color wanted. Shipping weight about 52-lbs.
B50-2474F—Chair only, as illustrated and described above State color wanted. Shipping weight about 16-lbs. each.
Price, F.O.B. Winnipeg

11.25





With side drop-leaves up.



Leaves Added-38x80-ins



Seats 10 people comfortably.

Extension Drop-Leaf Table

Extension Drop-Leaf Table

Classic Duncan Phyfe Style

A beautiful Duncan Phyfe style extension drop-leaf table that combines smartness with the utmost in convenience. Carefully constructed from Canadlan hardwood with rich walnut veneers in lustrous hand rubbed Dulux finish. Sturdy double pedestal base with brass tipped feet for added beauty and protection. Each drop-leaf is securely supported by two spring leaf supports when in raised position. Complete with two additional centre extension leaves that allows table to be extended to a full 80-inches by 38-inches wide to seat ten people comfortably. Table folds compactly to 38 by 24-inches when not in use. Chairs are sold separately and you may purchase any number you wish to make up a suite.

Extension Drop-Leaf Table. Shipping weight about 140-lbs.

B50-8683F - 1½-times first class freight rate. Price F.O.B. Winnipeg............. 63.95

Lyre Back Duncan Phyfe Style Chairs

Sturdy, comfortable chairs to match the above table. Strongly con-

Sturdy, comfortable chairs to match the above table. Strongly constructed from selected hardwood with legs firmly braced. Finished in walnut with seat upholstered with heavy gauge plastic in rich blue-green floral design.



6-Piece Walnut Finish Dinette Suite

New Type Patented Extension Leaf

An attractively styled, sturdily constructed seasoned hardwood dinette suite in rich walnut finish with smart veneer trim. Modern styled table has 31 by 40 inch top, opening up to 55-inches. The new type leaf fits snugly under the table until table is opened, then pivots up and fits smoothly into place with one easy motion. Buffet measures 42 by 16-inches, 39-inches high. Has one full length top drawer, one full size bottom drawer and two decorated glass doors. Attractive cast hardware. Chairs are neatly styled with heavy padded seat upholstered in rich red emhossed plastic. Takes first class freight rate. Shipping weight about 215-lbs.

81x-Plece Walnut Finish Dinette Suite.

850-2766F—Price, F.O.B. Winnipeg

850-2766F—

80-2766F—

80-27

Breakfast Suite as Above in Natural Finish



Coffee Table (A), Step Table (B), and End Table (C)—Beautifully finished in walnut or honey colored birch. Modern in design, stardily constructed for long service. These tables will fit in nicely with any decorating scheme. Order the three-piece set, or individual pieces as dethe sired.

(A) Coffee Table, as illustrated. Top measures 18x30-ins.; height 16-ins. Honey or walnut finish, state which wanted. Shipping weight sbout 17-ibs. B50-8819F—Price, F.O.B. Winnipeg 10.75

(B) Step Table. Top shelf measures about 12x16-ins., lower shelf 16x28-ins. Height 25-ius. Honey or walnut finish—state which wanted. Shipping weight about 21-lbs. B50-8923F—Price, F.O.B. Winnipeg 12.45

(c) End Table. With full lower shelf. Top measures about 14 ½ x20-ins.; height 22 ½-ins. Honey or wainut finish—state which wanted. Shipping weight about 14-ibs B50-8889F—Price, F.O.B. Winnipeg 10.75

Radio or Utility Table

Handy pull-out drawer and lower shelf. Polished Walnut effect on hardwood with solid Walnut top. Height from floor 28-inches; top measures 13x18-inches. Weight about 20-lbs. B50-8917F—Radio or Utility Tahle. 15.45

Magazine End Table

Hand rubbed top, panel ends. Roomy trough type compartment for magazines and papers Se-lected hardwood in Walnut finish. Top measures 12x22-inches; height 24-inches. Weight about 13-lhs.

Magazine End Table, as illustrated and described. F.O.B. Winnipeg 9.95

Magazine End Table (not illustrated). As above, except end not panelled. Weight about 12-lbs, B50-8883F—Price, 7.95 F.O.B. Winnipeg

(G) Popular Oblong Style Coffee Table

Distinctively styled; sturdily constructed from selected hardwood in attractive walnut finish. Top is hand rubbed, legs are grooved, and are braced for additional strength. Stands 17-inches high, top is 16x28-inches, Shipping weight about 12-lbs.

Rectangular Coffee Table. B50-8822F—Price, F.O.B. Winnipeg 8.45

Magazine Rack

A roomy two-section magazine rack with bandy carrying handle at top. Sturdily huilb—ends are ½ inch plywood, sides 3/16-inch. Handsome walnut finish. Measures 9 ½ x15x17-inches. Shipping weight about 7-lbs.

Magazine Rack. B50-6910F—Price, F.O.B. Winnipeg 5.45

Three Shelf End Table

Modern design with grooved legs. Selected hardwood in Walmit finish; hand ruhbed polished top measures 10x20-inches. Height 22-inches. Weight about 10-lhs.

Three Shelf End Table, as illustrated and described.

B50-8893F—Price, F.O.B. Winnipeg 7.25

Two Shelf End Table (not illustrated). As above, except with one less shelf. Weight about 8-lbs. B50-8891F—Price, F.O.B. Winnipeg 5.65

Attractive End Table

Popular style Walnut finished end table of selected hirch. Gracefully snaped legs and with handy shelf. Shaped top messures about 12x24-inches: height 24-inches. Weight about 15-lbs.

Attractive End Table.

B50-8880F—Price, F.O.B. Winnipeg 13.95

End Tables, Coffee Tables and Magazine Racks Take 1½ Times First-Class Freight Rate, Order from Winnipeg only.



Bow Back CHAIRS

Sturdy hardwood; shap ed seat; braced back. Choice of natural finished or unfinished (ready to paint). Shipped with legs detached to prevent breakage in transit— easily assembled. Weight about 10-lbs. Takes 2nd class freight rate.

Unfinished Bow Back Chair. B50-9586F-

F.O.B. Winnipeg 4.15 Natural Finished Bow Back Chair. 4.29

B50-1440F-F.O.B. Winnipeg Stair Treads



LINOLEUM CEMENT
For cementing linoleum, Congowall, felt
paper under linoleum, tile, etc. Onegallon required for approximately 13-aq.

(D)

MODERN Chesterfield and Chair

Upholstered in Rich Wool Frieze Choice of Wine, Green, Grey or Beige

Chesterfield and Chair, same as above except upholstered in rich figured rayon velour in wine or green. State color wanted 169.50





Fold-A-Bed looks like any up-to-date chesterfield, yet it opens easily, disclosing a full size bed cushioned with coil spring filled base. Richly uphoistered in attractive rayon floral velours in colors of Red or Green. State color wanted. Sturdlly constructed frame of seasoned hardwood. Bed unit when open measures 54-inches by 74-inches long, closed measures 65-inches long, overall seat length 54-inches by 74-inches long, closed measures 65-inches long, overall seat length 54-inches by 74-inches long, closed measures 65-inches long, overall seat length 54-inches by 74-inches long, closed measures 65-inches long, overall seat length 54-inches by 74-inches long, closed measures 65-inches long, overall seat length 54-inches by 74-inches long, closed measures 65-inches long, closed measures





(C) Drop Back Davenport Couch

Monthly Payment Terms On Furniture . . . Furniture is available on monthly payment plan if to the amount of \$20.00 or more. See page 117 for monthly payment chart. (A) Davenport and Chair To Grace Your Living Room By Day . . . At Night A Double Bed (8)

This modern davenport converts into a roomy double bed. Smartly styled, with modern tapered arms...covered in rich rayon floral velour in colors of Red or Green, Sturdy hardwood frame, coll spring construction. Davenport measures 86-ins. outside, inside arms 74-ins.; size when opened 45x74-ins. Arm Chair is 35-ins. wide, height 32-ins., seat 20x22-ins. Custom made.

Davenport only, state color wanted. 170-lbs. Takes first-class freight rate. B50-4370F—F.O.B. Winnipeg 94.50 94.50

(B) Attractive Studio Couch

Practical, smartly designed studio couch...an attractive addition to any home. Makes up into a comfortable double bed or two single beds, Spring filled construction throughout, this includes the top overlay and lower portion as well as the two back cushions. Top overlay is reversible for longer wear. Overall length is about 72-ins, when open about 50-ins, wide. Good quality tapestry covering in Green or Red floral pattern. Finished with two rows of side stitching and, piped. B50-1993F—Studio Couch. Shipping weight about 150-58.50

Converts easily to a double bed 45x72-ins. Sturdy angle steel frome fitted with cahle fabric spring suspended by helical springs; extra coil spring supports under seat cushion. Mattress is firmly filled with cotton, tufted and covered in a floral cretonne in assorted patterns and colors. Two matching cotton filled cushions. Shipping weight about 100-ibs.


Drop Back Couch. Takes 1st-class freight rate.

33.95 (D) Drop Side Couch and Mattress - Makes Up Into a 48 x 72-inch Double Bed

B50-1976F—Drop Sides permit converting into a double bed 48x72-inches. Made with angle steel frame; cable spring with coil springs under centre section. Complete with cotton filled mattress, covered with floral pattern cretone, finished 27.75 with roll edge and valence at ends and front. Weight about 90-lbs. Takes 1st-class freight rate. F.O.B Winnipeg 14.65

FALL and WINTER Catalogue—1953-54 Items on this page available on Monthly Payment If to the amount of \$20.00 or more. Order Furniture from Winnipeg Only
Payment If to the amount of \$20.00 or more. See page 117 for Monthly Payment Terms. MARLETTS 107

Comfortable-Modern Bedroom Su



SMARTLY STYLED 3-PIECE BEDROOM SUITE Choice of Blonde Mahogany or Rich Walnut Finish

The graceful styling and modern design of this quality suite will add a note of distinctive charm to your bedroom, Carefully constructed from select klin dried bastern hardwood in wainut or bleached malogany finish with attractive burl grain design. Large beveiled mirrors are slightly filted for better vision. All drawers have center guides for ease in opening and closing and finished with smartly designed drawer pulls. Bed available in 48 or 54-inch widths. Bedstead takes second class other items take first class freight rate. May be purchased on the Monthly Payment Plan, only 20% Down.

273-lbs.
B50-327F—F.O.B. Winnipeg 154-95
Redstand only, 54 and 48-lnch widths. State
width and finish wanted. Weight about
58-lbs.

B50-330F—F.O.B. Winnipeg... 36.50

May be purchased on the Monthly Payment Plan, only 20% Down, 3-Piece Bedroom Sulte, Includes; Single dresser, chiffonier and bedestead. State finish and bed width wanted. Weight about 233-bs. B50-328F—F.O.B. Winnipeg 137.50 Sepiece Bodroom Sulte, includes; Vanity, Chiffonier and bedstead. State finish and bed width wanted. Weight about 223-bs. B50-329F—F.O.B. Winnipeg 144.95 Sepiece Bodroom Sulte, includes; Vanity, Chiffonier and bedstead. State finish and bed width wanted. Weight about 223-bs. B50-329F—F.O.B. Winnipeg 144.95 F.O.B. Winnipeg 56.50 Double Dresser, chiffonier and bedstead. State finish wanted. Weight about 232-bs. Bedroom Sulte, includes; Double Dresser, chiffonier and bedstead. State finish wanted. Weight about 232-bs. B60-335F—F.O.B. Winnipeg 56.50 Double Dresser, chiffonier and bedstead. State finish wanted. Weight about 135-bs. State 150-334F—B0.95 Sepiece 150-345F—B0.95 Sepiece 150-345F

F.O.B. Winnipeg 73.95 Vanity only; measures 40 x 17-ins, height 30-ins, mirror 28 x 38-ins, State finish wanted. Weight about 85-ibs. 63.95 Bonch only, padded; matches vanity. State thish wanted. Weight about 17-lbs. B50-332F 11 95 F.O.B. Winnipeg 11.95

Night Table only; measures 14 x 16-ins. State finish wanted. Weight about 30-ibs, B50-336F 20 75 E.O.B. Winnipeg 20.75

Bookcaso Bed only; three compartments, sliding panel doors. State if 54 or 18-inch width wanted. State fluish wanted. Weight about 83-lbs.
B50-331F--F.O.B. Whulpeg.... 57.50

If Bookcase Bed wanted in place of regular bed listed with above suites, add \$21.00 and specify Bookcase Bed. State width and finish wanted.



ATTRACTIVE LOW PRICED 3-PIECE BEDROOM SUITE Choice of Walnut or Honey Finish

Choice of Walnut or Honey Finish

An attractive low-priced suite sturdily constructed of kiin dried seasoned Canadian hardwood in a choice of walnut or popular light honey finish. All drawers have centre guides for easy operation and are fitted with next solid type bright brass handles. Mirrors are filted for better vision. Chiftonier measures 28 x 16-ins., height 43-ins.; single dresser measures 32 x 16-ins., height 33-ins., mirror 26 x 26-ins.; vanity measures 47 x 16-ins., height 33-ins., mirror 26 x 26-ins.; vanity measures 49 x 16-ins., height 33-ins., mirror 26 x 38-ins. Bedstead in 48 and 54-inch width. Bedstead takes second class, all other flems take first class freight rate. Note: This suite is also available with Dookcase Bed (54-inch width, see below).

3-Ploce Bedroom Suite, includes: Double dresser, chiffonler and bedstead. State finish and hed width wanted. Weight about 238-ibs.

3-Ploce Bedroom Suite, includes: Single dresser, chiffonler and bedstead. State finish and hed width wanted. Weight about 75-ibs.

B50-340F—F.O.B. Winnipeg...

5-Ploce Bedroom Suite, includes: Single dresser, chiffonler and bedstead. State finish and hed width wanted. Weight about 75-ibs.

B50-340F—F.O.B. Winnipeg...

86.75

3-Ploce Bedroom Suite, includes: Single dresser, chiffonler and bedstead. State finish and hed width wanted. Weight about 75-ibs.

B50-340F—F.O.B. Winnipeg...

86.75

3-Ploce Bedroom Suite, includes: Single dresser, chiffonler and bedstead. State finish under the proposed of the pro

Winnipeg 97.75

F.O.B. Winnipeg 52.50

Best Quality Mattress

Orr best quality mattress featuring a full 200 coil spring unit using "Flex-O-Lator" construction to insure added comfort and stability—padded with several layers of white cotton felt. Vertical stitched border with four ventilators and strap turning handles, Attractive tape edge and inner roll scenrely instend to spring unit, durable chenfille ticking, 54, 48 and 39-in, widths, weight of 54-in, about 65-lbs. State width. Takes 1½-times 1st class freight rate. 49.50

B50-B6247F—P.O.B. Winnipeg

Box Spring to Match

Sturdy hardwood frame, cell spring construction with "Plex-o-latur" and padded with white felted cotton. 54, 48 and 39-in, widths, state width. Weight of 54-in 65-ibs. 1½-times first class freight.

B50-7922F—F.O.B. Winnipeg 39.50



Woven Striped Mattress

woven striped Mattress, mattress with 180 cell spring construction with "Flex-0-Lator" grill for added comfort and permanence of shape. Well upholstered with fettel cotton. Stitched edge rolls with strap handles. Covered in durable woven striped ticking. Width 54, 48, 39-ins. Weight of 54-in. mattress 60-ibs. State width when ordering. Takes 1 ½-times first-class freight rate.

850-5430F—E.O.B. Winnipeg




Inner Spring Mattress ,

228 coil spring construction upholstered with layer built, felted cotton. Button infited, woven strine bansel effect ticking, stitched and tape bound rolled edges, strip handles. "Flex-o-lator" grill for necroscal resiliency and control. 51, 48 and 30-in. widths, state width. Weight of 54-in. 60-lbs. 14, times first class freight. 33.95



High Quality Mattress

Go coll spring construction, insulated with Flex-O-Lator construction and generously padded with several layers of white cotton fett. Four plastic ventilators with tie handles, taped edge, covered with beautiful imported woven stripe and floral cover. Standard 54, 48, 39-inch wildths. State width wanted. Welght about 65-ibs. Takes 1½ times first-class freight rate 39.95









Steel Slat Bed Spring

Flexible all-steel spring with areied tubuiar sides and heavy angle ends for extra strength. Slats supported with sturdy helical springs. Extra wide strip steel edge bands. Finished in aiuminum color. Width 54, 48, 39-in. Weight of 54-in. spring about 52-lbs. Takes first-class freight rato. State width.

B50-8023F—Prico, F.O.B. Winnipeg

16.95

Slat and Cable Bed Spring

Constructed with hollow cable sabrie, with wide strip steel edge bands and two reinforcing steel strips for extra support. Frame has sturdy end rults, high riser corner castings and tubular side rails. Width 54, 48, 39-in. Weight of 54-in. spring about 47-ins. Takes first-class freight rate. State width wanted.

wanted.

B50-8018F—F.O.B. Winnipeg

All Steel High Riser Cable Spring. Similar to above except less two reinforcing steel strips. Available in 54, 48, or 39-inch widths, state width wanted. Weight about 45-lbs. Takes first-class freight rate.

B50-8016F—

12.75

F.O.B. Winnipeg 12.75

Sturdy Cable Bed Spring

All metal cable fabric spring attached at both ends with tempered helical springs. Frame of angle steel construction, riveted and corner braced. Pightly drawn edge wires hold spring to proper shape. Oven baked wahut enamel finish. Width 54, 48, 39-in. Weight of 54-in. spring about 40-ibs. Takes first-class freight rate. State width wanted.

B50-8005F-F.O.B. Winnipeg 9, 75

Upholstered Box Spring

Upholstered Box Spring
For use with innerspring mattresses. Made with sturdy hardwood frame; coil spring construction. Reinforced for extra comfort with "Flex-o-lator" grill and white felted cotton upholstering. Choico of tickings to match mattresses on opposite page. Width 54, 48, 39-ins. Weight of 54-in. spring about 65-lbs. Takes 1½ times first-class freight rate. State width whon ordering. dering. B50-7915F—

F.O.B. Winnipeg 29.95



White Layer Felt Mattress

Layer built white cotton filling, diamond thifted and finished with closely stitched rolled edge. Floral pattern ticking, 51, 48, 39-inch widths State width wanted. Weight about 48-bas, first-class freight rate.

ESU-5368F—

F.O.B. Winnipeg

Filled with clean sanitary cotton. Foral pattern cotton ticking, rolled edge, 54, 48, 39-inch widths, State width wanted. Weight short 43-ibs. first-class freight rate.



Smartly modern Hollywood bed complete with cotton padded healboard covered with a durable, washable Grey plastic. Innerspring mattress with all steel coli spring and "Flex-o-lator" construction is padded with layers of cotton felt, covered in durable woven striped ticking and finished with rolled edges and turning handles. Box spring of coll spring construction on sturely hardwood frame, "Flex-o-lator" grill and white felted cotton upholstering. Complete with legs as illustrated Available in 54, 48 or 39-inch width. Weight about 144-libable in 54, 48 or 39-inch width. Weight about 144-libable in 54, 48 or 39-inch width. Weight about 145-libable in 54, 48 or 39-inch width. Weight about 145-libable in 54, 48 or 39-inch width. Weight about 145-libable in 54, 48 or 39-inch width. Weight about 145-libable in 54, 48 or 39-inch width. Weight about 128-libable in 64, 48 or 39-inch width. Weight about 128-libable in 64, 48 or 39-inch width. Weight about 128-libable in 64, 48 or 39-inch width. Weight about 128-libable in 64, 48 or 39-inch width. Weight about 128-libable in 64, 48 or 39-inch width. Weight about 128-libable in 64, 48 or 39-inch width. Weight about 148-libable in 64, 48 or 39-inch width. Weight about 148-libable in 64, 48 or 39-inch width. Weight about 148-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-libable in 64, 48 or 39-inch width. Weight about 3-

B50-410F - Price, F.O.B. Winnipeg 4.95



Waterfall Design - Walnut Finish

Complete Three Piece Bed Outfit

Traditionally popular Waterfall design to add beauty and charm to any bedroom. A bed outfit you'll be proud of. The full panelled steel bedstead has securely welded posts and easy rolling eastors, llead end is 40-inches high; foot end 24-inches high, llight riser cable spring with steel slats; 1 ¼-inch tubular steel side rails. Spring filled mattress, well upholstered and covered with durable striped ticking. Three widths—54, 48, 39-ins. Bedstend takes second-class; mattress—1½-times first-class; spring—first-class freight rate. Weight about 155-lbs.

Modern Three Place Bed Outilt. State width when ordering. 64.95 Full Panelled Badstead only; three widths-state which wanted. Weight about 55-lbs.
B50-387F—F.O.B. Winnipeg 23.45

Furniture purchases amounting to \$20.00 or more available on monthly payment terms. See page 117 for monthly payment chart.

Beautiful Honey Finish Bedroom Ensemble

An attractively designed, modern bedroom suite in lustrous honey finish on seasoned Canadian hardwood to add a distinctive note of charm to any bedroom. Smart metallic brass finished handles with plastic insert, set off by contrasting decoration gives an overall pleasing appearance. Top drawers on all pieces have round metal handles for added variety and style. Rigidly constructed with T-lock joints on the drawers and centre drawer guides mean long, trouble free service. Mirrors on all pieces are slightly tilted for better vision. Note: Bookcase bed is available as illustrated in 54 and 48-in, widths. Bedstead takes second class; other items take first class freight rate.

3 PIECE SUITE

Consisting of vauity, chest of drawers and bedstead chiffonier and bedstead ch

B50-353F— F.O.B. Winnipeg 117.95 B50-352F— F.O.B. Winnipeg 129.95 F.O.B. Winnipeg 113.95

3 PIECE SUITE

3 PIECE SUITE

If Bookcasa Bed is wanted in place of regular bed listed with abova suites, add \$17.60

and specify Bookcase Bed wanted. State width.

DRAWER CHIFFONIER ONLY

Measures 28 x 17-ins., height
43-ins. Weight about 86-ibs.

B50-387F—

C.O.B. Whudpeg

37.65

To match vanity. In the vanity of the vanity of the vanity. In the vanity of the vanity of the vanity. In the vanity of the vanity of the vanity. In the vanity of the vanity. In the vanity of the vanity of the vanity of the vanity of the vanity. In the vanity of the vanity of the vanity of the vanity of the vanity. In the vanity of the vanity

FALL and WINTER Catalogue-1953-54

and specify Bookcase Bed wanted. State width.

BEDSTEAD ONLY
5-1 and 48-in. widths. State Measures 40 x 16-ins., height width wanted. Weight about 60-lbs.
BB0-354F—
E.O.B. Winnipeg 26.25

F.O.B. Winnipeg 51.95

BENCH ONLY
To match vanity, Padded and upholstered, Weight about 14-lbs.

SINGLE DRESSER ONLY
Measures 36 x 17-ins., height
33-ins., mirror 26 x 28-ins.
Weight about 95-ibs.
B50-359F—
47.95

F.O.B. Wiundpeg ... 47.95

DOUBLE DRESSER ONLY
Measures 14 x 17-ins., height
33-ins., mirror 26 x 38-ins.
Weight about 140-lbs.
B50-358F—
63 95 7.75 B50-358F— 63.95

NIGHT TABLE ONLY Measures 14 x 16-ins., height 25-ins. Weight about 30-ibs. B50-360F— F.O.B. Winnipeg 16.95 BOOKCASE BED ONLY Three compartments, aliding panel doors, State bed width wanted. Weight about 85-lbs, B50-3555-

F.O.B. Winnipeg ... 43.85 ★ Order These Items From Winnipeg, Regina, Saskatoon, Calgary or Edmonton Items on this page available on Monthly Paymants of to the amount of \$20.00 or more. See page 117 for Monthly Pay

17 for Monthly Payment Terms. MAL





FEATHER PILLOWS
Plump and Well Filled
The teathers are treated, eleaned, curled and odorless Covered with leather-proof, floral pattern, sateen ticking. Takes double first-class freight rate.
6-lbs. per pair.

double insteams freight inter-6-lbs. per pair. Size 17 x 25-inches. B50-8710F—Pair 4.35 Size 18 x 26-inches. B50-6715F—Pair 5.45



Decorated End Panel



"Rollaway" Cot With Spring Filled Mattress

Folds compactly for daytime storage. Angle steel frame, calle spring and inner-spring mattress. Measures 30x72-ins, when open. Fitted with easters for easy handling. Weight ahout 65-lbs, Takes first-class freight rate. Price, F.O.B. Winnipeg



Restful rocking chair on a stationary base. Form fitting back assurcs extra comfort. Covered in an assortment of rich rayon velours, Wine, Green or Blue shades. Walnut finished hardwood frame—no-sag spring base on scat and back, Height 36-inches; scat measures approximately 25-ins, wide and is 21-ins, deep. State color



Attractive Walnut finished Hostess chair. Button tufted, cotton padded back; no-sag spring seat. Uphoistered in rich veiours—your choice of Wine, Green or Blue shades; state which wanted when ordering. Height 31-inches; seat measures 21-inches wide and is 20-inches deep.

B50-1415F — Hostess Chair.
weight about 20-lbs. Takes
first-class freight rate.
Price, F.O.B. Winnipeg Shipping double 19.95

Kiddies' High Chair

Natural finished hardwood. Has foot rest and removable aluminum tray. Seat measures 13-inches square; height 39ins. Weight about 15-lbs. Takes firstelass freight rate. B50-1363F -Price, F.O.B. Winnipeg

8.95





Rocking Chair

Natural flushed rocking chair of sturdy hardwood eonstruetlon. Smoothly turned up-rights, spindles and rugs. Seat measures 19x17-ins, Height 38-lns. Weight shout 18-lbs. Takes first-class freight. B50-1661F-

F.O.B. Winnlocg 8.45

Comfortable 3-Piece BED OUTFIT Walnut Finished Bedstoad, Bed-spring and Mattress

A low priced, comfortable sleep inducing bed outfit with the hed-stend constructed of sturdy tubular steel with a high lustre, baked-on walnut finish for a handsoine appearence. Height of head end 45-lna, foot end 21-ins. All steel cable spring. Soft, cotton filled mattress with rolled edges and floral ticking. Three widths—54, 48, 39-ins. Weight about 128-lbs. Bedstead second-class, Spring and Mattress first-class reight rate.

Three-Pioce Bod Outfit, State width when ordering.

41.95

B50-464F—Price, F.O.B. Winnipeg 41.35
B50-375F—Bedstead only. State width wanted. Weight of 54-in, size about 45-lbs. Price, F.O.B. Winnipeg 16.45



Cheir by Day-Bed by Night Cheir by Day—Bed by Night
This smart looking combination chair serves e dual purpose, as a comfortable chair
by day end a cosy bed by
night. Coll spring cushions
padded in cotton and felt.
Chair completely covered in
long wearing cotton repp.
Anglo steel frame with cable
spring lets down easily to
make a convenient bed 24inches wide by 70-inches long.
Available in Wine or Green.
State color wanted when or
dering. Shipping weight ahout
65-ibs., takes double firstelass freight rate.
BEO-1285F—

B50-1285F-F.O.B. Winnipeg 26.95


Order Furniture from Winnipeg Only .

Items on this page available on Monthly Payments if to the amount of \$20,00 or more. See page 117 for Monthly Payment Torms.











Large size mirror with polished edges and suriace. Attractive stem and leaf design. Full fibre wood back. Hangers attached to hack for casy hanging. Size about ?4 x 36-inches. Shipping weight about 23-inches.

B50-5594F-Price, F.O.B. Winnipeg 17.95

(B) MANTEL TYPE PLATE
GLASS MIRROR
Smartly styled with polished edges
and surface. Neat decorations on
each side, Mirror drilled for banglng and complete with banging aclng and complete with banging acessories. Cariboard back; size
about 16 x 26-inches, Shipping
weight about 15-bs.
B50-6587F—Price,
F.O. R. Winning.
7.69

7.69

B80-5555F---Price. 6.29

(D) TABLE LAMP AND SHADE

An attractive lamp with baked-on finish and polished brass trim. Neat "Seafoam Opalite" parchment embossed shade with matching trim. Shade diameter 14-inches. Red or green with matching trim on shade. State color wanted. Overall height about 21-ins Complete with cord and plug, less buth. 6.45

(E) TABLE LAMP AND SHADE

(F) MODERN STYLE TABLE LAMP AND SHADE

A strikingly designed base of genuine "Elizabeth China" in rich dark green color with attractive shaped himo green parchment shade. Bottom of shade measures 13. x 10-ins., overall height of lamp about 25-ins. Complete with cord and plug less halb. B50-4177F—Price, DELIVERED 8.95

(G) HEAVY CHINA TABLE LAMP AND SHADE

(H) TABLE OR RADIO LAMP AND SHADE€ Crouching panther on rock in highly glazed black china with matching translucent leatherette embessed parchment shade in red and black. Hand laced trim on shade. Shade about 8 x 16-ins. Overall height about 19 ½-ins. Complete with cord and plug, less bulb. B50-4183F--Price, DELIVERED 9.95

(I) HEAVY BASE TABLE LAMP AND SHADE Maroon marbelized base with gold trim. Wrap around ruffled Vinylite shade. Body of shado white with maroon ruffles, diameter about 16-ins, Overall height of lamp about 25-ins. Complete with cord and plug, less hulb.

BEO-4173F—Price, DELIVERED 11.95

(J) MODERN TORCHIERE LAMP

TRILITE BULBS—115-volts with 100, 200 and 300-watt illumination.

B17-1821—Each, DELIVERED85

(M) ALL METAL SMOKER STAND
A useful, good looking smoker in two-tone
bronze finlsh. Ribbed column with heavy base,
5 ½-Inch glass liner, Height about 28-ins.
5.95
B50-7862F—Price, DELIVERED
All lamps are complete with cord and plug but
less hulbs. See bulbs on Page 88.



"Egg Sheii" Colored Slats and Neutral Colored Tapes


- Baked-On Enams! Finish.
- Flexible Stesl Slats.
- · Metal Head and Bottom Ralls.
- Mschanism Completsly Enclosed.

• Mischanism Complotsly Enclosed.

High quality, trim looking venetian blinds that will give years of satisfactory service. Easy to clean, flexible steel slats have hard baked-on enamei finish—resists peeling, chipping and is rust resistant. Simple to operate, too! Trouble-free mechanism tilts slats to any angle to control light, air and give you complete privacy. Simple to install—mechanism neatly concealed behind metal head rail. Attractive "egg shell" colored slats and reultal tapes will harmonize with any decorative scheme. Complete with brackets. Length about 64-inches. Weight of 28-inch blind about 12-ibs. State size wanted when ordering.

Catalog No.	Width of Blind	Prico
B50-2025F	22, 24, 26, and 28-ins.	6.35
B50-2028F	30, 32 and 34-in.	7.45
B50-2027F	36, 38 and 40-ins.	8.98
B50-2028F	44, 48 and 52-ins.	9.98






TO HANG ON INSIDE OF CASING

or casing must be at least 2 inches deep.
1. Give width of casing (see allow for slat clearance.
2. Give length from inside top of easing to slill (see O).

OUTSIDE OF TO HANG

Give iength from top of casing o sill (see D).



Custom Made Venetian Blinds

Made to order for wider or longer sizes than listed above.

Choice of steel or aluminum slats—state which wanted when ordering. Available with eggshell colored slats and neutral tapes or in wide range of popular colors. A color chart will be sent on request. When ordering give exact measurements and colors wanted. State whether for inside or outside installation.

NOTE: Minimum charge of 12 sq. ft. each blind.


XB50-2001—Price, per square foot.

DELIVERED
Custom Made Venetian Blinds as above except with XB50-2002—Price, per sq. ft. Delivsred.... .79

Opaque Cloth Window Blinds

Choice of Cream or Green—state which. Length 64-inches; 38-inch width only; mounted on spring roller—complete with brackets, nails and pull ring.

1.75



(A) "Louveslight" Bed Lamp or Wall Lamp—Gracefully designed metal lamp, attractively finished in bronzed brown enamel with two chrome strips. I'se as bed lamp or remove rubber covered arms and hang on wall. May be inverted for indirect lighting for halls, starways, etc.

3.25


(C) Soft-Glo Bsd Lamp---Modern streamlined design, ivery hakelite case scientifically designed with diffused illumination reading comfort. Complete with 6-foot cord and

(E) Three Plece Boudoir Set—Plastle base and cups in Ivory Marbeloid finish. Glass shades in ivory with crystal hi-lighted design, Vanity lamps 12-lns. bigh. 9.75

Elongated Bulb (not Illustrated)—25-watt, 115-120-volt clear bulbs, measure 1%-inches wide, 5½-Inches long. To fit bed lamps, bouldoir sets, etc. 37

B17-1704—Price, each. DELIVERED

(F) Nautical Pin-Up Lamp—Wooden replica of ships steering wheel in colonial maple finish. Complets with a parchment clip on shade with nantical designs. 3.25



DELUXE BATHROOM FIXTURES

Deluxe Fixtures to transform your bathroom into a room of beauty reflecting good taste. Dazzling white, "harder than steel" surfaces ere easy to keep clean, scratch free and sparkling bright always. The 5-toot recess cast from the is constructed of etroug, true to form one-piece casting surfaced with a heavy, multiple coet of vitreous white enamel. The lifetime bond between surface glace and fixture body results in highest resistance to chipping and cracking. White is everlasting, does not fade or yellow. Closet and wash bash are best quality vitreous china, and the condition of the condition o

Panel Tank

White vitreous china, metches tub and hasin. Reverse trap siphon action bowl. Quiet, positive flushing action. (12-in. rough in). Complete with brass fittings in tank but less supply pipes and seat (see page 113).

B34-2510F—Wgt. about 39.00

LAVATORY WALL BASIN
Shelf Back

White vitreous china, 18 x 20-ins.

Shelf Back
White vitreous china, 18 x 20-ins.
Mounted through the back 20-ins.
Mounted through the back fittings
permits wide ehelf. Moulded soep
cups. Complete with taps and pop-up
waste. Less trap, supply pipee, legs
and towel hars. (See trape on page 113)
B34-5626F—Weight about 42.95
Basin Legs—As illustrated, made of
high quality brass with heavy triplate
chrome finish.
B34-647—Set, wgt. about 8.75
Towel Bars—To metch hasin legs
above. Heavy brass with triplate
chrome finish.
B34-649—Set, wgt. ebout
2-lbs. F.O.B. Winnipeg....
5.95

ECONOMY BATHROOM

High quality bathroom fixtures et popular low prices. The 5-foot recessed tuh of steel construction is finished with acid resisting vitreous white enamel that etays white and is so easy to keep clean. Toilet bowl and wall basin are in sparkling vitreous china. Transforme the oldest bathroom to a truly modern room. Tubs available in right or left hand drain.

Has handy groved hand grip end wide rim. Overall size: 60-inches long, 30-inches wide at ends, 31 %-inches wide at centre, 15 ½-inches high. Right hand drain. Shipping weight about 160-lbs.

B34-9130F -- Price, F.O B. Winnipeg 77.50

Tub as above except left hand drain. B34-9131F—Price, F.O.B. Winnipeg 77.50

CLOSE COUPLED CHINA

Washdown type with thorough flushing action. Vitroue china (12-inel rough-in). Brass fittings included in tank, less seat. Shipping weight about 87-lbs (See seat listing on opposite page).

B34-2507F—Price,
F.O.B. Winnipeg 37.50

tor left hand drain.

VITREOUS CHINA WALL BASIN

Has concealed overflow drain, antisplash rim and low, wide safety edge around entire rim. Twin soap dishes. Less fancets, drain, legs, towel bars, supply plpes and trap. (See traps on page 113). Shipping weight 41-bs. B34-5934F—Price.

F.O.B. Winnipeg.

MIXING FAUCET FOR BASIN

Heavy brass with highly polished chrome finish. ½-inch outside pipe connections. Fits B34-5934F basin. Weight about 3-bs.

B34-3815—Price,

F.O.B. Winnipeg.

7.25

Basin Legs—See B34-647 listed as Deluxe Fixtures above.

Towel Bars—See B34-3817 listed as Deluxe Fixtures above.

Bath end Shower Fixture — See B34-3817 listed as Deluxe Fixtures above.

B34-3816 listed as Deluxe Fixture sabove.

B34-3816 listed as Deluxe Fixture Sabove.

Waste end Overflow—See B34-9859 5-FT. RECES6 STEEL ENAMEL VITREOUS CHINA WALL BASIN
Has concealed overflow drain, anti-

Waste end Overflow—See B34-9859 listed as Deluxe Fixtures above.



Have Big City Convenience With This **Modern Water Toilet** A septic tank system, constructed so that the tank never requires cleaning out— Hygienically self-operating, using natures own process of breaking down waste into liquids which then filter away through the pipe disposal bed. Can be installed in any home, school or other building. Sanitary and dorless, does not require chemical or running water—one pail of water poured into the toilet bowl each day keeps this toilet supplied (less pipe) B34-6485F—Crosses, solid—4-in. Price each, F.O.B. Winnipeg

in perfect condition. Modera design beavy vitreoue china toilet bowl with gleanning white enamelled seat and cover. Septic tank is beavy boiler plate steel, measures 48-ins. diameter and is 30-ins, deep. 30-inch drop tube—extra lengths available (see below) if required for deep, anti-frost installation. Complete with 8 lengths (about 20-ft.) ventileting pipe, 2 adjustable pipe clows, 1 ceiling collar, 1 roof safe and necessary floor screws, putty, oakum and cement—everything supplied except No-Co-Rode disposal pipe. Shipping weight about 250-lbs.

Never Requires Cleaning Out

B34-2534F---Price, F.O.B. Winnipeg 109.50

NO-CO-RODE PIPE

Used for drainage on septic toilets. Made from fibre impregnated with coal tar pitch—this preserves the fibres and gives pipe long wearing qualities. 4-inch diameter. I coupling supplied with each 5-ft. or 8-ft.

length. Complete Installation of Price per foot, FO.B. Winnipeg

B34-2479F — Sanltary Closet. As above with varnished seat and cov-er, without pipes, clbow or chemical powder.

SANITARY **CLOSET**

Requires no plumbing or running water. Install anywhere, in any home. The chemical kills the odor and acts as e powerful disinfertant, Enamelled all-steel case. Well made hinged plastic seet inished in white, complete with white hinged cover. Takes 3-inch vent pipe. Shipping weight 18-lbs.

B34-2476F — Sanitary Closet, without pipes, elbow or chemical pow-der. Price 8.65

EXTRA PIPE AND ELBOWS B47-9277—3-Inch Vent Pipe for above, 18-ins, long.

B47-9225-3-Inch Vent Elbows to Match. Price each B34-2603-Chemical Powder, won't freeze. 5-lb. package B34--2482---Galvanized Pall, to fit above sanitary 1.35

closets. Each Takes 3rd-class freight rate.

Everything on This Page to be Ordered From Winnipeg Only
112 MACLEDIS | Itoms on this page evallable on Monthly Payments If to the amount of \$50.00 or more. See page 117 for Monthly Payment Terms.



(A) FLAT RIM SINK
Three heavy coats of dazzling white porcelain
enamel fused to heavy gauge steel to resist
chipping. Complete with 2-inch duplex chromjum plated strainer, tailpiece and lock mit.
Measures 16x24x6-ins. Weight 15-ibs.
B34-8584P—Price. F.O.B. Winnipeg
As above, size 18x30x6-ins. Weight about
20-lbs.

As above, size 18x30x6-ins. Weight about 20-lbs.

B34-8582P.—Price, F.O.B. Winnipe; 11.65

(B) CAST IRON DRAINBOARD SINK
Oan be built into sink cabinet or used as sink unit alone. Heavy cast from with acid and stain resisting enamel finisb. 8-inch integral back roll rim, 6-inch sink well. Overall size 42-ins. long, 20ins. wide, 14-ins. high. Sink size 19 % ins. x 15 % ins. Two hole drilling at 8-in. centres for 1834-3814 fancet. Less faucet and strainer. Weight about 140-lbs. Left hand drainboard.

B34-8596F—F.O.B. Winnipeg.... 46.95

B34-8596F—F.O.B. Winnipeg.... 46.95

B34-8597F—F.O.B. Winnipeg.... 46.95

B34-8597F—F.O.B. Winnipeg.... 46.95

B34-8597F—F.O.B. Winnipeg.... 46.95

B34-8597F—F.O.B. Winnipeg.... 46.95

BOARD
Same sink as above except less drainboard.
Overall size 24 x 18-ins, with 6-in, sink well,
Supplied less faucets and strainer. Weight about 834-8599F—F.O.B. Winnipeg.... 23.95

enamel finishes.

(D) CAST IRON LEDGE TYPE TWIN SINK Heavy cast iron construction, with smooth acid and stain resisting enamel finish. Overall size 32 x 21 x 8-ins. Inside sink measurements 15½ x 13½ x 8-ins. Four hole drilling at 4-incb centres to fit B34-3812 faucet set. Less faucet and strainers. Weight about 195-lbs.

4-incb centres to fit B34-3812 taueet set. Less faucet and strainers. Weight about 105-188
B34-8577F—F.O.B. Winnipeg.... 49.75
(E) SINGLE COMPARTMENT LEDGE TYPE SINK
Cast iron construction, takes B34-3812 faucet set. Overall size 24 x 21 x 7-ins. Less faucet and strainer. Weight about 62-bs.
B34-8576F—F.O.B. Winnipeg.... 26.95
As above, overall size 30 x 21 x 7-ins. Weight about 80-lbs.
B34-8572F—F.O.B. Winnipeg..... 30.95
Similar to above except enamelled steel con-B34-8572F—F.O.R. Winnipeg...... 3U.95 Similar to above except enamelled steel construction. 2 hole drilling to take B34-3813 fauce. Overall size 24x18x8-ins. Less fancet and strainers. Weight about 28-lbs. B34-8583F—F.O.B. Winnipeg..... 13.95 (F) CAST IRON FLAT RIM TWIN SINKS Sturdy cast iron construction with heavy coating of white enamel to take hard use. Acid and stain resisting. Overall size 32x20x8-ins. Less fancet and strainers. Weight 102-lbs. B34-8574F—F.O.B. Winnipeg..... 39.95

(G) SINGLE COMPARTMENT FLAT RIM SINK
Same as B34-8574F except single compartment style. Overall size 24x18x7-ins, Less faucet and strainer. Weight about 54-lbs.
B34-8586F—Price, F.O.B. Winnipeg 20.75
Single compartment porcelain enamel on steel flat rim sink, Stain resistant. Heavy construction to give years of service. Overall size 24 x 18 x 8-ins, Shipping weight about 25-lbs. Supplied less strainer.
B34-8584F—F.O.B. Winnipeg...... 13.95

B34-8584F—F.O.B. Winnipeg..... 13.95

(H) STAINLESS STEEL TWIN SINKS
Self rimming feature provides for quick, leakproof installation—fits tight against counter
top. No special tools or mondlings required.
Screws, bolts and complete instructions supplied. Stainless steel will not rust or stain and
is scratch resistant. Heavy gauge steel for
durability and long service. Supplied complete
with crumb cup strainers. Overall size 35 x 20
x 7 %-ins. Weight abont 25-ibs.
B34-8554F—F.O.B. Winnipeg..... 61.95 (I) STAINLESS STEEL SINGLE COM-PARTMENT SINK

Same as above except single compartment style, Overall size 18 x 20 x 7 % -ins. Weight about 13.1bc B34-8553F—F.O.B. Winnipeg..... 26.95









SET
Heavy quality brass with gleaming chrome
linish. Includes shower head and arm, two
valves, diverter control and chrome plated
orass spout. Valves are 11-in, centres, %in, inside pipe connections. Weight about 8-lbs. B34-3816—F.O.B. Winnipeg 17.95

(D) LEDGE TYPE KITCHEN FAUCETS
Heavy brass with chrome finish Swing
type spout with Spring-Flo attachment to
aerate water and prevent splashing. Can
be mounted on ledge type sink on counter
top, 8-in, centres, ½-in, inside pipe consections. Spray attachment included (as
illustrated). Weight about 6-lbs. 15.25
B34-3812—F.O.R. Winnipeg 15.25
B34-3813—F.O.R. Winnipeg 11.25
(E) ...WALL TYPE SINK FAUCET
Swing spout and Spring-Flo attachment to
prevent splashing. Heavy brass with chrome
finish. Includes handy soap dish. 8-in,
centre, Weight about 4-lbs.
B34-3814—F.O.B. Winnipeg 10.95
(F) BASKET TYPE SINK STRAINER
Fits sinks on this page or any sink with
3 ½ to 4-in, waste drilling. Cbrome finish
with stainless steel basket Centre lifts out
for ersy cleaning.
B34-68-F.O.B. Winnipeg. 2.95

for easy cleaning. B34-698—F.O.B. Winnipeg..... 2.95

(K) "P" TRAP FOR LAVATORY
BASINS
With pull out waste. 1½-in, diameter
with outside pipe connection. Weight about
4-lbs.

4-lbs.

834-9122—F.O.B. Winnipeg..... 6.50

Same as R34-9122 except in "S" pattern for basin installation 22 to 25-lns. from top of plug to floor. Weight about 5-lbs. 7.75

B34-9123—Price. F.O.B. Winnipeg 7.75

(L) THREADED ELBOW "P" SINK TRAP

With clean out plug 14-lip invide pipe

TRAP
With clean out plug. 1½-in. inside pipe connection. Weight about 6-lbs. 2.75
B34-9126—F.O.B. Winnipeg..... 2.75
As above, except adjustable "S" type. Weight about 7-lbs. B34-9127—F.O.B. Winnipeg..... 3.25
MONTHLY PAYMENT TERMS
ON PLUMBING SUPPLIES.
Patbroom and plumbing supplies on pages 112 and 113 are available on monthly payment plan if to the amount of \$50.00 or more. See chart on page 117.



HOT WATER TANKS AND ACCESSORIES

HOT WATER TANKS AND ACCESSORIES

Long lasting galvanized hot water tanks constructed of 14-gauge steel with beavy, pure zinc galvanized finish inside and out. Factory tested to stand 250-lbs. pressure. Standard 1-inch inside pipe connection openings.

(A) No. 30 Tank, 22-gallon capacity. Weight about 65-lbs. 21.95

No. 40 Tank, 30-gallon capacity. Weight about 85-lbs. 31.95

EXTRA HEAVY 12-CAUGE TANKS

No. 30 Tank, 22-gallon capacity. Weight about 85-lbs. 31.95

EXTRA HEAVY 12-CAUGE TANKS

No. 30 Tank, 22-gallon capacity. Weight about 95-lbs. 36-65

No. 40 Tank, 30-gallon capacity. Weight about 95-lbs. 36-65

Hot Water Tank Stand. Heavy cast iron. For above tanks. 1.49

HOT WATER TANK ACCESSORIES

(B) Galvanized Straight Boller Union (for connecting to hot water tanks) ½ x ½ x 1-inch.

B34-8938—Price, F.O.B. Winnipeg

(C) Galvanized Boller Union, 90 degree (for connecting to hot water tanks) ½ x ½ x 1-inch.

B34-8998—Price, F.O.B. Winnipeg

(C) Gold Water Supply Tube. Fits inside hot water tank and connects to boiler unions listed above. ½-in. copper tuhe 54-ins. only with hose end. Kough hrass with wheel handle.

B34-9310—Price, F.O.B. Winnipeg

(F) Boller Drain or Utility Faucet. ½-in. ontside pipe connection. Wheel handle.

B34-9310—Price, F.O.B. Winnipeg

(G) HOT WATER TANK HEATERS

Immersion type heaters to fit tanks listed above. 1-inch ontside pipe connection. 115-volt A.C. only.

B34-5038—500 Watt. Price, F.O.B. Winnipeg

(H) STRAP-ON TYPE HOT WATER TANK HEATERS

Recommended for districts with hard water. Fits tanks listed. 115-volt A.C. only.

B34-5043—500 watt. Price, F.O.B. Winnipeg. 7.65

(H) STRAP-ON TYPE HOT WATER TANK HEATERS

Recommended for districts with hard water. Fits tanks listed. 115-volt A.C. only.

B34-5043—500 watt. Price, F.O.B. Winnipeg. 7.65

(H) STRAP-ON TYPE HOT WATER TANK HEATERS

Recommended for districts with hard water. Fits tanks listed. 115-volt A.C. only.

B34-5043—500 watt. Price, F.O.B. Winnipeg. 7.65





2-in. Diam. Each Malleable Caps...... Couplings, Right hand..... .59 .16 .22 .27 -47 .80 19 23 1.20 Elbows, 45 degree...... .25 35 1.05 .29 Elbows. 90 degree. .23 1.38 Street Elhows, 90 degree41 .12 20 29 Plugs, Cast..... .84 1.05 1.49 1 55 1 88 2.35 25 .30 .39 Nipples, Close..... 22 Nipples, 4-iu..... 21 .30 45 45 18 .21 .30 39 Nipples, 6-in.... 1/2 x1 1/4 | 1 1/4 x 1 .17 Reducing Bushings..... .19 Reducing Couplings. .21 Reducing Elhows 90 degree .25 .33

7.65
watt. 9.85
mipeg 9.85
R
sith connected mr. Strongly B34-6503F — 1-in. per foot, F.O.B. Winnipeg B34-6504F — 1½-in. per foot, F.O.B. Winnipeg B34-6505F — 2-in. per foot, F.O.B. Winnipeg B34-6505F — 1½-in. per fo



see the smart, modern streamlined style and the gleaming white with black trim all porceiain enamel finish. Consider, too, that "Coronado" ranges are heavy cast Iron and steel construction . . . and are built by engineers who have been making stoves for more than 100 years. The "Coronado" wins favor with every good housewife for its beauty, design and cooking performance.

Supplied complete with ash pan, grate shaker, ild lifter, poker and soot rake. Takes 7-inch smoke pipe.

space.

Polished Cooking Top—heavy esst iron; polished to a mirror finish, easy to elean, never requires hiscking.

Large Oven—complete with easy sliding, removable wire rack. The secret of successful baking is all-around fines that assure quick even heat.

Oven Heat Indicator—improved needle type, a constant guide to oven temperature.

temperature. Copper Reservoir—positive contact, quick heating.

Cast Iron Fire-Box—has interchangeable lining to resist warping when end sections are removed it will take wood up to 21 ½-inches long. Will burn coal or wood.

Only 10% Down You can purchase these ranges on the

	70 Thoughly Layment Plan-	ACC CADIC OF	1 bage rres						CASH PE	LICE DEL	VEKED
		Oven size in inches	Reservoir Capacity	Floor Space	Utility Drawer size in inches	Shipping Weight	Catalog Number	To Any Station In Manitoba	To Any Station In Jaskatchewan	To Any Station in Alberta	To Any Station in Peace River Country (West of High Prairie) and B.C.
(A)	"Coronado" Range with high shelf	18 x 18 ¼ x 12-ins.	5-Gallons	41 x 28 inches		390-lbs.	B47-6415F	154.50	162.95	166.50	173.50
(B)	"Coronado" Range with warming eloset	18 x 18 ¼ x 12-ins	5-Gallons	41 x 28 inches		420-lbs.	B47-6416F	167.50	179.00	184.50	187.50
(C)	"Coronado" DeLuxe Range with warming closet	16 x 11 x 18 ½ -ins.	5-Gallons	43 x 28 inches	16 x 18 x 5-ins.	460-lbs.	B47-6414F	215.00	228.50	233.50	239.50
(D)	"Coronado" DeLuxe Range with high shelf	16 x 11 x 18 ½ -ins.	5-Gallons	43 x 28 inches	16 x 18 x 5-ins.	420-lbs.	B47-6413F	189.50	199.75	204.50	209.95
(E)	"Coronado" Super DeLuxe Range with warming eloset	19 ½ x 18 x 12-ins.	6-Gallons	46 x 29 inches	17 x 17 x 5-ins.	510-lbs.	B47-6424F	268.50	276.50	288.00	295.00
(F)	"Coronado" Super DeLuxe Range with high	19½ x 18 x 12-ins.	6-Gallons	46 x 29 inches	17 x 17 x 5-ins.	490-lbs.	B47-6423F	234.50	245.00	252.50	257.95

ELECTRIC aranada

Handy, Space-Saving Portable and Handsome Walnut Console Models

Full size, round bobbin type, rotary action sewing machines

Sew backward and forward without stopping or changing position of work

Sew backward and forward without stopping or changing bobbin easily, stops automatically when full

without stopping or ehanging position of work automatically when full Designed to our own rigid specifications, precision made to assure years of sewing satisfaction. Full-size sewing head has high arm to allow ample room for all materials. Round hobbin rotary action is designed to give close, even stitching and fast sewing; sews forward and backward with the same darning, embroidering or buttonholing. Numbered stitch regulator, conveniently located on front of machine head, is quickly adjusted to sew from 6 to 36 stitches per inch. Hinged, flat presser foot allows passing over scams or pins as machine sews forward or in reverse. Positive feed movement ssures evenly spaced stitches in either direction. Thread tension quickly adjusted by calibrated dial on top of arm. Sewing hight focuses directly on work, makes sewing easier, relieves eye strain.

The "Coronado" Electric Portable sewing machine has a sensitive foot control to operate machine at any speed, from very fast to very slow. Console Model is fitted with lune control. Both models have air-cooled universal 110-120 Volt A C, or D.C. motor (C.S.A. Approved), and come complete with sewing light, extra bobbins, ueedles, oil can, screw drivers and instruction book

Note: Brittonhole and other attachments available. See listing at right. GUARANTEE: All working parts protected by a 10-year guarantee against defective material or workmanship; motor guaranteed for one year.

"Coronado" Portable Electric Sewing Machine, with attractive, light weight alligator finish carrying case: length 18-inches, width 9-inches, height 13 ½-inches. Complete with foot-operated speed control. Shipping weight about 42-lbs.

45-4510—Price, DELIVERED.

MONTHLY PAYMENT PRICE: \$9.00 Down, \$7.40 Per Month for 12 Months

"Coronado" Console Electric Sewing Machine. Sturdy, well built console cabinet, finished in genuine walnut veneers. Hinged lid opens out as illustrated to provide large working space. Complete with knee operated speed control. Shipping weight about 60-lbs.

B45-4023—Price, DELIVERED 114.50

MONTHLY PAYMENT PRICE: \$11.50 Down and \$9.45 per Month for 12 Months

SEWING MACHINE ATTACHMENTS

All accessories listed below fit "Coronado" sewing machines. Model CC Class 15 Singer and all other Class 15 sewing machines.

Buttonhole Attachment (A45-4716—Buttonholer is easily attached, simple to operate. Size of buttonholes easily changed by convenient djusting nut without removing from machine, complete with full instructions.

Price Delivered 12.95

19-Piece Attachment Kit. Includes set of hemmers, edgestitcher, multiple slotted hinder, tucker, rufflers, quilter, gathering foot, adjustable zipper foot and other attachments. 4.95

Assortment as the color of the color of



Sewing Machine BENCH

Sturdy, well built sewing machine bench finished in rich Walnut veneers. Large padded seat measures 17 x 14-ins, and is covered with good qualtiy leathertone plastic material. Seat is hinged and Seat is hinged and opens to reveal a storage space, size about 14 ½ x12x4 ½ -ins., for

needles, spools, pins, etc. Helght about 18-lns. Shipping weight about 14-lbs. B50-1253F— 12.95

Delivered

year GUARANTEE

I YEAR ON MOTOR



- Company	(A) ADJUSTABLE GALVANIZED ELBOWS	
	B34-7040—Diameter 7-lns.	.85
	Price	
(1) (1) (1) (1) (1) (1) (1) (1) (1)		.95
The state of the s	B34-9498-Diameter 10-lns.	1 00
THE PARTY OF THE P	Price	1.09
	B34-9497—Diameter 12-ins.	1.25
A CONTRACTOR OF THE PARTY OF TH	(B) GALVANIZED FURNACE PIPE	1.20
J)	B34-7019—Diameter 7-ins., Length 30-ins	1 00
-	Per length	1.00
	B94-7020—Diameter 8-lns., Length 30-lns.	1.10
10000	Per length	
	Per length	1.35
	B34-9454—Diameter 12-ins., Length 30-ins.	
K)	Per length	1.65
RU	(C) FIRST FLOOR BOOT to fit 10-in. diamet	er pipe.
	Stack size 6 x 12-lns. B34-9421—Price	1.45
1 (6312)	(D) DOUBLE WALL REGISTER BOX to f	
	Floor Boot. Wall register size, 8 x 12-lns.	
) Contraction	B34-9499—Price	1.39
///	(E) SINGLE WALL REGISTER BOX to fit Fix	st Floor
1. 1 a 1	Boot. Wall register size, 8 x 12-ins. 34-9498—Price	1.39
-	(F) GALVANIZED FLATWALL STACK	
(IV	Managemen 9 w 19 ings laugth K ft	4.95
CALD	Tice, per o to tengon sessessessessessessessessessessessesses	4.95
25015700	(G) GALVANIZED SHEET Nails to joist over joist spaces to form a duct	P
[\$200 min(c) }		
(N)	air return. Size of sheet 18 x 24-inches. B34-9441—Price, per sheet	80
	To the second se	

(H) 10-INCH TWIST DAMPER B34-9804—Price, each	5
Price, each	5
B34-9598—12-inch diameter. Price, each (J) BAROMETRIC WIND DAMPERS Cau easily be installed on any smoke pipe. Reduces file the controlling require ablance due for	7
(J) BAROMETRIC WIND DAMPERS	·
hazard by controlling varying chlunger drafts	re
hazard by controlling varying chlinney drafts. 2.2	5
B47-6312—7-inch.	
Free.	~
(K) STEEL FURNACE PULLEY-1 1/4 inches in	d1-
ameter, complete with screw eye hook.	n
Standard Furnace Chain, available in any length.	4
B94-2351—Price, per foot	4
(M) ASBESTOS TAPE	
2-ins, wide, used for taping seams on furance pipes a	nd
casings. 84-ft. per roll. Weight about 2-lbs. B34-9455—Price, per Roll	2
B34-9455—Trice, per Roll	_
width only.	III.
width only. B34-9452—Price, per lineal yard	5
(N) FURNACE CEMENT	
For repairing stoves and furnaces.	
A34-2308—1-lb. Tin. Price	7
Price	
834-2310—5-lb. Tln. Price	7
Trice	
	7
	- 4

Repair Parts for Booker
Heaters and Furnaces
Complete Stock Available. Price
Order from Winnipeg only. F.O.B. Wpg.
B47-2120—Top Grate for No. 1 Heater 4.50
B47-2119—Bottom Grate for No. 1 Heater 4.50
B47-2147—Top Grate for No. 2 Heater 5.98
B47-2149—Bottom Grate for No. 2 Heater 9.50 B47-2109—Slotted Bar for No. 1 Furnace 5.98
B47-2109—Slotted Bar for No. 1 Firmace 5.98
B47.2137—Stotted Dar for No. 2 Furnace 8.35

- Un	43	(E)
ш		(E)
		XX
н		
а	1/1 /////	11/1. Marin
-		
	XXXXXXX	XXXII
		XXXIII
1	$\mathbb{K}XXXXXX$	
	The state of the s	

(A) COLD AIR FLOOR GRILL Cast Iron, black finish.
B34-9948—Size 10 x 12-ins. Weight 4-lbs. Price
(B) WARM AIR FLOOR REGISTER
Cast iron, black finish. With open and close shutters, B34-9652—Sixe 10 x 12-ins, Welght 12-lbs, Price
(C) WARM AIR WALL REGISTER Steel construction, painted with first prime coat. Easily adjusted to regulate heat. Size 8 x 12-inches.
B34-9639—Weight 3 1/4 -lbs. Price 1.98
(D) COLD AIR WALL REGISTER Steel construction, finished with first prime coat. Size 5 x 15-ins. B34-9943—Weight 2-lbs. Price
(E) WARM AIR WALL REGISTER Cast iron, painted first prime coat. Easily adjusted to regulate heat. Size 8 x 12-inches.
B34-9938—Weight 7-lbs. Price 2.85
(F) COLD AIR WALL REGISTER
Cast iron, painted with first prime coat. Size 5 x 15-inches. B34-9942—Weight 3-lbs. Price

AIR-TIGHT WOOD HEATER

Will Burn Anything Except Coal or Coke

(C)

(D)

Blued steel body with sheet
steel lining — the cover is
raised by simply pressing the toe
on foot lever, leaving the hands
free to handle fuel; opening is
large cnough to admit large sized
chunks of wood—Top of heater
is reinforced with steel band and
riveted inside; finished with flat
top so that a kettle or pot can
be heated safely. Quick heating,
inside lining has vertical corrugations to assure plenty of
draught. Easy on fuel, burns
anything except coal
or coke. Handy foot
lever lifts the lid to
admit large sized
chunks of wood. Sizes
given are length front

given are length front to back.



choice of two convenlent sizes. End Opening Jumper or Van Hoater (as illustrated at right). Measures 17-ins, long, 7 ½ ins, wide, 8 ½ ins, high; pipe collar 3-ins. Height on legs 11 ½ ins. Weight about 6-ibs..

B47-2877F—
2-85 F.O.B. Winnipeg 2.85

JUMPER OR VAN HEATER

Be warm and cosy even though drlvlng long, cold winter mlles in a van or jumper. These sturdy, compact little heaters are all you need to keep your van or jumper warm and comfortable. Burns wood, kindllng or charcoal, legs can be bolted to floor for added safety. Made from blue pollshed steel with reinforceing rolled edges. Your





Stove Pipes, **Elbows and Accessories**

Be on guard against fire by replacing rusted and worn smoke pipes. Order these items from Winnipeg only.

MORE HEAT FROM LESS FUEL!



"Heat FROM LESS FUEL!
"Heat Saver" Pipe
Heat that ordinarily goes up the chimncy is circulated throughout the room when you use this "Heat Saver" pipe as the first length of smoke pipe on any heater or stove. Made of 27-gauge blued steel—five 1 %-inch metal tubes are inserted throughout the pipe and prevents usual heat loss. Does not cut down chimney draft.

B34-9273—To fit 6-in 2.25
B34-9274—To fit 7-in 2.39
emoke pipe. Each.....



Hot Galvanized Coal Hod

Funnel type coalhodofheavy gauge hot galvanized iron. Specially designed for filling Booker heaters and furnaces. Funnel measures 5 ½-ins. dimeter.

ameter. B47-4113F—Hot Galvanized Coal 2.09 Hod. Price, F.O.B. Winnipeg

Stove Boards

ins. Price.



B47-103F-Stove Board, size 30 x 30-Price. each

Kitchen Fire Shovels



with socket handle op. Overall length



BOOKER Lowboy OIL FURNACE

105,000 B. T. U's . . . Heats Average 4 to 7 Room House

Booker, a famous name in heating, now brings you the new, low cost Booker "Lowboy" oil fired furnace and winter air conditioner. Specially designed for Canada's brisk spring, blustering fall and rugged, cold winters . . . guaranteed to give the maximum amount of heat from the oil you use. Install this furnace in the basement of your home and enjoy modern living at its best—keeps your home fresh and clean, properly humidified automatically. The temperature you want at all times right at your finger tips-no more work shovelling coal, building fires, chopping wood and carrying out ashes. Built to the strict standards that has made the Booker name famous for low cost heating.

The floating fire chamber funnels the flame on to the stainless steel baffle plates which deflect it under. around and above the heat chamber, blanketing complete fire box with live heat. From here it travels up and through the radiation tubes which capture the hot gases which normally escape up the chimney. The abundance of tubes assures the maximum heat from the minimum amount of fuel. The Booker captive flame burner gives healthful, gentle, fully automatic heat and is fully guaranteed to give satisfaction and service.

Here Are Features That Assure Comfort And Satisfaction

- Attractive heavy gauge steel cabinet in Grey ham-merioid finish completely encloses the furnace. oil burner and controls. Insulated to prevent heat loss.
- Oil burner is high pressure atomizing gun type with 6-in. tube, no vibration. C.S.A. approved.
- Continuous single speed motor with overload protection on both burner and blower.
- Long life pump with built in cut-off valve. Provides proper oil supply and instantaneous oil shut-off preventing after-drip.
- Replaceable fibreglass air filters fits into special holder.
- Streamlined, self-contained air conditioning unit with automatic humidifier gives fresh, warm, moist air in winter... cools your home in summer.
 Oil burner and chamber easily removable. Fire box and flues of heavy gauge copper boaring steel. Completely automatic controls.
 Easy to clean out—simply remove one clean-out panel below smoke pipe, entire tubular system can be easily reached.

- C.S.A. Approved . . . Precision engineered; all welded steel construction.
- Compact design . . . Ovorall size 68-ins. long, 22-ins. wide, 44-ins. high.

FUEL OIL TANKS

Made of heavy 14-gauge steel with die stamped ends which are electrically welded and compressed air tested to insure against leakage. ½-inch drah end outlet, all outlets are threaded and use standard pipe fittings. Complete with 5-inch. cradle stand. Sitver alumium paint finish

	arammam p	MALLO INVANOUS.			Price
	Catalog No.	Size in inches	Weight Lhs.	Capacity Gals.	F.O.B. Winnipeg
	B34-8890F			150 200	49.95
9.	B34-8891F B34-8893F	23x47x66	235	250	64.50 page 117

Booker Air Conditioner Oil Furnace, for 4 to 7 rooms (up to 15,000 cubic feet): iess pipes, registers and fuel tank but complete with Minneapoiis Honeywell combination fan and limit control, wall thermostat, copper humidifier, automatic draft regulator, fuel tank gauge and oil filter. Takes standard 7-inch stove pipe. Shipping weight about 540-lbs. For fuel tank see listing at left.

B34-4460F-Price Delivered to any station in:

Manitoba	Saskatchewan	Alberta	(West of High Prairie)
457.50	469.50	475.00	487.50

MONTHLY PAYMENT PRICE: 25% Down The balance—plus carrying charge in 12 equal monthly payments.

Rebuild Your Old Furnace with a Modern BOOKER SOFT FOAL GRAVITY STOKER



Easily Fitted Into Hot Air Pipe and Pipeless Furnaces -, Do It Yourself in About 3 Hours

Rebuild your oid hot air furnace into a modern Booker heating unit. Burn iow priced nut size Souris coal, or any grade nut size Western soft coal—save up to 50 per cent of your fuel bill every winter! The Booker Conversion Modei is designed to fit into the feed door of conventional furnacessuch as Coronado, Prairie Pride, Hecla, Gem, Gurney, etc. . . You can do the job yourself in three hours. Simply remove coal feed door—move Booker Stoker into place—adjust elbow from Stoker into feed door on furance—attach adjustable galvanized cabinet to furnace casing and the furnace is ready to light. Simple illustrated instructions with every unit.

The Booker Conversion Model is

Booker Gravity Stoker, Conversion Model, for 4 to 8 rooms (up to 14,000 cubic feet). Hopper hoids 115-lbs. of coai. Shipping weight about 450-lbs.

B34-4370F-Price Delivered to any station in: Peace River Country (West of High Prairie) Saskatchewan Alberta Manitoba 158.50 164.50 155.00

MONTHLY PAYMENT PRICE: 25% Down The balance plus carrying charge In 12 equal monthly payments

BOOKER FORCED AIR FURNACE

Air Conditions As It Heats

The Booker Forced Air Furnace will fill your home with clean, filtered air all year round . . it will be comfortably warm in Winter, refreshingly cool in Summer . . . cuts down your home decorating expenses, too! Burns low priced nut size Souris, or any

Souris, or any nut size Western soft coal. Casing is of heavy gauge steei, handsome Jade Green hammerioid finish.
Overall dimen-


overall dimensions: Depth 48-ins., Width 58-ins., Height 61-ins. Unit includes furnace, heat chamber, casing, humidifier, fan, filters and fan control. Inset shows fan assembly. Motor operates on 110-volt A.C. electric power. Capacity 4 to 8 rooms (up to 15,000 cu. ft.). Electric draft controls are available at extra cost.

Booker Forced Air Furnace (combines forced air with gravity stoker action). Shipping weight about 825-lbs.

B34-4184F-Price Delivered to any station in:

Peace River Country (West of High Prairle) Manitoba Saskatchewan 345.00 349.95 357.50 332.50

MONTHLY PAYMENT PRICE: 25% Down The balance—plus carrying charges in 18 equal monthly payments.



READ THIS PAGE CAREFULLY

PRICES: We will endeavor to maintain prices no higher than listed in this catalogue. World conditions may disturb markets, though, and in the event of it being necessary to change prices we will write you before shipping — if a decrease we will refund.

WHAT "DELIVERED" MEANS— On catalogue goods marked "Delivered" we pay the charges (not Air Mail, Air Express, Tractor Train or C.O D. Charges) to your nearest post office on orders we send by mail, and to your nearest railroad station on shipments forwarded by Express or Freight. On such orders we reserve the right to ship the cheapest way.

ON PARCEL POST OR EXPRESS SHIPMENTS— We pay our full share of charges on "Delivered" goods based on the actual weight of articles shipped.

ON FREIGHT SHIPMENTS—We pay, as our portion of charges on "Delivered" merchandise shipped with the order, what it would cost us to ship the "Delivered" merchandise separately by parcel post, express or freight, whichever is the cheapest (but not more than the total charges on the shipment).

This enables you to purchase merchandise that is not delivered and have part or all of the charges paid, depending on the amount of "Delivered" merchandise you include in your order.

Here Is How It Works: The following example of a shipment, which consists of 80-lbs. of "not delivered" merchandise and 20-lbs. of "delivered" merchandise, shows how you will save on charges on a shipment from Winnipeg, Man., to a point in each of the four Western provinces.

Not Delivered"	Ш
l'low Share	
Tricycle	
Tool Box	
Building Pape	r

Radio Boots 80-1bs. Overalls House Palnt

Note: Most of the
above Items take
first class freight
rate. If the ship-
ment had consist-
ed of merchandise
taking second or
third class freight
rate we could have
shipped 125 to 150
lbs. at no greater
transportation cost
to you.

To:	Altona, Man.	Flintoft, Sask.	Kitscoty, Alta.	Ashcroft, B.C.
Charges on this shipment of 100 lbs.	1.50	2.92	3.76	5.76
We pay on 20 lbs. of delivered merchandise				
(as if we had shipped scpar-				
ately)	.90	1.45	1.70	2.35
You pay only	.60	1.47	2.06	3.41

"Delivered" Items

20-lbs.

In the example above some of the articles could have been shipped from one of our other mall order points at either Regina, Saskatoon. Calgary or Edmonton. Items that can be ordered from these points are marked with a ★ ln our catalogue.

PEACE RIVER COUNTRY-

Peace River Country covers all rallway stations in the Peace River District both in Alberta and British Columbia, West of High Prairie, Alberta.

The customer pays the shipping charges on goods not marked "Delivered."

If there is no agent at your station always send money for shipping charges.

Always allow sufficient money for charges . . . any money left over will be returned promptly with your statement of order.

PARCEL POST—Customers residing in Rural Route Mall Delivery areas wishing their smaller shipments forwarded by Parcel Post should make this request when ordering. Also give Rural Route Number on Order Form. If merchandlse ordered is not quoted "Delivered," allow sufficient postage to cover the charges.

C.O.D. ORDERS-

Unless there is real need for C.O.D. service, we suggest you enclose a money order or postal note with your order and save C.O.D. charges. PLEASE NOTE—We cannot accept orders for C.O.D. shipments by freight, or express, to points where there is no Rallway Agent.

If Necessary to Write Regarding an Order—Please follow these instructions arefully:

In-Give full name and address, including Post Office and station.

2—State date order was mailed.

3—Amount of money sent.

4—Particulars of Money Order, Postal Notes or Registration Number.

5—Make inquiries at your Post Office and Station before mailing letter.

Necessary to Return Goods—Should you find it necessary to return any of our merchandise, we can give you better service if you will:

1—IPRINT your name and address on upper left hand corner of parcel.

2—The statement of your order with all bills and papers which we forwarded to you should be returned with goods.

3—Place your written instructions inside the parcel stating whether you want an exchange or a refund.

4—Write a separate letter only when returning goods by freight or express.

To Customers Living in the Provinces of Saskatchewan and British Columbia

Please add to your order the amount of tax Imposed by your Province on

WHERE WE STATE THAT ANY ARTICLE IS SOLD ON MONTHLY PAYMENTS AND DO NOT QUOTE TERMS IN THE DESCRIPTION THEN THESE TERMS APPLY.

Amount of	First Payment	Carrying	Monthly
Order	With Order	Charge	Payment
\$20.01 to \$22.00	\$3.00	\$1.80	\$3.00
22.01 to 24.00	3.00	2.00	4.00
24.01 to 26.00	3.00	2.20	4.00
26.01 to 28.00	3.00	2.40	4.00
28.01 to 30.00	3.00	2.60	4.00
30.01 to 32.00	4.00	2.70	5.00
32.01 to 34.00	4.00	2.90	5.00
34.01 to 36.00	4.00	3.10	5.00
36.01 to 38.00	4.00	3.30	5.00
58.01 to 40.00	4.00	3.50	5.00
40.01 to 45.00	5.00	3.75	5.00
45.01 to 50.00	5.00	4.25	5.00
50.01 to 55.00	5,00	4.75	5.00
55.01 to 60.00	5.00	5.25	6.00
60.01 to 65.00	6.00	5.65	6.00
65.01 to 70.00	7.00	6.05	6.00
70.01 to 75.00	7.00	6.55	7.00
75.01 to 80.00	8.00	6.95	7.00
80.01 to 85.00	8.00	7.45	7.00
85.01 to 90.00	9.00	7.85	8.00
90.01 to 95.00	9.00	8.35	8.00
95.01 to 100.00	10.00	8.75	8.00
100.01 to 110.00 110.01 to 120.00 120.01 to 130.00 130.01 to 140.00 140.01 to 150.00	11.00 12.00 13.00 14.00 15.00	9.40 10.30 11.20 12.10 13.00	9.00 9.00 9.00 10.00
150.01 to 160.00	16.00	13,90	11.00
160.01 to 170.00	17.00	14.80	12.00
170.01 to 180.00	18.00	15.70	12.00
180.01 to 190.00	19.00	16.60	13.00
190.01 to 200.00	20.00	17.50	14.00
200.01 to 225.00	23.00	18.95	14.00
225.01 to 250.00	25.00	21.25	14.00
250.01 to 275.00	28.00	23.95	14.00
275.01 to 300.00	30.00	25.75	15.00
300.01 to 325.00	33.00	27.95	15.00
325.01 to 350.00	35.00	30.25	16.00
350.01 to 375.00	38.00	32.95	18.00
375.01 to 400.00	40.00	34.75	19.00

Larger amounts in profortion. The above table gives minimum down pay-ment. Larger down paymonts may be made which will reduce the carrying charge and number of monthly payments.

ON REFRIGERATORS AND HOME FREEZERS—Special monthly payment terms availiable as follows: Only 10% down, the balance—plus carrying charges—payable in 24 monthly payments, Minimum monthly payment is \$10.00



These names are well worth remembering, especially these days with living costs away-up! Macleod's Own Brands are specially selected lines of merchandise, ranging from auto batteries and washing machines to refrigerators and rifles. Every item of merchandise bearing one of Macleod's Brand Names, must first measure-up to rigid standards of quality and performance. When shopping through the catalogue, or any of Macleod's stores look for these Brand Names.... they are your GUARANTEE of consistent high quality and downright dollar value dollar value

A Aerials 6 Air Compressors 29	"G" Clamps 43, 49 Carburetors 69, 78 Carriage Bolts 52 Cartridge Oil Filter 70, 79 Cartridges, Rifle 94 Caulking Compound 42 Caulking Gun 42 Cement Mixer 33 Cement, Roofing 42 Cement, Linoleum 106 Centrifugal
Air Deflector Scoops 64 Air Rifles 94 Alarm Clocks 89	Carriage Bolts 52 Cartridge Oil
Alemite Fittings 39	Cartridges, Rifle 94 Caulking Compound 42
Aluminumware	Cement Mixer 33 Cement, Roofing 42
Akemite Guns 39 Aluminum ware 100 and 101 Anmeters 76 Annunition 94 Anti-Freeze, Auto. 67 Ash Trays, Anto 65 Anger Bits 47 Augers, Post Hole 37 Auto Batteries 56, 57	Centerifugal
Ash Trays, Anto 65 Anger Bits 47	Chains, Farm 50 Chains, Halter 41
Anger Bits	Chains, Log 50 Chains, Tire 61
Augers, Post Hole 37 Auto Batteries 56, 57 Auto Batteries 56, 57 Anto Ignition Parts 62 Auto Polish Radios 69 Auto Polish Radios 64 Auto Seat, Baby's 64	Chairs, Kitchen 105, 100, 110 Chair, Bed 110
Auto Radios 6 Auto Seat, Bahy's 64	Chambers 100 Chamois, Auto 69
Auto Seat Covers 62	Chisels, Cold 53 Chisels, Carpenters 47
Auto Springs 71 Auto Tires, Tubes 58, 59	Chop Elevator 27 Choppers, Food 101 Churus, Butter 103
Anto Top Carrier 64 Anto Winter Accessories 67 Axes 50	Centrifugal 100 Centrifugal 32, 33 Chains, Farm 50 Chains, Halter 41 Chain Hoist 51 Chains, Log 50 Chains, Tire 61 Chairs, Kitchen 105, 100, 110 Cbarr, Bed 110 Cbambers 100 Cbamois, Auto 60 Chesterfield Suites 107 Chisels, Cold 53 Chisels, Carpenters 47 Chop Elevator 27 Choppers, Food 101 Churus, Butter 103 Circular Saws 23, 48 Cistern Pump 32 Clearance Lights 03 Clearing Supplies —Auto 60
R Babbitt, Metal 53	Cleaning Supplies —Auto
Babbitt, Metal 53 Baby Stroller 96 Baek Pads	Auto 60 —Household 103, 104 Clevises 51, 73 Clocks 51, 73 Clothes Dryer 92, 104 Clothes Line and Pulleys 104 Clothes Pins 104 Clothing 7 to 12 Coal Hods 115 Coal oil Caus 103 Coal and Wood Ranges 114 Ranges 114
Bar Iron 52 Barbed Wire 37	Clothes Dryer 92, 104 Clothes Line and
Bars, Stall Fixture 41 Barrel Pumps 38	Clothes Pins 104 Clothing 7 to 12
Bath Tubs 104, 112 "B" Batteries 2, 3	Coal Hods 115 Coal Oil Cans 103 Coal and Wood
Back Pads 40 Bags, Cotton 24 Bar Iron 52 Barhed Wire 37 Barn Door Track 51 Barn Door Track 51 Bars, Stall Fixture 41 Barrel Pumps 38 Bathroom Fixtures 112 Bath Tubs 104, 112 "B" Eatteries 12 Batheries, Auto 56, 57 Batteries, Dry Cell 3 Batteries, Dry Cell 3 Batteries, 13	Ranges
	Cobblers' Repair Kit 11 Cod Liver Oil 39
Plant 93 Batteries, Lighting Plant 93 Batteries, Radio 3, 4 Batteries, Radio 57 Battery Cable 57 Battery Carrying Strap 57 Battery Clips 57 Battery Clips 57 Battery Clips 57 Battery Filler 57 Battery Filler 57 Battery Terminals 57 Battery Terminals 57 Battery Terminal 77	Coil Units, Fordson 62 Coleman Lamps
Battery Cable 57 Battery Carrying	Coleman Lsmps and Supplies 103 Collars, Horse 40 Couhs, Curry 41 Couhinet 100 Compressor
Strap	Compressor
Battery Filler 57 Battery Terminals 57	Commet
	Cordwood Saws 23 Cork, Sheets 80 Cotter Pins 52
Bearings, Tractor 74, 78, 80 Bed Outfits 107, 109, 110	Coping Saws
Bedroom 102, 109, 110	Cow Belss
Bedroom Suites 108, 109 Belts & Belting 23, 48 Belt Dressing 23 Belt Lacing 23 Belt Lacing 41 Belts, Pan 69, 74 Belts, Pan 69, 74 Belts, V'' 23, 48 Beuch Saw 48, 49 Bench Vise 49, 53 Bicycles and Accessories 95	Craukshaft Grinding
Belt Lacing	Creamery Caus 103 Cross Rim Wrench 60
Belts, "V" 23, 48 Beuch Saw 48, 49 Rench Vice 49, 53	Crainshaft Grinding 77 Cream Separators 30 Creamery Cans 103 Cross Rim Wreneh 60 Cultivator Sweeps or Shovels, Points 36 Cupboard Hardware 46 Curry Comb
Bicycles and Acoessories 95	Curry Comb 41 Cups 99, 101 Cushions 66, 73
Accessories 95 Billfolds 97 Binder, Load 50 Bits, Bridle 41 Bits, Drill 48, 49, 53	Cuppoard Hardware 46 Curry Comb
Bits, Drill 48, 49, 53 Blacksmith's Supplies	Gauge
Bits, Bridle 41 Bits, Drill 48, 49, 53 Blacksmith's 53 Blacksmith's 53 Blades, Dise	Assemblies 78, 81 Dairy Pails 103
Blades, Saw 23, 48 Blinds, Window 11 Blowtorel 53 Bob Sled, Runners 16 Bolts and Nuts 52 Boots, Work 12 Boxes, Wagon 19, 20 Box Wrench Set 54, 55 Boxings, Dise Harrow 36 Brace, Ratehet 47	Dairy Pails 103 Damper 115 Davenport Suites 107 Defroster Fan 67
Boots, Work 12 Boxes, Wagon 19, 20	Defroster Fan 67 Dehorners 41 Dinette Suites 106 Dinnerwere 106
Box Wrench Set 54, 55 Boxings, Dise	Dinette Suites
Box Wrench Set 54, 55 Boxings, Disc Harrow 36 Brace, Ratchet 47 Braces, Men's 9 Bracketts, Shelf 46 Brake Fluid 72 Brake Shoes 72 Brake Shoes 72 Brake Shoes 71 Brake Shoes 71 Brake Shoes 101 Brick Siding 43 Brooms — 41, 104 Brushes, Horse 41 Brushes, Horsehold 104 Brushes, Horsehold 104 Brushes, Paint 45 Brushes, Separator 104 Bucket Pump 39 Buckles 41 Buck Saws 50 Buggy Wheels 16	Disc Sharpener 36 Dishes
Brake Fluid 72 Brake Lining 72. 78	Doubletrees 37 Drawer Pulls 46
Bread Boxes 101 Brick Siding 43	Drill, Hand 47 to 49 Drills, Twist 48, 49
Brushes, Horse 41 Brushes, Honsehold 104	Driving Lights 63 Dry Cells 3 Duckfoot Shovels 36
Brushes, Paint 45 Brushes, Separator 104 Rucket Pupp	Dry Cells 36 Duckfoot Shovels 36 Dust Mops 104 Dust Paus 101
Buckles	E Eavestronghing 43 Egg Beater 102 Elbows, Stove 115
Building Paper and Roofing 42	Accessories 88 to 89
Binckles	Electrie Drills 48 Electrie Motors 88 Electrie Light Plant
Burrs, Grinder 26 Bull Itings 41 Burke Flevible	Electric Sander 48
Weeders 36	Elements, Oil Filtor Auto 70
Calf Weaners 41	Elevator, Chop 27 Elevator, Grain
Cans, Coal Oil 103 Cans, Garhage 103	Emery Cloth 45 Emery Wheels 48
Can Openers 101 Can Openers 102 Canvas, Duck 17	Engines, Gasoline 22 Engine Heaters 67
Cabinet Hsrdware 46 Calf Weaners 41 Cans, Creamery 103 Cans, Garhage 103 Cans, Garhage 103 Cannister Sets 101 Can Openers 102 Canvas, Duck 17 Caps, Men's 10 Caps, Radiator and Gas Tank 70	Elements, Oil Filtor ——Auto ——Auto ——Tractor 70 ——Tractor 79 Elevator, Chop 27 Elevator, Grain Elemery Cloth 45 Emery Wheels 48 Enamelyare 100 Engines, Gasoline 22 Engine Heaters 67 Expansion Bits 47 Extension Ladder 49 Eyebolts, Drawbar 36
118 MACLEONS	Use Order Forms

Fan Belts .. 69, 74 Farm Wagons ... 18 to 20 Faucets, Barrel ... 38 Faucets, Water ... 104 Feed Grinders ... 26 Heater, Booker ... 123 Heater, Tank ... 30, 31

Faucets, Water 104	HADEV
Pocu Culter at	
Feed Grinders 26	Heater, Booker 123
Feeler Gauges 83	Heater, Tank 30, 31
Fencing and Fence	Heater, Van 16, 115
Supplies 37	Ileater, Auto 67
Fence Post, Steel 37	Heater, Hose 67
Fender Flaps 71	Heater, Oil 124
Fencing and Feuce Supplies 37 Fence Post, Steel 37 Fender Flaps 71 Files 50, 53 Filter Disc, Milk 103	Heater, Oil 124 Heater, Wood 115
Filter Dise, Milk 103	Hinges 46 Hitch, Tractor 73, 76
Filters, Gasonne 77, 55	Hitch, Tractor 73, 76
Filters Oil 70, 79	Hitches, Trailer 61
Fittings, Alemite 39	Hockey Sticks 0.8
Flares, Emergency 64	Hockey Pucks 98
Fittings, Alemite 39 Flares, Emergency 64 Flashlights 91	llog Fencing 37
Flashlight Batteries 91	Hockey Pucks 98 1log Fencing 37 Hog Waterer 31 Hog Ringer 41 Home Freezers 91
Flashlight Bulbs 9I	Hog Ringer 41
Flashlight Holder 65	Home Freezers 91
Flatware, Table 102 Flexible Water Pipe 34	Hooks Singletrees 51
Flexible Water Pipe 34:	Hopper, Elevator 24 florus, Anto 61
Floor Mats, Auto 72	llorus, Anto 61
Floor Mop 104	Horse Brusbes 41
Floor Polisher 104	Horse Collars 40
Flour Sifter 102	Horse Blankets 40
Food Choppers 101	1lot Plates 89
Food Mixers, Electrie	Hot Water Bottle 97
Electrie 89	House Tanks 104
Footwear, Men's 11, 12	Housewares 100 to 102
Forks. Handles DU	nunters Axe ot
Forks, Table 102	Hunting Knite 94
Framing Square 47	Hydraulie Jack Oil 60
Freezers, 1lome 91 Friction Tape 86	Hydraulie Parts 84, 85 Hydrometers 57
Friction Tape 86	Hydrometers 5

Auto Accessories 56 to 72
Batteries, Auto, Tractor .. 56, 57
Building Paper, Insulation
and Roofling 42 to 44
Carpenter's Tools 47 to 49
Electrical Appliances and
Accessories 86 to 89
Farm Hardware 50 to 55
Farm Machinery and
Accessories 14 to 41

Frost Shields 67 Frying Pans 101

Frost Shields 67
Frying Pans 101
Fuel Gauge, Tractor 73
Fuel Line Fittings 77
Fuel Oil Tanks 116
Fuel Pumps 68
Funnels, Tractor 38
Funnaces, Pipes and
Fittings 115, 116,
Furnace Shovel 50
Furniture 105 to 111
Fuse Plugs 86
Fuses, Auto 022

 Grease and Oils
 36

 Greaser, Automatic
 39

 Grille Covers
 67

 Grinder Burrs
 26

 Grinders, Grain
 26

 Grinders, Fool
 48

 Ground Clamps
 6

 Gummers, Saw
 23

 Gun Grease
 38

 Guns
 94

7	Mops, Floor 104 Mouse Traps 104
ш	mouse fraps 104
ш	Muillers 71, 73, 78
	Mufflers 71, 73, 78 Muffler Clamps 71
ע	Nail Puller 43, 49 Nails
2	Nails 51
3 5 7	Nestsfoot Oil 41
	Neekyokes 37
2	
4	Nest Eggs 39
7	Night Latch 46
4 5	- 0" 1 1
5	Oil, Anto 38 Oil Cake Meal 39
в	Oil Cake Meal 39
βİ	Oil Tractor 38
8188711111	Oil Tractor 38 Oilers 38
8	Oil Filters and Elements 70, 79 Oil Furnaces 116
ğ l	Elements 70 79
7	Oil Furnaces 116
ш	Oil Gauge, Tractor 79
1	Oil Hostows De 194
1	Oil December 30 31
	Oil Heaters 98, 124 Oil Pumps 38, 39 Oil Stone 49
н	011 Stone 49
4	Oil Stoves 98
1	Ovenware 99
ļ	Overalls; Men's and
0	Boys' 13
	Overshoes, Men's 11
9	Ovenware 99 Overalls; Men's and Boys' 13 Overshoes, Men's 11 Oyster Shell 39
9 7 4	
4	Padloeks 46
2	Packing, Pump 75
2	Padlocks 46 Packing, Pump 75 Pads, Kueeling 104

Packing, Pump 75 Pads, Kueeling 104 Pails 38, 103 Paint Brushes 45 Paint Sprayer 45
nders

Grain Gri

Ignition Coil ... 62
Ignition File ... 83
Ignition Parts ... 57, 02, 78
Ignition Switch ... 62
Ignition Wrench Set 83
Implement Tires ... 18
Initials, Monogram 65
Insulation ... 44
Iron, Bar and Flat 52
Ironing Boards ... 104
Irons, Electric ... 89
Irons, Gasoline ... 103 Fuse Plugs 50
Fuses, Auto 02
Galvanized Palls 103
Ganvanized Tubs 104
Game Traps 44
Gasket Shellae 68
Gasket Shellae 68
Gasket Shellae 68
Gasket Shellae 77
Gasoline Filters 77, 83
Gasoline Lamps 103
Gauges, Compression 83
Gauges, Spark Plug 83
Gauges, Tire 60, 76
Gear, Jumper 16
Gear, Plug 83
Gauges, Tire 60, 76
Gear, Wagon 18 to 20
Generator Belts 74
Glass Cutter 47
Glass Cutter 47
Glass Substitute 39
Globes, Electric 88
Gloves, Men's 97
Globes, Electric 88
Gloves, Men's 97
Grain Boxes 19, 20
Grain Boxes 19, 20
Grain Boxes 19, 20
Grain Boxes 19, 20
Grain Loaders, Elevators 24, 25
Grain Grinders 26 J Jackets, Men's 7
Jacks, Auto 60
Jack, Serew 51
Jackknives 97
Joints, Universal 24
Jumper Gear 16

Jumper Gear ... 16

K Kerosene Lamps,
Burners and
Mantles ... 103
Kettles 89,100,101
Key Case ... 97
Keyhole Saw ... 47
King Bolt Sets ... 70
Kitchen Suites ... 105
Kitchenware 99 to 102
King Snaps ... 41
Kneeling Pad ... 104
Knives, Hunting ... 94
Knives, Focket ... 97
Knives, Table ... 102 Lace Leather .. 23

Lace Leather 23
Ladders 49, 103
Lamps, Electric 111
Lamp Burners 103
Lamp Mantles 103
Lamp Mantles 103
Lamp Mantles 103
Leather 11, 23, 40
Levels, Carpeuter 47
License Holder 47
License Holder 67
Light Bulbs 88
Light Fixtures 88
Light Fixtures 88
Light Fixtures 76
Lights, Auto 03
Lights, Trouble 63
Lights, Trouble 63
Lights, Trouble 64
Lights Mantles 67
Liquid Adhesive 67
Liquid Adhesive 49
Losders, Truck 21, 24, 25
Lock Washers 52
Lock Washers 52
Lock Washers 50
Louvres Ventllating 44
Luggage 93
Lunch Boxes 103
Lunch Boxes 103
Lunch Boxes 103
Lunch Boxes 99
Machine Bolts 52

Pans, Household
Pants, Men's 8
Paper, Building 42
Paring Knife 102
Parks, Mife 102
Parking Lights 63
Patching Outfits 60
Percolators 89, 100
Pillows 110
Pillows 110
Pins, Clevis 73
Pipes, Stove 115
Pipes, Water 34
Pipe Fittings 34, 35, 113
Piston Rings, Auto 65
Parcolators 81, 83
Piston Rings, Auto 65
Parcolators 81, 83
Piston Rings, Auto 69
Piston Sileeve Assemblies 78, 81
Planes, Smoothing 47
Pilers 53
Plow Rolts 52
Plow Files 53
Plow Rolts 52
Plow Files 73
Pown Hitch 73, 76
Plow Hitch 73, 76
Plow Hitch 73, 76
Points, Cultivator 36
Polish, Auto 66
Polish, Auto 66
Polish, Auto 66
Polish, Auto 67
Post Julle Auger Bits 20
Post Mauls 70
Post Parks 100
Post Mauls 70
Post

Salt and Pepper
Shakers 99
Sanders, Electric 48
Sand Paper 45
Sanitary Closet 112
Saucepans 100
Saws, Bench 48, 49
Saws, Buck 50
Saws, Gircular 23, 48
Saws, Gircular 23, 48
Saws, Hand 47
Saw, Gunmer 23
Saws, Hack 51
Saws, Mandrel 23, 48
Saw Set 52
Saws, Mandrel 23, 48
Saw Set 97
Scales, Batbroom 100
Seissors 97
Scrapers; Wall, Scales, Batbroom 100
Scissors wall,
Wood 47
Screw Drivers 47
Screw Drivers 47
Screw Nails 51
Scratch Wheels 48
Seythe Sharpener 50
Seat Covers, Auto 66
Scats, Tractor 73
Separators, Cream 30
Sewing Bench 114
Shares, Plow 37
Sharpener, Tool 53, 48
Shirts, Men's 10
Shock Absorbers 71
Shock Men's 12
Shimstock, Kit 75
Shingles, Asphalt 42
Shotguns 94
Shovels, Cultivator 36
Siding, Roll 43
Signal Lights, Auto 63
Signal Lights, Auto 63
Singletree Hooks 51
Sinks, Kithen 113
Skating Outfits 98
Sleeve Assemblies.
Tractor 78, 81
Sleighs, Children 96
Sleigh Runners 16
Sleigh Shoes, Bolts 16
Smocks, Men's 13
Shock Men's 13
Shock Holls 10
Socket Wrenches 10
Socket Wrenches 10
Socket Wrenches 75
Spark Plug Wire 62
Spark Plug Wire 62
Spark Plug Wire 62
Spark Plug Wire 67
Spork Plug Tester 83
Spark Plug Wire 67
Spork Plug Wire 67
Spark Plug 86
Spark Plu

Rivets 41
Roasters 100
Rods, Wagon Box 51
Roller Coater 45
Rolling Coulters 37
Roofing Cement 42
Rope 51
Rope Shanks 41
Rubbers, Men's 11
Rubers, Men's 11
Rubers and Measuring Tapes 48
Runners, Sleigh 10

Tire Reliners 61
Toaster, Electric 89
Toboggans 96
Toilets 1112
Tool Boxes 49
Tool Griders 48
Tools, Carpenters 48
Tools, Carpenters 73
Tractor Parts 73 to 83
—Animeters 56, 57
—Batteries 56, 57
—Bearings 74, 78, 80
—Chains 61
—Clevises 73
—Connecting Itod
Bearings 74
—Grinding 77
—Fuel Line
—Fittings 77
—Fuel Line
—Fittings 77
—Fuel Gauge 73
—Gaskets 78, 80, 82
—Generator Belts 74
—Governors 77
—Heat Indicator 76
—Hitches 73, 76
—Hitches 73
—Hour Gange 76
—Ignition Parts 76
—Ignition Parts 76
—Ignition Parts 76
—Ignition Parts 76
—Indights 76
—Magnetos 77
—Magnetos 77
—Magnetos 77
—Mittlers 78
—Oil Filters 78

Umbrellas, Traetor Underwear, Men's ... Unfinished Furn-

V Valve Caps and V Valve Caps and Cores 0
Valve Grinder 85
Valve Grinding 88
Valve Lifter 88
Valve Lifter Valve Valve 17
Valve Tools, Tire 6
Valves Water 3
Van Heaters 11
Varnish 44

Wagon Boxes 19.
Wagon Boxes 19.
Wagon Hardware Washers, Steel Washing Machines Wash Tubs 10.
Waste Baskets 10.
Watches, Poeket 10.
Water Psils 10.
Water Pripe Water Pripe Water Pripe Water Pripe Water Pripe Water Pripe Water Pripe Water Pripe Water Toilet 10.
Water Pump Kit 10.
Water Boylon Water Pump Kit 10.
Water Wing Systems 34.
Water Toilet 10.
Water Toilet 10.
Water Boylon Water Wing Compound Welding Equipment Wheelbarrows Wheels, Repair 16.
Wheel Skis Whodow Hardware Wire, Aerial Wire Brish Wire Stratcher Wire, Equiling Wire Stretcher Wire, Ignition 57.
Wire, Lead-in Wire Scratch Wheels Wood Kerews Wood Kerews Wood Kerews Worw Colthing 77
Wrecking Bar 10.
Wrenching Grant Wrenches 49.
Wrench, Cross 1

SEMI-PIPELESS DOUBLE BURNER

ANY TYPE OF BASEMENT

Improved 3-Way Heat System, Incorporates All the Booker

Features That Assure A Winter-Long Saving In Fuel
A complete home heating system that is endorsed by many home owners as the correct answer to coldest Western Winters. The Booker semi-pipeless double burner furnace has no overhead pipes . . . easily installed in any type of basement . . . adaptable to plan A or plan B installation (see illustrations below)..

- Triplex 3-Pipe System developed especially for Western homes and Western winters.
- No Ovorhead Pipes . . . easily installed, the extending casing can be cut to fit any height of basement.
- Burns cheapest nut size Souris coal, or any nut or pea size soft Wostern coal.

• No dust; leaves very little ash.

Self-Feed Gravity Hopper, fill only twice a day in coldest winter.

Positive control . . . desired temperature can be maintained day or night; responds at once when heat is desired.

• Sturdy Built . . . cast Iron construction.

Cash-in on big fuel savings this winter by installing the Booker three way heat system. You will save money all winter long, starting with the very first ton of coal you buy, and it will be the same every winter you use the Booker . . . because this furnace uses the cheapest grade Souris coal and by complete combustion burns it right down to a very fine ash! Then, too, there are added advantages . . . no overhead pipcs . . . a great space saver . . . economical installation. If you can use a hammer and saw you can install this furnace.

The Triplex furnace comes complete with one 18 x 24-inch hot air register and two 12 x 15-inch cold air registers, two cold air pipes 7-feet long and 12-inches diameter, elbows and register boxes. Takes 7-inch smoke pipe. Note illustrations . . . decide whether plan A or plan B will best fit

Made in two sizes.


Booker Triplex Furnace, for 3 to 5 rooms (up to 4300 cubic feet). Hopper holds 50-lbs, of coal. Shipping weight about 479-lbs. If basement is higher than 8-feet state exact

B34-4351F--Price DELIVERED to any station in Peace River Country (West of High Prairie) Manitoba Saskatchewan Alberta 176.50 179.75 183.50 166.95

Booker Triplex Furnace for 4 to 8 rooms (up to 15,000 cubic feet). Hopper holds 115-lbs, of coal. Shipping weight about 664-lbs. If basement is higher than 8-feet state exact B34-4353F--Price DELIVERED to any station in

Peace River Country (West of High Prairie) Manitoba Saskatchewan Alberta 239.50 241.50 219.95 231.50

MONTHLY PAYMENT PRICE; 25% Down The balance—plus carrying charges



Double Burner Pipeless FURNACE

Complete, Compact—Easy to Install in Any Basement The square construction of the furnace casing makes this Booker Pipeless Furnace amazingly easy to install in

any height, size or type of basement—can be readily instal-

led in a small dugout cellar.

vour basement and heating requirements.

Has all the features of the Booker Furnace described above (see also Booker Heater features as described on page 123). A complete home heating system that is designed to save you up to 50 per cent of your coal bill every winter. Heats every room up to an even temperature . . . as the warm air rises through the large 30x30-inch floor register the cold air is drawn back to the furnace for reheating; the hot air passes through the inner casing and cold air returns along the outer casing—circulation is automatic and continuous. Holds fire safely overnight, over weekends or for 7 days straight (if drafts are shut down).

Three Simple Steps for Complete Erection

(1) Cut hole in floor for register. (2) Move furnace into position (or lower the furnace through the hole. If necessary. (3) The casing is cut to required height and adjusted to fit register.

This pipeless furnace comes complete with 30x30-inch floor register and humidifier; complete ready to install. Dimensions of furnace are 42x28-inches. Takes a 7-inch smoke pipe. Made in two sizes. When ordering state if basement is higher than 8-feet and give exact height.

Booker Pipeless Furnace, for 3 or 4 rooms (up to 4100 cubic feet). Hopper holds 50-lbs, of coal. Shipping weight about 504-lbs. B34-4285F—Price DELIVERED to any station in

Peace River Country (West of High Prairie) Manitoba Saskatchewan Alberta 177.50 181.95

Booker Pipeless Furnace, for 4 to 7 rooms (up to 14,000 cubic ft.) Hopper holds 115-lbs. of coal. Shipping weight ahout 689-lbs. B34-4239—Price DeLIVERED to any station in

Operates on 110-volt A.C. electric power, this plug-in furnace control gives the three most wanted requirements from modern heating: (1) Fuel economy. (2) Comfort, (3) Convenience.

These controls may be attached to any hand fired furnace. As easy to install as an electric clock—plug in your motor, attach thermostat wires to motor, and adjust draft chain to motor arm.

When installed the electric controls operate the draft and check damper on your furnace to required room temperature. The operation is quite simple, just set the thermostat at temperature desired and Feep fire box propelly filled.

Complete unit consists of electric motor with built in transformer (which has an automatic safety spring release that closes drafts in case of a power failure). chains, pulleys, whre, insulated staples thermostat and complete simple installation instructions.

B34-3025 — DELIVERED 32.95

A Customer Writes—The Booker is won-A Customer Writes—The Booker is won-derful for economy. I have cut my fuel bill in half, and people can hardly be-lieve that it did not burn more coal than it did. (Name on request)

Peace River Country (West of High Prairle) Manitoba Saskatchewan Alberta 209.95 | 225.00 | 229.75 234.50 MONTHLY PAYMENT PRICE; 25% Down The balance-plus carrying charges-in 12 equal monthly payments.



ONLY

BOOKER Gravity Feed PIPE FURNACE

Semi-Automatic Gravity Stoker Action Is A Feature Of All Booker Furnaces . . . Suitable For Any 4 to 8 Roomed House

There are more than 47,500 satisfied Booker users in Western Canada, that is truly an acceptance record to be proud of! Now there is a story behind this outstanding record and it can be told in just six simple words: "More heat at a lower

Cut Fuel Costs in Half With The New and Improved BOOKER-This model Booker Furnace incorporates all the fuel-saving advantages that recommend the Booker as an efficient heating unit for Western homes. It is designed to extract and burn all the gas from the cheapest coal, nut size Sourls or any nut size Western soft coal—the Booker double burner principal of combustion draws air from the bottom draft up through the live coals, increasing and consuming all the volatile gas to the maximum available from the fuel—no portion of the heat value can escape. Constructed to provide an even flow of heat for many hours from one filling. It will not go out when checked and responds at once when heat is desired. The Booker Pipe Furnace comes complete in galvanized steel casing, less pipes and registers.

(Pipes and registers have to be installed by the tinsmith before this furnace is put in opera-tion). Note: Holes are not cut in easing for hot or cold air pipes, these holes must be cut when installing furnace to in-sure correct placement.

Booker Pipe Furnace for 4 to 8 rooms (up to 13,500 cubic feet). Height 60-ins. Hopper holds 115-lbs. coal. Takes 7-inch smoke pipe. Shipping weight about 654-lbs.

B34-4264F-Delivered to any station in: Peace River Country (West of High Prairie) Manitoba Saskatchewan Alberta 189.95 204.50 208.75

MONTHLY PAYMENT PRICE: 25% Down The balance—olus carrying charge

JUNIOR Model

Will Fit the Smallest Basement or Dugout! Here's the Booker Heating Unit for small homes (3-5 rooms, 4,500 cubic feet). Small and compact it will fit into a space 4%-ft, high, 2%-ft, wide and 3%-ft, deep. This is a semi-automatic self-feed furnace and requires filling only two or three times a day. It burns the cheapest nut

furnace and requires filling only two or three times a day. It burns the cheapest nut size fuel.

Check these important construction features: heavy steel exchanger, cast iron combustion chamber, cast iron gravity stoker and modern square type galvanized casing. Hopper holds 50-lbs. of coal. Comes complete in galvanized steel casing, less pipes and registers. (Pipes and registers have to be installed by tinsmith before this furnace is put into operation). Note: Holes are not cut in casing for hot or cold air pipes, these holes must be cut when installing furnace to insure correct placement. Takes 6-inch smoke pipe.

Booker Pipe Furnace, Junior Model. Skipping weight about 377-lbs.

B34-4260F—Delivered to any station in:

Peace River Country (West of High Prairie) Saskatchewan Alberta Manitoha 136.50 125.95 132.95 139.75 MONTHLY PAYMENT PRICE; 25% Down The balance—plus carrying charge

HEATERS AND FURNACES Heater No. 2 4.50 B47-2147—Top Grate for No. 2 Heater Heater B47-2146—Bottom Grate for No. 2 B47-2109—Slotted bar for No. 1 B47-2137—One of the state 6.50 B47-2137—Slotted bar for No. 2 Furnace Furnace

All Steel Construction—"Coronado "Features Assure Highest Heating Capacity

All Steel Construction— Coronado Features Assure Highest Heating Capacity

Home owners are enthusiastic in their pralse of the Coronado furnace for the way it cuts down fuel bills . . .

Have comfort and heating satisfaction this winter by ordering your Coronado furnace now. This furnace is built by Canadian engineers and embodies the famous Canadian design illustrated. Complete in galvanized steel casing it will satisfactorily heat any 4 to 8 room house. Burns coal, coke or wood with the utmost economy. Dollar for dollar a truly outstanding furnace value. In long years of dependable service the "Coronado" will give the economical heating comfort you have always wanted. Takes 8-inch stove pipe.

Sultable for any 4 to 8 roomed house.

Body of furnace—23-inch diameter—constructed of heavy

Coronado Pipe Furnace, less pipes and registers. Pipes and registers have to be installed by trismith before this furnace is put into operation. Shipping weight about 560-ibs.

Coronado Pipe Furnace, less pipes and registers. Pipes and registers have to be installed by trismith before this furnace is put into operation. Shipping weight about 560-ibs.

Coronado Pipe Furnace, less pipes and registers. Pipes and registers have to be installed by trismith before this furnace is put into operation. Shipping weight about 560-ibs.

nouse.

Body of furnace—23-inch dlameter — constructed of heavy boiler steel. Welded gas tight.

Extra steel heating drum assures fuel economy.

Fire pot lined with blast furnace clinker and fire resistant brick.

Flat grates—burns coal, coke or wood.

• Large size water pan, keeps air

Ash pit door is correct size for stoker uso.

B34-4268F—Delivered to any station in:
Manitoba | Saskatchewan | Peace River Country (West of High Prairie) and British Columbia Alberta

169.95
181.95
189.00
198.50

Coronado Pipe Furnace, same as above except with 19-inch fire-pot and welded composition chamber (suitable for 3 to 5 roomed house); less pipes and registers. Pipes and registers have to be installed by tinsmith before this furnace is put into operation. Shipping weight about 475-lbs. Order from Winnipeg only.

B34-4273F-Delivered to any station in: Peace River Country (West of High Prairie) and British Columbia Alberta Manitoba Saskatchewan 135.50 149.95 145.00

159.50

MONTHLY PAYMENT PRICE; 25% Down, the balance—plus carrying charge—in 12 equal monthly payments.


Will fit any height of basement—the furnace casing is extendable to height of the basement... the Coronado Pipeless Furnace can be installed by any man who is handy with tools. Coronado Pipeless Furnace design takes advantage of the surest principle in heating—unlike the ordinary furnace that tries to push hot air into the rooms already filled with cooler air, the Coronado circulates a stream of warm air like an endless belt into every room in the house. As the heated air rises through the large 29v29-inch floor register, the cold air is drawn steadily back to the furnace for reheating. Circulation is complete and automatic. Takes 8-inch stove pipe Coronado' Pipeless Furnace, complete ready for installation. Suitable for any 4 to 8 roomed house. Shipping weight about 700-lbs. When ordering state if your basement is higher than 8-feet; give exact height.



B34-4293F—Delivered to and station in:
Manitoba Saskatchewan Peace River Country (West of High Prairie) and British Columbia

229.95 239.50 252.50 MONTHLY PAYMENT PRICE: 25% Down, the balance—plus carrying char monthly payments.





Furnace Pipes, Elbows and Registers . . .

Please see page 115 for a complete listing of furnace and heater accessories.

It is a thrifty habit to buy from Macleod's—either through this mail-order catalog or at any of our retail stores Either way you are assured of the best at the lowest price.



FREE HOME TEST

Guaranteed satisfaction. When you receive the "Booker" use if for 21 days, burning the cheapest grade small coal you can buy in your district (don't use hard coal or coke). If not satisfied your money will be cheerfully refunded.



Save up to 50% on Your Coal Bill

THE NEW IMPROVED "PATENTED Soft Coal



How the Booker Heater Works

The coal is placed in hopper "A" and is fed by gravity into the combustion chamber firebox. Air from the front draft "C is drawn through the live coals, increasing the combustion of volatile gas to the maximum available from the fuel. The temperature of the fire is thus easily and directly controlled by the operation of this draft. The burning gases and heat current pass up the combustion chamber "F," which absorbs the re-maining heat by contact, radiation and convection current and transfers it to the room atmosphere quickly and fully by means of the radiating fins on the outside.

Through the proper mixing of air and coal gas, the Booker burns smaller sizes of lignite coal, extracting not "some" but all the heat in it.

- Built Sturdily-All Cast Iron
- Air Draft Control for Positive Checking Quick Heating Even in Coldest Weather
- Burns all the Gas from Cheap Coal
- * Fill the Hopper Only Two or Three Times a Day in Coldest Winter
- Free from Dust or Dirt
- Steady, Even Heat Always

★ Save up to 50% on your coal bill and have a warm, more comfortable home this winter. The Booker self-feed gravity hopper heater burns low priced nut size Souris coal, or any nut or pea size soft Western coal . . . gives utmost heat by complete combustion of all gases . . . it breaks up the carbon from soft coal by mixing in pure air, thereby creating earbonic acid gas, which makes the hottest fuel known to science, and then arrests this intense heat, consuming it completely in the generator chamber-no chance for the heat to escape up the chimney. Only the Booker is designed to burn cheapest, small-sized, soft Western coals, it is scientifically constructed to extract all the heat out of soft coal, soft Western coals, it is scientifically constituence to const

The Booker gives finger-tip instant heat when required. THE BOOKER THROWS HEAT DOWNWARDS, KEEPING FLOORS WARM WHERE CHILDREN PLAY. You only need start a fire once a year and the Booker can hold a fire safely overnight, over weekends, or for 7 days straight (if drafts shut down). The Booker needs only two or three fillings per day and is positively controlled at all times.

For completely automatic heat use Bookerstat Temperature Control, see listing below.

Manitoba Saskatchewan Alberta 84.50 89.95 92.50

Peace River Country (West of High Prairie) 95.00

Standard Model Booker Heater. Heats 2 to 4 rooms (5,500 eu. ft.).

Bright metal trim; height 34 inches; width 18 inches. Shipping weight about 295 lbs.

B47-2101F—DELIVERED to any station in:

Commercial Model Booker Heater. Heats 4 to 8 rooms (14,000 eu. ft.),
Black finish; height 38 inches; width 23 inches. For larger homes, churches, halls and all larger buildings. Shipping weight about 475 lbs.

B47-2132F—DELIVERED to any station in:

Manitoba Saskatchewan **Alberta**

Peace River Country (West of High Prairie)

. 139.95 127.50 136.75

145.00

MONTHLY PAYMENT PRICE 25% Down, the balance-plus carrying charge-in 12 equal monthly payments.

TEMPERATURE BOOKERSTAT CONTROL

To Fit Any Booker Heater or Booker Furnace

*Adjust length of chain to temperature required and the Bookerstat will open and close draft door maintaining the temperature, you want. Spilled complete with lift type alummum draft door to it any Booker Heater or Furnace. Complete, simple installation instructions supplied.

perature Control. Shipping weight about 2-lbs.

Bookerstat Tem-B34-3015 DELIVERED 6.95





Carman, Man. Dear Sira:

The Booker Stove is won-derful for economy. I have out my fuel bill in half, and people can hardly believe that it did not burn more coal than it did.

(Name on request).

*Attractively styled cabinet to fit over the Booker Heater!—gives the heater the appearance of a finely styled piece of furniture. Special down vents on each side throw plenty of heat downwards, keeps floors warm. Made of heavy gauge steel, baked walnut Hamerloid finish.

To fit Standard Model Booker Heater. Shipping weight (knocked down) about 60 lbs.

B47-2112F—DELIVERED to any station in: Manitoba Saskatchewan **Alberta**

Peace River Country (West of High Prairie) 33.50

31.25 31.95 32.50

To Fit Commercial Model Booker Heater. Shipping weight (knocked down) about 75-lbs.

B47-2140F-DELIVERED to any station in: Manitoba Saskatchewan Alberta

Peace River Country West of High Prair 41.25 42.75 43.25

MONTHLY PAYMENT PRICE 25% Down, the balance—plus carcharge—In 6 equal monthly payments.

Caranada OIL HEATERS Smartly Styled Cabinets . . . Provides Both Radiant Heat

And Circulating Heat For REAL COMFORT





★ Looking for the right heater to provide comfortable warmth all winter long . . . steady, evenly controlled heat that is quick, clean and economical. Here is your answer. Choose a "Coronado" Oil Heater. Note the smartly styled cabinets . . . they are designed not only for appearance but also for greatest heating capacity. "Coronado" Oil Heaters provide both radiant and circulating heat, allowing a larger free-flowing volume of cold air to be drawn in from the floor where it is quickly heated between the inner and outer walls. Instant radiant heat is spread through the front louvres, giving quick warmth over entire floor level while an abundance of lively circulating heat flows from the louvres in the cabinet top to provide an even, healthful temperature throughout the room.

Furniture-styled, all-steel cabinet is finished in brown-tone baked-on enamel that will harmonize

with the color scheme and the furniture setting of any home . . built-in leg levellers allow easy levelling of the cabinet for perfect flow of oil. The side doors, that permit burner inspection, are aluminum lined to reflect radiant heat and ensure quick warmth. Heavy steel combustion chamber is gas tight, fume-proof, corrosion and rust-resistant. Burns No. 1 fuel. Takes 6-inch stove pipe. The "Coronado" Oil Heater is built in three sizes—choose the size that meets your needs. All are supplied complete with automatic shut-off valve and strainer.

(A) 75,000 B.T.U. Model -- Heats 4 to 6 Rooms (8,300 cu. ft.)

Consumes less than 2 quarts of fuel per day at low flame—a maximum of 21/2 quarts per hour at high Pilot flame equipped, complete with humidifier. Cabinet is 38 ins. high, 31 ins. wide, 28 ins. deep (without fuel tank, 20 ins.

deep).

B47-2825F—Without Fuel Tank (see below). Shipping weight about 176 lbs.

Price DELIVERED...... 129.95

Monthfy Payment Price: \$31.75 down and \$9.00 per month for 12 months.

B47-2826F—6½ Imperial Gallon Fuel Tank for above, with visible fuel gauge.

(B) 52,000 B.T.U. Model — Heats 2 to 4 Rooms (5,600 cu. ft.)

Consumes less than 2 quarts of fuel per day at low flame; a maximum of 2 quarts per hour at high. Equipped with pilot flame. Cabinet is 36 ins. high, 24 ins. wide, 24 ins. deep (without fuel

B47-2822F—Without Fuel Tank (see below). Shipping weight about 114 lbs.

Monthly Payment Price: \$21.00 down and

\$6.00 per month for 12 months. 847-2823F—4 Imperial Gallon Fuel Tank for above.
Price DELIVERED......9.50 (C) 32,000 B.T.U. Model—Heats 1 to 2 Rooms (3,500 cm. ft.)

Consumes less than 3 quarts of fuel per day at low flame; a maximum of 1 quart per hour at high. Cabinet is 28 ins. high, 24 ins. wide, 21 ins. deep with fuel tank.

B47-2821F — Complete with 2½ Imperial Gallon Fuel Tank. Shipping weight about 105 lbs.
Price DELIVERED 69.95

Monthly Payment Price: \$15.40 down and \$5.00 per month for 12 months.

If large fuel tank desired see page 116.

ELECTRIC THERMOSTAT FOR AUTOMATIC HEAT CONTROL

*To fit above "Coronado" oil heaters and most A.P. carburetors used on other oil heaters. Easy to install, simply plug into any standard outlet. Saves up to 17 per cent in fuel; maintains even temperature. C. S. A. Approved. In case of a power failure can be manually operated; returns automatically to thermostat control when power is restored. restored.



Caranado

These Many Good Features Recommend "Coronado"

The "Coronado" is engineered to give utmost heat on a minimum of fuel oil . . . the automatic fuel control actually measures the amount of fuel for the amount of heat you desire and is equipped with patented safety well that keeps the burner from flooding. Here are other features that assure satisfaction: faction:



38% more heat radiation from louvres in top of cabinet — all the heat is circulated out into the room.





Wide flame oval hurner gives 22% more heat per gallon of fuel. Most efficient burner made.



Rectangular heat chamber has 28 % greater overall heating capacity than round type burners. Heavy steel; gas and burners. H



Precision balanced completely automatic draft regulator keeps heater operating effi-ciently regardless of weather conditions or dial setting.



Both the larger models are equipped with a pilot flame, no need to light heater every morning, no excessive heat during mild weather.

AUTOMATIC ELECTRIC BLOWER FAN

*For use with B47-2825F heater above. Automatically starts when heater gets hot, shuts of when heater cools. Uses no more current than a 60-watt bulb. Operates on 110-120-vol 60-cycle A.C. only. Complete by 6 feet of cord.

847-2816F--Price DELIVERED 31.50

ELECTRIC FORCED AIR BLOWER

**For use with 847-282.2* heater above, also 1952 "Coronado" 52,000 B.T.U. heater. Gives an efficient circulation of warm air insuring fuel economy. Is assily motipated on back of heaters—uses no inore current than a 60-watt bulb. Manual on-off control. For 110-120-volt, 60-cycle A.C. only.

A.C. only. B47-2815F— DELIVERED. 26.95





ORDER THESE ITEMS FROM Winnipeg, Regina, Saskatoon, Calgary, Edmonton